

Annotations Overlay

Indicators & Analysis / Chart Overlays | intermediate | 4 min read | DeepCharts Help Center | August 24, 2026

The Annotations Overlay indicator (listed as **Overlay Annotations** in the indicator menu) imports the annotations produced by an indicator on *another* chart into the current chart. The classic use: run Bar POC on a 30-minute chart and display those 30-minute POC levels on your 5-minute execution chart.

What it is

Many DeepCharts indicators draw annotations — levels, zones, markers — that are computed from their own chart's timeframe. Annotations Overlay mirrors those drawings onto a different chart. You point it at a source chart (by its **Chart ID**) and a specific indicator on that chart (by its **Indicator ID**), and the annotations appear on your target chart, computed exactly as the source calculates them.

This gives you true multi-timeframe levels: the source indicator keeps running on its own resolution while you watch its output where you actually trade.

When to use it

- You want higher timeframe indicator levels (for example Bar POC or a swing indicator) shown on a lower timeframe execution chart.
- You maintain one "analysis" chart with carefully configured indicators and want its annotations mirrored to other charts without reconfiguring everything.
- You want to compare an indicator's output across timeframes side by side on a single chart.

Quick start

1. Set up the source first: open (or identify) the chart running the indicator whose annotations you want to import — for example Bar POC on a 30-minute chart.
2. On your target chart, open the indicators menu in the upper left corner and add **Overlay Annotations**.
3. Find the source **Chart ID**: right-click and select **Finder Window**, then enable the **Mirror** function. Hover over the source chart — the chart's ID appears in the first row of the finder window.

[SCREENSHOT PLACEHOLDER] Finder Window with the Mirror function enabled, positioned over the source 30-minute chart, the first row showing the chart ID value highlighted
annotations-overlay-finder-window-chart-id.png

4. Enter that value in the **Chart ID** field of the Annotations Overlay settings.
5. Find the **Indicator ID**: open the indicator list on the source chart and locate the small number in parentheses next to the indicator you want to import.

[SCREENSHOT PLACEHOLDER] The source chart's indicator list with the small ID number in parentheses next to the Bar POC entry circled/highlighted
annotations-overlay-indicator-id-list.png

6. Enter that number in the **Indicator ID** field of the Annotations Overlay settings.
7. Select **Apply and Save** in the lower right corner. The source indicator's annotations now render on your target chart.

[SCREENSHOT PLACEHOLDER] A 5-minute chart displaying imported Bar POC levels originally computed on a 30-minute chart via Annotations Overlay, with the Annotations Overlay settings dialog showing the Chart ID and Indicator ID fields filled in
annotations-overlay-imported-levels.png

How to read it

The imported annotations look and behave exactly like the source indicator's own drawings — same levels, same updates. Interpret them using the source indicator's documentation (for example Bar POC for imported POC levels). The only difference is context: the annotations are computed on the source chart's timeframe, so a level from a 30-minute source represents 30-minute structure even though you see it on a 5-minute chart.

Settings reference

The indicator has two key parameters to configure:

Setting	What it does
Chart ID	Identifies the source chart containing the annotations to import. Found via the Finder Window with Mirror enabled — the value in the first row while positioned on the source chart.
Indicator ID	Identifies which indicator on the source chart to import. It is the small number in parentheses next to that indicator in the source chart's indicator list.

Confirm changes with **Apply and Save** in the lower right corner of the settings window.

Tips and common mistakes

- **The source chart must exist and keep running** — the overlay mirrors a live indicator on another chart. If the source chart is closed, there is nothing to import.
- **Wrong ID, wrong output.** If unexpected annotations appear, you most likely entered the ID of a different indicator on the source chart — re-check the number in parentheses in the source chart's indicator list.
- Configure the source indicator fully *before* wiring the overlay: styling and parameter choices are made on the source, and the overlay reflects them.
- Works best with annotation-drawing indicators (levels, zones, markers) such as Bar POC or swing-based tools; the example in the original documentation imports a Bar POC from a 30-minute chart into a 5-minute chart.
- If you only need a plain text label rather than mirrored indicator output, use Text on Chart.

Related articles

- Bar POC
- Swing Point
- Text on Chart
- Link Windows with Color Groups
- Different Types of Input Data for Indicators
- How to Change the Layout of Indicators