

Connect Rithmic Using the RTrader Pro Plugin

Connections & Data Feeds / Setup | intermediate | 10 min to complete | DeepCharts Help Center | August 24, 2026

By the end of this guide, DeepCharts will receive its Rithmic data through R Trader Pro running in the background — which lets R Trader Pro, DeepCharts and other Rithmic-connected applications share one Rithmic login at the same time without session conflicts.

In this mode R Trader Pro works as a data gateway: it holds the connection to Rithmic, pulls the live data, and feeds it into DeepCharts. This is also the only way to share a single Rithmic feed with applications outside DeepCharts (dxFeed feeds cannot be shared with third-party applications at all).

Note: If you only use DeepCharts and do not need R Trader Pro running alongside it, use the standard direct connection instead — see [How to Connect a Rithmic Data Feed](#). The plugin route adds a moving part: R Trader Pro must stay open the whole session.

Before you start

- [] Your Rithmic username and password at hand — see [How to Connect a Rithmic Data Feed](#) for where credentials come from
- [] The Rithmic market data agreement signed — see [Sign Your Market Data Agreement](#)
- [] R Trader Pro installed (download from <https://www.rithmic.com/rtraderpro> via the **Download R | Trader Pro** button)
- [] Your account's Server value known — **Rithmic Paper Trading** for direct data feeds, or your prop firm's entry from the table in [Connect Any Rithmic Prop-Firm Account](#) (Server Table)

Steps

Part A — Set up R Trader Pro

1. Open R Trader Pro. You will see two login forms side by side — fill **both** with the same values: your Rithmic username and password, **System** = your account's server value (for example **Rithmic Paper Trading**), and the **Gateway** nearest to you.
2. Before logging in, enable the **Allow Plugins** toggle on the login form. This is the switch that lets DeepCharts attach to R Trader Pro — without it, the DeepCharts connection stays yellow and never turns green.

[SCREENSHOT PLACEHOLDER] R Trader Pro login screen with both forms filled identically and the Allow Plugins toggle enabled and highlighted dc-en-rtrader-pro-plugin-01.png

3. Click **Login** and leave R Trader Pro running in the background.
4. Remove Rithmic's data-receive limits: open **Window** → **Preferences** and go to the **Performance** tab. Under **Max Market Data Updates/Second**, drag both the **Quotes** and **Order Book** sliders to the maximum (**No Max**), confirm the **Adjust to keep up with market data inflow** checkbox is enabled, then click **Apply** and **OK**.

[SCREENSHOT PLACEHOLDER] R Trader Pro Preferences window, Performance tab, with Quotes and Order Book sliders at No Max and the "Adjust to keep up with market data inflow" checkbox ticked
dc-en-rtrader-pro-plugin-02.png

Warning: Keep the sliders at maximum permanently. With a lower limit set, Rithmic caps how much data reaches you per second, and charts fall behind during high-volatility periods when data inflow spikes.

Part B — Set up DeepCharts

5. In DeepCharts, click **Select Connection** in the top toolbar, then **Feed Settings** at the bottom of the dropdown.
6. Click **Add Connection**.
7. Under **Feed Source**, select **Rithmic RAPI**. The plugin route only works with this source — not with **Rithmic Wss - beta**.
8. Enter the same Rithmic username and password, and select the **same Server and Gateway** you used in R Trader Pro. The two applications must match exactly — a mismatch prevents the plugin link from establishing.
9. Enable the **Use RTrader** option in the connection form (some versions label it **Use RTrader Pro Plugin**, in the Advanced section).

[SCREENSHOT PLACEHOLDER] DeepCharts Feed Settings dialog with Feed Source=Rithmic RAPI, Server and Gateway matching R Trader Pro, and the Use RTrader option enabled and highlighted
dc-en-rtrader-pro-plugin-03.png

10. Click **Save**, then connect the feed from the **Select Connection** dropdown.

Warning: Keep R Trader Pro open the entire time you use DeepCharts in this mode. Closing R Trader Pro instantly terminates the data connection.

Verify it worked

- The DeepCharts connection indicator turns **green** (a persistent **yellow** dot means R Trader Pro is not running, was logged in without **Allow Plugins**, or the Server/Gateway values do not match).
- Open a chart via **New** → **Price Chart** — the price updates live.
- R Trader Pro is still running in the background.

[SCREENSHOT PLACEHOLDER] DeepCharts with a green connection dot and a live chart, with R Trader Pro visible running in the background dc-en-rtrader-pro-plugin-04.png

If something went wrong

Symptom	Where to go
Dot stays yellow, "Expert not attached"	Fix: Rithmic — Expert Not Attached — R Trader Pro is not running or plugins are not allowed
Message asks you to log in using R Trader or R Trader Pro	Fix: Please Log In Using R Trader or R Trader Pro
Connection failed — check username and password	Fix: Connection Failed — Check Username and Password
Connection failed — bad server	Fix: Connection Failed — Bad Server — remember the Server must match R Trader Pro exactly
Charts lag during busy markets	Fix: Charts Lagging or Data Delayed (Checklist) — re-check the Performance sliders are at No Max
Dot is green but charts are not moving	Fix: Live Feed Connected but Chart Is Not Moving — check your Symbol Manage: Subscribe Exchanges and Map Your Feed routing

Related articles

- How to Connect a Rithmic Data Feed
- Connect Any Rithmic Prop-Firm Account (Server Table)
- Sign Your Market Data Agreement
- Fix: Rithmic — Expert Not Attached
- Fix: Please Log In Using R Trader or R Trader Pro

- Fix: Charts Lagging or Data Delayed (Checklist)