Pest Advisory Report

LOW (0.0/30)

LOW

36

371.0

0.02

None

MONITOR

Estimated yield loss: 0-5%

KHA		•			
Timeframe:	3	WEE	< M	IAY	202

Survey Summary

Overall Severity:

Action Urgency:

Economic Impact:

Total Spots Surveyed:

Total Area Covered (acres):

Pest Pressure per Acre:

Threat Pests:

Risk Level:

Key Insights & Threats

Critical Threat Pests

No pests above critical thresholds detected.

Key Insights

- 1. Pest populations are below threshold levels, indicating a low risk of economic damage.
- 2. Disease pressure is negligible, with no infected spots or area reported.
- 3. The overall severity score remains LOW due to the absence of ETL violations.

Expert Advisory for Farmers

Follow these practical steps to safeguard the crop based on current field conditions:


Actionable Guidance (English)


- Monitor your fields regularly for any signs of pest infestation and adjust your IPM strategy
- accordingly.

- Continue using integrated pest management (IPM) techniques, such as crop rotation and biological
- control methods, to maintain a low pest pressure.

- Coordinate with local agricultural experts or extension services to stay updated on the latest best
 - practices in cotton pest management.

Pest Comparison vs ETL Thresholds





Severity Gauge



Critical Threat Pests

✓ No Critical Threats Detected

All pest populations below critical levels

Disease Infection Rates





Pest Advisory Dashboard Overview

Pest Advisory Dashboard: KHANEWAL 3 WEEK MAY 2022

