

# Pest Advisory Report

## KEHROR PACCA

Timeframe: 1 WEEK MAY 2022

### Survey Summary

Overall Severity:	LOW (0.0/30)
Risk Level:	LOW
Action Urgency:	MONITOR
Economic Impact:	0% estimated yield loss
Total Spots Surveyed:	25
Total Area Covered (acres):	144.0
Pest Pressure per Acre:	0.0
Threat Pests:	None

# Key Insights & Threats

## Critical Threat Pests

No pests above critical thresholds detected.

## Key Insights

1. Pest populations are extremely low, indicating a favorable situation for cotton crops.
2. Disease pressure is also negligible, with no reported infections in the surveyed area.
3. The overall risk level remains **LOW** due to the absence of any significant pest or disease threats.


# Expert Advisory for Farmers

Follow these practical steps to safeguard the crop based on current field conditions:


## Actionable Guidance (English)

- Continue monitoring fields regularly and maintain good agricultural practices to ensure the low risk situation persists.
- No chemical applications are recommended at this time, as pest populations are well below threshold levels. Focus on cultural controls and integrated pest management (IPM) strategies.
- Coordinate with local extension services or experts for any questions or concerns about crop management and pest/disease monitoring.

# Pest Comparison vs ETL Thresholds



Severity Gauge




# Critical Threat Pests

✓ **No Critical Threats Detected**

*All pest populations below critical levels*

# Disease Infection Rates



# Pest Advisory Dashboard Overview

## Pest Advisory Dashboard: KEHROR PACCA 1 WEEK MAY 2022

SURVEY COVERAGE

- Spots Surveyed: 25

- Total Area: 144.0 acres

- Pest Pressure: 0.00/acre

RISK ASSESSMENT

- Severity Level: LOW

- Severity Score: 0.0/30



- Risk Level: LOW

- Action Urgency: MONITOR

- Economic Impact: 0% estimated yield loss

CRITICAL THREATS

• None detected



✓ No Disease Detected

KEY INSIGHTS

1. Pest populations are extremely low, indicating a favorable situation for cotton crops.

2. Disease pressure is also negligible, with no reported infections in the surveyed area.

3. The overall risk level remains LOW due to the absence of any significant pest or disease threats.