

Packing CheckList

Packing Feature – Testing Checklist

1. PackingItem.java

Method Name	Wrote Test Cases?
PackingItem(long id, String name)	✓
getId()	✓
getName()	✓

2. PackingAdapter.java

Method Name	Wrote Test Cases?
PackingAdapter(Context, List<PackingItem>, PackingChecklistActivity)	✓ (adapter creation tested)
onCreateViewHolder()	✓ (tested indirectly)
onBindViewHolder()	✓
getItemCount()	✓
PackingViewHolder(...) (constructor)	✗ (not directly tested, indirectly used)

3. PackingChecklistActivity.java

Method Name	Wrote Test Cases?
onCreate()	✓
showAddItemDialog() ()	✓
addItem(String)	✓
deleteItem(long)	✓

Summary

- Total Methods: 13
- Covered by Tests: 12
- Not Covered: 1
 - PackingViewHolder constructor (not typically tested — acceptable)

Notifications

Notifications Feature – Testing Checklist

1. NotificationModel.java

Method Name	Test Cases Written?
NotificationModel(long id, long recipientId, String title, String message, String type, String createdAt, boolean isRead)	✓
getId()	✓
getRecipientId()	✓
getTitle()	✓
getMessage()	✓
getType()	✓
getCreatedAt()	✓
isRead()	✓
setRead(boolean)	✓

2. NotificationsAdapter.java

Method Name	Test Cases Written?
NotificationsAdapter(Context, List<NotificationModel>, OnNotificationActionListener)	✓ (indirectly used in activity tests)
onCreateViewHolder()	✓ (covered through UI tests launching the list)
onBindViewHolder()	✓ (button actions tested through activity tests)
getItemCount()	✓ (implicitly tested through adapter presence)

ViewHolder(...) (constructor)

✗ (used indirectly but not directly tested)

3. NotificationsActivity.java

Method Name	Test Cases Written?
onCreate()	✓
onDestroy()	✓
switchFilter(String)	✓ (tested using reflection)
fetchNotifications()	✓
parseNotifications(JSONArray)	✓
onWebSocketOpen(...)	✓
onWebSocketMessage(String)	✓
handleReadUpdate(long)	✓
onWebSocketClose(...)	✓
onWebSocketError(Exception)	✓
onMarkAsRead(NotificationModel)	✓
onDelete(NotificationModel)	✓

Summary

- Total methods: 21
- Fully tested: 20
- Not directly tested:
 - NotificationsAdapter.ViewHolder constructor (not typically tested and acceptable)

Friends

Friends Feature – Testing Checklist

1. Friend.java

Method Name	Test Cases Written?
getId()	✓
setId(long)	✓
getCurrentId()	✓
setCurrentUserID(long)	✓
getDisplayName()	✓
setDisplayName(String)	✓
getUsername()	✓
setUsername(String)	✓
getStatus()	✓
setStatus(String)	✓
getEmail()	✓
setEmail(String)	✓
getMutualCount()	✓
setMutualCount(int)	✓
isIncoming()	✓
setIncoming(boolean)	✓

Extra Behaviors Tested:

Negative values

Null and empty strings

Large ID values

Multiple object independence

Default constructor values

2. FriendAdapter.java

Method / Component	Test Cases Written?
FriendAdapter(Context, List, String, long) (constructor)	✓ (used indirectly by multiple activities)
setCurrentUsername(String)	✓ (via UI loading tests)
setCurrentUserId(long)	✓
setMode(Mode)	✓
onCreateViewHolder()	✓ (covered through multiple RecyclerView UI tests)
onBindViewHolder()	✓ (buttons tested indirectly through activity behavior)
getItemCount()	✓ (indirect through UI tests)
accept(String)	✓ (through activity/adaptor tests)
reject(String)	✓
block(String)	✓
sendRequest(String)	✓
ViewHolder(...) constructor	✗ (acceptable — UI element binding rarely unit tested)

3. FriendsListActivity.java

Method Name	Test Cases Written?
onCreate()	✓
onResume()	✓
ensureMe()	✓
loadFriends(String, long)	✓
loadIncoming(String, long)	✓

loadSuggestions(String, int, long)	✓
parseFriendDTOList(JSONArray, boolean)	✓
parseSuggestionDTOList(JSONArray)	✓
isSelf(long, String)	✓ (through functional tests)
populateDemoSuggestions()	✓
refreshEmptyState()	✓
showSearchDialog()	✓ (open tested indirectly)
sendFriendRequest(String, String)	✓

Also covered:

Navigation back to Home

SharedPreferences fallback loading

Username resolution by user ID

RecyclerView initialization and adapter mode switching

4. FriendProfileActivity.java

Method Name	Test Cases Written?
onCreate()	✓
(email fetch request)	✓
Unfriend logic	✓
Block logic	✓
Back button navigation	✓

UI elements:

tvProfileName, tvProfileUsername, tvProfileEmail

btnUnfriend, btnBlock, btnBack

5. SuggestionsActivity.java

Method Name	Test Cases Written?
onCreate()	✓
loadSuggestions()	✓
parseSuggestions(JSONArray)	✓
sendFriendRequest(String)	✓

Extra tested:

Activity closes with a missing username
 RecyclerView + adapter initialization
 Retry policy applied
 Handles valid, empty, and malformed JSON

6. RequestsActivity.java

Method Name	Test Cases Written?
onCreate()	✓
loadRequests()	✓
parseRequests(JSONArray)	✓

Tested behaviors:

RecyclerView setup
 Request list load
 Parsing each incoming request

Summary

- **Total methods/components across Friends Feature:** 40
- **Fully tested:** 39
- **Not directly tested (acceptable):**
 - FriendAdapter.ViewHolder constructor

Budget

Budget Feature – Testing Checklist

1. Budget.java

Method Name	Test Cases Written?
Budget(long, String, String, double, double, String)	✓
getId()	✓
getName()	✓
getOwnerUsername()	✓
getTotalShare()	✓
getTotalPaid()	✓
getCreatedAt()	✓

Extra Behaviors Tested:

Correct storage of values
Non-null fields
Positive and zero values
Large ID values

2. BudgetListActivity.java

Method / Component	Test Cases Written?
onCreate()	✓
UI visibility checks	✓
RecyclerView initialization	✓
btnAddBudget click	✓
btnReturnHome click	✓
btnUpgradePremium click	✓

SharedPreferences session setup ✓

Extra Behaviors Tested:

Activity launch success

Buttons are clickable

Basic navigation

3. BudgetDetailActivity.java

Method / Component	Test Cases Written?
onCreate()	✓
Username loaded from SharedPreferences	✓
Budget ID retrieved from Intent	✓
Negative and large ID handling	✓
RecyclerView layout manager assigned	✓
RecyclerView adapter assigned	✓
btnUpdateBudget visible + clickable	✓
btnDeleteBudget visible + clickable	✓
onClick handlers (no-crash verification)	✓
Activity initialization safety	✓

UI Elements Tested:

tvBudgetName

tvOwner

tvTotals

tvCreatedAt

recyclerSplits

btnUpdateBudget

btnDeleteBudget

4. CreateBudgetActivity.java

Method / Component	Test Cases Written?
--------------------	---------------------

onCreate()	✓
Budget name field visible	✓
Participants container visible	✓
btnAddParticipant visible	✓
btnCreateBudget visible	✓
Initial participant count (2)	✓
Adding participants	✓
Adding multiple participants	✓
Deleting participants	✓
Deleting until minimum allowed	✓
Participant renumbering	✓
Empty username in SharedPreferences	✓
Null username in SharedPreferences	✓
ScrollView presence	✓
Input validation for empty budget name	✓
Create button (valid case)	✓
Create button (no participants)	✓
All major UI components initialized	✓

Extra Behaviors Tested:

Participant view structure

Large number of participants

Delete button presence in all items

All participant field types

Layout type checks (LinearLayout, EditText)

5. SplitAdapter.java

Method / Component

Test Cases Written?

SplitAdapter(List) constructor	✓
getItemCount()	✓
onCreateViewHolder()	✓
onBindViewHolder()	✓
ViewHolder fields initialized	✓
Multiple binds on same ViewHolder	✓
Special character usernames	✓
Long usernames	✓
Empty usernames	✓
Zero values	✓
Negative values	✓
Large values	✓
Decimal values	✓
Data integrity across binds	✓

Extra Behaviors Tested:

Multiple instance creation

List size consistency

Adapter never returns negative counts

6. SplitEditAdapter.java

Method / Component	Test Cases Written?
SplitEditAdapter(List, currentUser, isOwner) constructor	✓
getItemCount()	✓
getUpdatedSplits()	✓
onCreateViewHolder()	✓
onBindViewHolder()	✓

Owner editing rules	✓
Non-owner editing rules	✓
Editable fields for matching username	✓
Case-insensitive username matching	✓
Username binding	✓
Share and paid amount binding	✓
TextWatcher updates for share	✓
TextWatcher updates for paid	✓
Invalid input handling (letters → 0)	✓
Negative values allowed	✓
Large values	✓
Decimal values	✓
Multiple changes through TextWatcher	✓
Preservation of balance values	✓

Extra Behaviors Tested:

Updated split list retains object references

Data integrity across all user types

Large lists (100+)

Empty lists

Special character usernames

7. Split.java

Method Name	Test Cases Written?
Split(String, double, double, double) (constructor)	✓
getUsername()	✓
getShareAmount()	✓
getPaidAmount()	✓

getBalance()	✓
setShareAmount()	✓
setPaidAmount()	✓

Extra Behaviors Tested:

Zero values

Negative values

Constructor data correctness

Summary

Total methods/components across Budget Feature: ~70+

Fully tested: All methods covered

Not directly tested (acceptable): Adapter.ViewHolder constructors (UI binding rarely unit-tested)