

Prepared by: Abrar Ahmed

Programming Guide for R

Q.1 The vertical dashed lines in the boxplot are known as _____	
A. notched	B. outliers
C. whiskers	D. tails
Correct Answer: C	
Reference: Book name: Programming Guide for R, page no 133	

Q.2 What does gg in ggplot represent?	
A. Grammar of graphics	B. Grammar and graphics
C. Grammar of graphs	D. Grammar and graphs
Correct Answer: A	
Reference: Book name: Programming Guide for R, No reference found in book	

Q.3 The layer in ggplot2 are called _____	
A. Levels	B. sheets
C. add ons	D. geoms
Correct Answer: D	
Reference: Book name: Programming Guide for R, No reference found in book	

Q.4 The _____ function is used to add labels to the graph in the ggplot() function	
A. lab()	B. labels()
C. label()	D. labs()
Correct Answer: D	
Reference: Book name: Programming Guide for R, page no 146	

Q.5 _____ is an open source R package that provides an elegant and powerful web framework for building web applications.	
A. Shiny	B. Leaflet
C. Ggplot2	D. Dash
Correct Answer: A	
Reference: Book name: Programming Guide for R, page no 156, Heading 6.3	

Q.6 _____ is not a format to export graphic file.	
A. png	B. jpeg
C. pdf	D. jpege
Correct Answer: B	
Reference: Book name: Programming Guide for R, page no 164, Heading 6.4	

Q.7 Which one of the options is an example of a collectively exhaustive events?	
A. Event of rolling a die	B. Event of an upcoming of an even number while rolling a die
C. Event of getting a red ball and a white ball from a bag of 5 red balls, 1 white ball and 2 blue balls	D. Event of drawing a 6 from a deck of cards.
Correct Answer: A	

Prepared by: Abrar Ahmed

Reference: Book name: Programming Guide for R, page no 172

Q.8 The first quartile divides the data into the ratio of _____

A. 1:1

B. 1:2

C. 1:3

D. 1:4

Correct Answer: D

Reference: Book name: Programming Guide for R, page no 175

Q.9 Which one of the following options is not a condition for poisson distribution?

A. $N > 8$

B. $N = p + ?$

C. $Np = ?$

D. $P > 0$

Correct Answer: B

Reference: Book name: Programming Guide for R, page no 187

Q.10 A distribution used to model time required to wait before any given event occurs is called _____

A. Exponential

B. Poisson

C. Negative Binomial

D. Normal

Correct Answer: A

Reference: Book name: Programming Guide for R, page no 193

Q.11 _____ are useful when you want to display proportional makeup of a sample in presentations.

A. Pie charts

B. Bubble charts

C. Bar charts

D. Scatter chart

Correct Answer: A

Reference: Book name: Programming Guide for R, page no 126

Q.12 Response variable is represented on _____

A. X-axis

B. Y-axis

C. Any axis

D. None axis

Correct Answer: B

Reference: Book name: Programming Guide for R, page no 129, Heading 5.4.2

Q.13 Choose the correct pair from the following options: [Multiple Choice]

A. Type II error, producer's risk

B. Type I error, consumer's risk

C. Type II error, consumer's risk

D. Type I error, producer's risk

Correct Answer: C,D

Reference: Book name: Programming Guide for R, page no 205

Q.14 Which one of the following pair represents methods of unsupervised learning?

A. Regression, Association

B. Association, Clustering

C. Clustering, Classification

D. Association, Classification

Correct Answer: B

Reference: Book name: Programming Guide for R, page no 238, Heading 9.3.2

Prepared by: Abrar Ahmed

Q.15 The _____ statement is used inside a loop to stop the iterations and terminates the control outside the loop.	
A. next	B. switch
C. break	D. for
Correct Answer: C	
Reference: Book name: Programming Guide for R, page no 81	

Q.16 What is the use of cbind() function?	
A. To create a matrix	B. To create a vector
C. To create a list	D. To create a factor
Correct Answer: A	
Reference: Book name: Programming Guide for R, page no 96	

Q.17 Which one of the following functions is used to check the type of constants in R?	
A. typeof()	B. typeOf()
C. type_of()	D. Typeof()
Correct Answer: A	
Reference: Book name: Programming Guide for R, page no 61	

Q.18 Interpret the hexadecimal number 'A' into numeric constant.	
A. 9	B. 10
C. 11	D. 12
Correct Answer: B	
Reference: Book name: Programming Guide for R, page no 61	

Q.19 A data which is arranged in the form of tables is called _____	
A. Semi-structured data	B. Unstructured data
C. Structured data	D. Systematic data
Correct Answer: C	
Reference: Book name: Programming Guide for R, page no 10	

Q.20 Technique used to measure performance of business and improve them is called _____	
A. Business Analytics	B. Business Decision
C. Business Theory	D. Business Intelligence
Correct Answer: A	
Reference: Book name: Programming Guide for R, page no 21	

Q.21 Type of business analytics that summarizes data is called _____	
A. Description	B. Decision Analytics
C. Data Summary	D. Descriptive Analytics
Correct Answer: D	
Reference: Book name: Programming Guide for R, page no 20, Heading 1.6.1	

Q.22 What is the full form of OOP?	
A. Object Oriented Programming	B. Objects of programming
C. Object oriented program	D. Objects of program

Prepared by: Abrar Ahmed

Correct Answer: A
Reference: Book name: Programming Guide for R, page no 30, Heading 2.4

Q.23 _____ is called the positional average of any data.	
A. mean	B. median
C. mode	D. quartiles
Correct Answer: B	
Reference: Book name: Programming Guide for R, page no 174	

Q.24 _____ is considered as the best measure for dispersion	
A. Range	B. Mean deviation
C. Quartile deviation	D. Standard deviation
Correct Answer: D	
Reference: Book name: Programming Guide for R, No reference found in book	

Q.25 A _____ distribution is also called rectangular distribution	
A. Uniform	B. Binomial
C. Normal	D. Exponential
Correct Answer: A	
Reference: Book name: Programming Guide for R, page no 191	

Q.26 A finite subset of statistical individuals in a population is called a _____	
A. proportion	B. subsection
C. sample	D. specimen
Correct Answer: C	
Reference: Book name: Programming Guide for R, page no 200	

Q.27 _____ graph shows the degree of correlation between variables.	
A. Pie charts	B. Scatterplot
C. Boxplot	D. Bar charts
Correct Answer: B	
Reference: Book name: Programming Guide for R, page no 129	

Q.28 A class is a _____ of objects	
A. monitor	B. sketch
C. creator	D. blueprint
Correct Answer: D	
Reference: Book name: Programming Guide for R, page no 31	

Q.29 _____ is a concept of one to many	
A. Data abstraction	B. Data Encapsulation
C. Polymorphism	D. Inheritance
Correct Answer: C	
Reference: Book name: Programming Guide for R, page no 43	

Prepared by: Abrar Ahmed

Q.30 Statistical measures computed from the sample observations alone are referred to as _____	
A. statistic	B. parameter
C. measures of central tendency	D. measures of dispersion
Correct Answer: A	
Reference: Book name: Programming Guide for R, page no 201	

Q.31 The variable affected by the change in other variable is called _____ [Multiple Choice]	
A. response	B. predictor
C. independent	D. dependent
Correct Answer: D [Single choice]	
Reference: Book name: Programming Guide for R, page no 239	

Q.32 A _____ of the line refers to the rate in change of the value of the response variable with respect to the independent variable.	
A. intercept	B. length
C. slope	D. proportion
Correct Answer: C	
Reference: Book name: Programming Guide for R, page no 241	

Q.33 _____ is the raw collection of records, contents and images	
A. Table	B. Data
C. Matrix	D. Data frame
Correct Answer: B	
Reference: Book name: Programming Guide for R, page no 9, Heading 1.2	

Q.34 Heavy data ranging from petabytes or exabytes is called _____	
A. Large data	B. Huge data
C. Big data	D. Heavy data
Correct Answer: C	
Reference: Book name: Programming Guide for R, page no 9, Heading 1.2	