

Prepared by: Abrar Ahmed

OV-6740-ACCP-PRIME

BOOTSTRAP

Q.1 It is also possible to change the well's size by controlling its _____	
A. size	B. width
C. padding	D. viewport
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 132, Heading 6.4	

Q.2 For ensuring perfect rendering and zooming on touch, a web developer should include the viewport meta tag in _____ tag.	
A. <html>	B. <div>
C. 	D. <head>
Correct Answer: D	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 13, Heading 1.4.2	

Q.3 To turn the Functionality OFF for a specific plug in, a Web developer should include the plugin's name before the _____ namespace.	
A. data	B. api
C. class	D. data-api
Correct Answer: D	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 18	

Q.4 What are the options that a Web Developer can pass as parameters to the tool tips() method? (a). Items (b). Documents (c). Position (d). Context	
A. a and c	B. b and d
C. a and b	D. a, b, c
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 86, Table 4.5	

Q.5 What are the salient features of data tables? (a) Comprehensive documentation (b) built-in utilities (c) free and open-source (d) Added autocomplete functionality (e) call back function	
A. a, b, c, e	B. a, d, e
C. a, b, c	D. c, d, e
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 90	

Prepared by: Abrar Ahmed

Q.6 Bootstrap is an intuitive and open source framework that makes _____ development of applications simpler as well as quicker.	
A. Front-end	B. Back- end
C. End-to-end	D. Static
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 8, Heading 1.1	

Q.7 What is the full form of CSS?	
A. Casual Shaped Sheets	B. Cascading Style Sheet
C. Common Spread Sheet	D. Cascaded Spread sheets
Correct Answer: B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 8	

Q.8 How many ways are there to use the Bootstrap on a Website?	
A. Three	B. One
C. Two	D. Four
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 9, Heading 1.3	

Q.9 What is the full form of CDN?	
A. Content Delivery Network	B. Context Delivery Network
C. Content data Network	D. Conceptual Data Network
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 9, Heading 1.3	

Q.10 The Layout components of the bootstrap are:	
A. Badges	B. Glyphicons
C. Breadcrumbs	D. All of these
Correct Answer: D	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 29, Heading 2.2	

Q.11 What is the full form of ESR?	
A. Expanded Strike Rate	B. Extended Support Release
C. Extended Support Rate	D. Expanded Sum Release
Correct Answer: B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 29, Heading 2.1	

Prepared by: Abrar Ahmed

Q.12 Glyphicons are available in the font format in _____ files of the font folder?	
A. Glyphicons Halflings	B. Glyphs Head
C. Heading Font Heads	D. Font Heads
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 30, Heading 2.2.1	

Q.13 A navbar is set _____, when the existing width of the viewport increases.	
A. Vertically	B. Horizontally
C. Inline	D. Expanded
Correct Answer: B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 32, Heading 2.2.2	

Q.14 A JQuery Selector refers to a function in the form of an expression for _____ the matching element in the DOM.	
A. Searching	B. Deleting
C. Sorting	D. Adding
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 55, Heading 3.3	

Q.15 What is the full form of DOM?	
A. Domestic Object Module	B. Document Object Module
C. Document Object Model	D. Dynamic Object Module
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 51, Heading 3.3	

Q.16 What types of alert are indicated by contextual classes for emphasizing cell or row?	
A. Success, Danger	B. Warning
C. info	D. all
Correct Answer: D	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 127, Table 6.2	

Q.17 Bootstrap 3 activates horizontal scrolling on a small device whose screen width is not more than _____ pixels.	
A. 768	B. 1170
C. 950	D. 991
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 128, Heading 6.2.6	

Prepared by: Abrar Ahmed

Q.18 Which are the selectors in jQuery?	
A. ID, Class, Name, Variable	B. ID, Class Name, Tag Name, attribute
C. Attribute values	D. Variable, functions, name
Correct Answer: B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 55, Heading 3.3	

Q.19 What are the benefits of event delegation?	
A. Better performance	B. Reduce risk of crashing
C. Less handlers	D. All of these
Correct Answer: D	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 66	

Q.20 ID selector works by relying on the _____ function.	
A. \$.getbyID();	B. document.getElementById()
C. document.selectElementById()	D. \$.getElementById()
Correct Answer: B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 55, Heading 3.3.1	

Q.21 The _____ property of any event refers to the element that originated the event.	
A. action	B. event
C. target	D. get
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 66	

Q.22 Which method converts a given value into a string?	
A. toString()	B. toUppercasse()
C. toLowercase()	D. substr
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 72, Table 4.1	

Q.23 The built-in _____ method delegates single or multiple event handlers for all elements that match with the selector and defines a function to occur.	
A. delegate()	B. event()
C. live()	D. on()
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 73, Heading 4.1.1	

Q.24 What is the javascript code for collapsible content?	
A. \$('collapse').collapse();	B. \$('myBtn').collapse();
C. \$('collapse').click ();	D. \$('#demo).collapse();
Correct Answer: A	

Prepared by: Abrar Ahmed

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 41

Q.25 What are the different types of progress bars?

- | | |
|-------------|---------------------|
| A. default | B. stacked, striped |
| C. animated | D. All of these |

Correct Answer: D

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 38, Heading 2.2.9

Q.26 Which class defines the dialog layout of the modal?

- | | |
|-----------------|------------------|
| A. modal-dialog | B. modal-fade |
| C. modal-header | D. modal-content |

Correct Answer: A

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 19

Q.27 Which of the following helper file is used by Web developers for applying a few basic transition effects?

- | | |
|------------------|---------------------|
| A. bootstrap.js | B. *.js |
| C. transition.js | D. bootstrap.min.js |

Correct Answer: C

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 22

Q.28 What files are included in precompiled bootstrap file structure?

- | | |
|--------------------------------|----------------------------|
| A. bootstrap-theme.min.css.map | B. bootstrap-theme.css.map |
| C. bootstrap-theme.min.css | D. All of these |

Correct Answer: D

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 11, Heading 1.4

Q.29 The Bootstrap version in use should include the _____ for proper functioning of popovers.

- | | |
|---------------|--------------------|
| A. tooltip.js | B. popover.min |
| C. form.css | D. tool.min.plugin |

Correct Answer: A

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 43

Q.30 What is the full form of JSON?

- | | |
|-------------------------------|---------------------------|
| A. JavaScript Online Notation | B. jQuery Object Notation |
| C. JavaScript Object Notation | D. jQuery UI Notation |

Correct Answer: C

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 49

Q.31 What is the default value of appendTo option of autocomplete() method?

- | | |
|---------|----------|
| A. 0 | B. 1 |
| C. null | D. FALSE |

Correct Answer: C

Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 83, Table 4.4

Prepared by: Abrar Ahmed

Q.32 A fluid grid handles sizing of a page element in _____ units.	
A. relative	B. absolute
C. equal	D. unequal
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 98	

Q.33 A Web developer can create only up to _____ columns for a Webpage regardless of the viewport, but can have unlimited rows.	
A. 20	B. 25
C. 12	D. 14
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 98, Heading 5.2	

Q.34 How many predefined grid classes are provided by Bootstrap 3?	
A. 2	B. 3
C. 4	D. 5
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 99, Heading 5.2.1	

Q.35 Which symbol represents the number of columns in the column definition?	
A. \$	B. *
C. #	D. &
Correct Answer: B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 100	

Q.36 How many pixels of slight padding are allowed for a bootstrap table?	
A. 6	B. 8
C. 10	D. 12
Correct Answer: B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 124, Heading 6.2	

Q.37 What type of alerts are indicated by contextual classes for emphasizing cell or row?	
A. success, danger	B. warning
C. info	D. all
Correct Answer: D	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 127, Heading 6.2.5	

Q.38 Which are built –in methods in JQuery? [Multiple Choice]	
A. indexOf()	B. sub()
C. add()	D. pop()
Correct Answer: A, D	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 72, Table 4.1	

Prepared by: Abrar Ahmed

Q.39 Which are JQuery UI widgets? [Multiple Choice]	
A. Tabs	B. Sliders
C. Window	D. Sheet
Correct Answer: A, B	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 85, Heading 4.5	

Q.40 The minimum width of the viewport display is _____ pixels.	
A. 986 pixels	B. 675 pixels
C. 768 pixels	D. 988 pixels
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 43	

Q.41 Progress bars in bootstrap implements _____ as well as transitions for a few effects.	
A. CSS3	B. Animations
C. HTML	D. LESS API
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 39	

Q.42 Which files are added so that IE 8 can render the HTML5 elements?	
A. Html.js and font.js	B. Form.js
C. Respond.min.js and html5shiv.js	D. Container.min.js and font.min.js
Correct Answer: C	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 40	

Q.43 What input types are included in datetime input in html5?	
A. Datetime-local, month, week, date and time	B. Week, day, date
C. Year, month, day	D. Date-time-local, year, month, day, week
Correct Answer: A	
Reference: Book name: Dev. Responsive Web with bootstrap and JQuery, Page no 33	