

Prepared by: Abrar Ahmed

OV-6740-ACCP-PRIME

Elementary Programming with C

Q.1 The allocation of memory in this manner, that is, as and when required in a program is known as?	
A. Dynamic Memory Allocation	B. Static Memory Allocation
C. Content Memory Allocation	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 215	

Q.2 All local variables are declared in one file and the same variables are declared as extern in all other files using them.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 248, Heading 15.7.2	

Q.3 The static variables are permanent variables within their own functions or file.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 249, Heading 15.7.3	

Q.4 For declaring a function it is necessary to put a return type before the function name.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 238, Heading 15.2	

Q.5 _____ form/s base of any C program.	
A. Struct	B. Code blocks
C. Instructions	D. None of the above
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 26	

Q.6 A _____ is a representation of an algorithm in language that resembles code.	
A. Pseudo code	B. Algorithm
C. Flow chart	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 26	

Prepared by: Abrar Ahmed

Q.7 The _____ operator acts only on integers and results in remainder after integer division.	
A. %	B. /
C. \	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 44	

Q.8 _____ is used to alter the basic data types so as to fit into various situations.	
A. specifier	B. modifier
C. typedef	D. None of the above
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 44	

Q.9 The names of variables, functions, labels and various other user-defined objects are called _____.	
A. specifier	B. identifier
C. Naming convention	D. None of the above
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 44	

Q.10 There is no limit to the number of memory locations that a program can use.	
A. True	B. False
Correct Answer:	
Reference: Book name: Elementary Programming with C, page no	

Q.11 C is case insensitive language.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 5, Heading 1.3	

Q.12 A _____ defines what kind of value will be stored by a particular variable.	
A. data type	B. variable
C. return type	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 47, Heading 3.2	

Q.13 The automatic type conversion in C converts char and short to int.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 60, Heading 4.5	

Prepared by: Abrar Ahmed

Q.14 printf() format code: %lf is used for _____.	
A. Floating point (decimal notation)	B. Unsigned decimal integer
C. Signed decimal integer	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 87, Table 6.1	

Q.15 The header file _____ contains the macros for many of the input/output functions used in C.	
1. <iostream.h>	
2. <stdio.h>	
3. <conio.h>	
A. 1	B. 2
C. 3	D. 1, 2, 3
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 105	

Q.16 The formatted functions are getchar() and putchar().	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 86, Heading 6.2	

Q.17 The getchar() function reads a character from the keyboard.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 102	

Q.18 The difference between getchar() and putchar() is that getchar() takes an argument while putchar() does not.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 105	

Q.19 for loop contains three semicolons to separate 'initialization', conditions, and increment/decrement.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 140	

Prepared by: Abrar Ahmed

Q.20 A string variable is a sequence of characters surrounded by double quotes	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 269, Heading 17.1	

Q.21 Arrays in C are implemented as series of characters terminated by the NULL ("\\0")	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 281	

Q.22 To use strcat() function, the header file must be included in the program	
A. stdio.h	B. iostream.h
C. conio.h	D. string.h
Correct Answer: D	
Reference: Book name: Elementary Programming with C, page no 272, Heading 17.2	

Q.23 A _____ groups together a number of data items, which need not be of the same data type	
A. block	B. structure
C. array	D. none of the above
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 293	

Q.24 The _____ operator is used to access the elements of a structure using a pointer to that structure	
A. ->	B. *
C. .	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 300, Heading 19.1.19	

Q.25 In _____ sort each element in the array is examined and inserted into its proper place among the elements that have already been sorted.	
A. Bubble	B. Insertion
C. Binary	D. None of the above
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 305, Heading 19.3.2	

Q.26 _____ form/s base of any C program	
A. Struct	B. Code blocks
C. Instructions	D. None of the above
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 26	

Prepared by: Abrar Ahmed

Q.27 Which of the following is/ are TRUE about pointer?	
A. An array name is truly a pointer to the first element in that array.	B. A pointer constant is an address; a pointer variable is a place to store addresses.
C. Two pointers can be compared in a relational expression only if both these variables are pointing to variable(s) of the same type.	D. All of the above
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 208	

Q.28 The second operator, &, is the complement of * It returns the value contained in the memory location pointed by the pointer variable's value	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 205, Heading 13.3	

Q.29 Functions are generally used in C to execute a single instruction more than once.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 237, Heading 15.1	

Q.30 The _____ specifies the data type of the value that will be returned by the function.	
A. access_specifier	B. access modifier
C. type_specifier	D. None of the above.
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 238, Heading 15.2	

Q.31 Which of the following name can be given to storage class, if a particular value is to be used often?	
A. auto	B. static
C. register	D. extern
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 251, Heading 15.7.4	

Q.32 In C, by default, all function arguments are passed by _____	
A. reference	B. value
C. According to the passed parameter.	D. None of the above.
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 253, Heading 15.9.1	

Prepared by: Abrar Ahmed

Q.33 Calling one function from within another is said to be _____ of function calls.	
A. inner	B. outer
C. nesting	D. None of the above
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 257, Heading 15.10	

Q.34 Which of the following cannot be an argument to a function?	
A. constants	B. variables
C. expressions	D. None of the above
Correct Answer: D	
Reference: Book name: Elementary Programming with C, page no 260	

Q.35 A function pointer can be used to call a function.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 261	

Q.36 Which of the following is TRUE about function?	
A. A function cannot be defined within another function	B. A function has to be declared inside main(), before it is defined or used.
C. If you don't put any return type, by default it is void	D. All of the above
Correct Answer: D	
Reference: Book name: Elementary Programming with C, No direct reference available	

Q.37 The strlen() function returns the length of string -1	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 277, Heading 17.2.5	

Q.38 Array can be classified only into two types based on dimensions: Single dimensional or Multi-dimensional.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 189, Heading 12.1	

Q.39 Function Strcmp(str1, str2) will return less than zero, if str2==str1.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 274	

Prepared by: Abrar Ahmed

Q.40 A _____ can be broken into parts and connectors can be used to indicate the location of the joints.	
A. Pseudo code	B. Algorithm
C. Flow chart	D. None of the above
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 26	

Q.41 Which of the following is not TRUE about an Array?	
A. Integer array gets initialized automatically with 0, when it is declared.	B. Initializing an array using for loop can be done using a constant value or values which are in arithmetic progression
C. None of the above	D. All of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, Page no 175-176	

Q.42 rewind() returns the file position at the beginning of the file.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 323, Table 12.1	

Q.43 The ftell() function returns a small int value that gives the position of curp from the beginning of the file in the specified stream.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 336, Heading 21.5.7	

Q.44 The feof() function is used to indicate end-of-file when the file is opened for binary operation.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 339	

Q.45 _____ is a set of statements, which perform a specific task. It may or may not return a value.	
A. procedure	B. sub procedure
C. function	D. none of the above
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 237 - 238	

Q.46 The fflush() function flushes out the buffer	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 334, Heading 21.5.5	

Prepared by: Abrar Ahmed

Q.47 The remove() function erases the specified _____	
A. file	B. content of the file
C. directory	D. none of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 334, Heading 21.5.4	

Q.48 A _____ stream is a sequence of bytes.	
A. text	B. binary
C. character	D. none of the above
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 339	

Q.49 fseek() function returns value _____ if it is successful	
A. 0	B. 1
C. -1	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 337	

Q.50 Which of the following function repositions the curp by the specified number of bytes tan the start, the current position or the end of the stream depending upon the position specified,	
A. fseek()	B. ftell()
C. rewind()	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 336, Heading 21.5.7	

Q.51 Which of the following are assigned by default to the console of system?	
A. stdin	B. stdout
C. stderr	D. All of the above
Correct Answer: D	
Reference: Book name: Elementary Programming with C, page no 335	

Q.52 The _____ function can be used to read any type of data	
A. Fread()	B. Read()
C. Write()	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 329, Heading 21.4.4	

Q.53 Which of the following is correct syntax of fopen() function?	
A. File *fopen(const char *filename, const char *mode);	B. File *fopen(const char *mode, const char *filename);
C. File *fopen(const struct *filename, const char *mode);	D. None of the above

Prepared by: Abrar Ahmed

Correct Answer: A

Reference: Book name: Elementary Programming with C, page no 323, Heading 21.3.1

Q.54 Which of the following can be referred to a file?

A. Disk file

B. Terminal

C. printer

D. All of the above

Correct Answer: D

Reference: Book name: Elementary Programming with C, page no 322, Heading 21.2

Q.55 Which of the following is essential for reading or writing files?

A. File pointer

B. Pointer

C. Read() and write methods

D. None of the above

Correct Answer: A

Reference: Book name: Elementary Programming with C, page no 323, Heading 21.2.2

Q.56 _____ writes a character to a file.

A. fputc()

B. fgetc()

C. fread()

D. fwrite()

Correct Answer: A

Reference: Book name: Elementary Programming with C, page no 322, Table 21.1

Q.57 which of the following is not the actual code, but a method of algorithm-writing which uses a certain standard set of words which makes it resemble Code? However, unlike code. It cannot be compiled or run.

A. Pseudo code

B. Function

C. Procedure

D. None of the above

Correct Answer: A

Reference: Book name: Elementary Programming with C, page no 10, Heading 1.5.1

Q.58 Which of the following is a subprogram that essentially breaks up a program into modules? It cannot return a value.

A. Blocks

B. Function

C. Procedure

D. None of the above

Correct Answer: A

Reference: Book name: Elementary Programming with C, No direct reference available

Q.59 A flowchart is a diagrammatic representation of an algorithm.

A. True

B. False

Correct Answer: A

Reference: Book name: Elementary Programming with C, page no 26

Prepared by: Abrar Ahmed

Q.60 In _____ sort values of the elements are compared with value in the adjacent element In this method the smaller elements bubble up and at the end the array is sorted	
A. bubble	B. insertion
C. binary	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 308	

Q.60 Which of the following can define a new data type?	
A. typedef	B. struct
C. new operator	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 308	

Q.61 It is possible to have one structure within another structure. However a structure cannot be nested within itself.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 308	

Q.62 Individual structure elements are referenced using a _____ operator, which is also known as the membership operator.	
A. Dot (.)	B. Arrow (->)
C. arithmetic	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 295	

Q.61 A text stream is a sequence of characters.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 322, Heading 21.1.1	

Q.62 The ferror() function determines whether a file operation has produced an error.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 323, Table 21.1	

Q.63 Steps involved in solving a problem are studying the problem in details, gathering the relevant information, processing the information and arriving at the results.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 26	

Prepared by: Abrar Ahmed

Q.64 Software is a set of instructions	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 26	

Q.65 A flowchart can have only one start and stop points.	
A. True	B. False
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 14	

Q.66 C supports only one type of Arithmetic operator i.e Binary operator.	
A. True	B. False
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 55	

Q.67 A _____ provides a way of accessing a variable without referring to the variable directly.	
A. Pointer	B. Structure
C. Array	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 203	

Q.68 Which of the following are special operators used with pointers?	
A. * and %	B. * and &
C. * and \$	D. *, & and \$
Correct Answer: B	
Reference: Book name: Elementary Programming with C, page no 205	

Q.69 C has a special data type called _____. It indicates the C compiler that there is no data of any type.	
A. NULL	B. Null
C. Void	D. \0
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 36	

Q.70 The _____ type specifies that a variable can take only positive values.	
A. signed	B. abs
C. unsigned	D. positive
Correct Answer: C	
Reference: Book name: Elementary Programming with C, page no 37	

Prepared by: Abrar Ahmed

Q.71 Range for char data type is _____	
A. -128 to 127	B. -256 to 255
C. -32768 to 32767	D. None of the above
Correct Answer: A	
Reference: Book name: Elementary Programming with C, page no 38, Table 2.1	