

Prepared by: Abrar Ahmed

OV-6740-ACCP-PRIME

Programming with JavaScript

Q.1 What is the primary goal of JavaScript minification?	
A. To retain functional quality while reducing the size	B. To reduce the size ignoring the functional quality
C. To retain functional quality and the size	D. To reduce functional quality and the size
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 79, Heading 6.2	

Q.2 Which tool verifies syntax, provide suggestions and notifies drawbacks in the code?	
A. Digital Overload Tool	B. Google Closure Compiler
C. Gulp Tool	D. JavaScript Optimizer
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 80, Heading 6.3	

Q.3 Which of these consumes CPU cycles and makes the system less responsive?	
A. JSON	B. DOM API
C. Web Worker	D. XAMPP
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 87, Heading 7.1	

Q.4 Which of these are valid types of Web Workers?	
A. Only Dedicated and not Shared	B. Dedicated and Shared
C. Only Shared not Dedicated	D. Neither Dedicated nor Shared
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 89	

Q.5 Which pane displays the contents of the selected file?	
A. Source Panel	B. File Navigator Pane
C. Code Editor Pane	D. JavaScript Debugging Pane
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 106	

Q.6 Which tab allows verification of values of variables?	
A. Script Tab	B. Debugger Tab
C. Multi Line Mode Tab	D. Style Editor Tab
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 113	

Prepared by: Abrar Ahmed

Q.7 What is the purpose of using an API?	
A. To retain functional code quality while reducing the size	B. To help import a complex functionality into a code
C. To compile and transcode JavaScript	D. To check form values and send alerts to the browser
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 119, Heading 9.1	

Q.8 Which keys should the developers' press, to work with DOM or CSS when using Windows or Linux?	
A. Ctrl+Shift+J	B. Ctrl+Shift+C
C. Shift+F4	D. F12
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 104, Heading 8.2.1	

Q.9 While loading JavaScript in a non-blocking manner, if there is a script that is blocking, the page will not render the operation until the script is _____, _____ or _____	
A. blocked, replaced or executed	B. read, written or run
C. fully downloaded, parsed or executed	D. merged, uploaded or parsed
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 54, Heading 4.2.3	

Q.10 Which method helps in finding elements by their class name?	
A. document.getElementsByName(name)	B. document.getElementsByTagName(name)
C. document.getElementsByClassName(name)	D. document.getElementById(id)
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 65	

Q.11 _____ datatype is used in a script wherever required to perform a task repeatedly.	
A. Booleans	B. Functions
C. Strings	D. Objects
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 6	

Q.12 what is the feature of a variable?	
A. A variable must be declared before using it.	B. A variable requires an application to process requests.
C. A variable is used to download embedded scripts.	D. A variable is simple and user friendly.
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 6	

Prepared by: Abrar Ahmed

Q.13 Which among these predefined properties does RegExp have?	
A. Pattern only	B. Matcher and Madrid
C. Pattern and Matcher	D. Pattern and Madrid
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 14, Heading 2.2	

Q.14 Which has 'name:value' and is separated by comma?	
A. RegExp	B. Object Literal
C. Madrid	D. Metacharacters
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 14	

Q.15 What function performs case insensitive and global searches in RegExp?	
A. Brackets	B. Metacharacters
C. Quantifiers	D. Modifiers
Correct Answer: D	
Reference: Book name: Programming with Javascript, Page no 15, Heading 2.3	

Q.16 Which metacharacter searches for a form feed character?	
A. \f	B. \o
C. \b	D. \t
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 17	

Q.17 Which of these co-ordinates any string that contain zero or more occurrences of n?	
A. n*	B. n?
C. n+	D. ?!n
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 18	

Q.18 _____ is a set of codes that uses an arbitrary source file as its input data.	
A. Preprocessor	B. Javascript
C. Web Application	D. Functions
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 24, Heading 3.1	

Q.19 The preprocessors which converts a different language into JavaScript are called _____	
A. Transpilers	B. Compilers
C. Preprocessors	D. Loaders
Correct Answer: B	

Prepared by: Abrar Ahmed

Reference: Book name: Programming with Javascript, Page no 24

Q.20 How many times does the compilation of the preprocessor happen before the first javascript is encountered?

A. Twice

B. Thrice

C. Once

D. Not at all

Correct Answer: C

Reference: Book name: Programming with Javascript, Page no 25

Q.21 Which of these is a language and also a set of tools compiled into javascript itself?

A. TypeScript

B. CoffeeScript

C. Compilers

D. Transpilers

Correct Answer: A

Reference: Book name: Programming with Javascript, Page no 28

Q.22 Match the following modifiers with their description.

SI NO	Left Column	SI NO	Right Column	Correct Answer for Column A		
A1	Scratchpad	B1	Right-click an element and press the Q key	B1	B2	B3
A2	Page Inspector	B2	Press Ctrl + Shift + K keys when using windows	B1	B2	B3
A3	Web Console	B3	Press Shift + F4 keys when using Windows	B1	B2	B3

Reference: Book name: Programming with Javascript, Page no 109-111

Q.23 What are the three main ways in which the developer can check variable values using the DevTools?

A. Elements panel, Source panel, Code Editor pane

B. JavaScript Debugging pane, Source panel, Code Editor Pane

C. File navigator pane, Scope pane, Code Editor pane

D. Scope pane, Watch Expression tab, Console

Correct Answer: D

Reference: Book name: Programming with Javascript, Page no 107

Prepared by: Abrar Ahmed

Q.24 Which of the following are the three compilation levels that can be applied to the javascript code to definethe degree of compression and optimization required?	
A. 1) SIMPLE_OPTIMIZATION, 2) WHITESPACE_ONLY, 3) ADVANCED OPTIMIZATIONS	B. 1)output_format parameter, 2)Compiled code, 3) code_url
C. 1) JSON, 2) HTTP POST, 3) WHITESPACE_ONLY	D. 1) compiler_statistics, 2) output_info, compiled_code
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 81	

Q.25 Which of these is the correct code to check if Web worker feature is supported by browser?	
A. if (typeof(Worker) === 'undefined') { alert('Web workers are not supported by this Browsed'); return; } else(//do something with Webworker}	
B. if (Worker) { alert('Web workers is supported by this Browsed'); return; } else(alert('Web workers are not supported by this Browsed'));	
C. if (Worker === 'undefined') { alert('Web workers are not supported by this Browsed'); return; } else(//do something with Webworker}	
D. if (Worker === null) { alert('Web workers are not supported by this Browsed'); return; } else(//do something with Webworker}	
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 90	

Q.26 What does an object consist of?	
A. A state and behavior	B. Control statements
C. A simple and user friendly language	D. A Web application
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 7, Heading 1.5	

Q.27 Which of the following keywords is used to create an object?	
A. object	B. New
C. new	D. class
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 8, Heading 1.5.2	

Q.28 What are the properties of IE developer tools?	
A. Detect issues quickly, Edit Web pages instantly, Integrated and simple to use, Provides a visual interface to the platform	B. Provides real time view, Manually analyze the source codes, View logged messages, Monitor network requests
C. Integrated and simple to use, Provides a visual interface to the platform, Enable fast experimentation, Optimize application performance	D. Modify CSS, Profile page load performance. Enable fast experimentation, Optimize application performance
Correct Answer: C	

Prepared by: Abrar Ahmed

Reference: Book name: Programming with Javascript, Page no 112, Heading 8.2.4

Q.22 Match the following modifiers with their description.

SI NO	Left Column	SI NO	Right Column	Correct Answer for Column A			
A1	Page Visibility API	B1	Retrieve orientation of the mobile device of the user to rotate the display and present a wide-screen view of the content.	B1	B2	B3	B4
A2	Online/Offline API	B2	Analyze performance of a Web page such as information on the unloading time of the prior page accessed and the total time required for loading the current page.	B1	B2	B3	B4
A3	Device Orientation API	B3	Save the work done by the user based on if the Internet is ON or OFF instead of showing an alert message of connection being lost.	B1	B2	B3	B4
A4	Navigation Timing API	B4	Listen to events and determine whether the Web page is being viewed or the browser is being minimized.	B1	B2	B3	B4

Reference: Book name: Programming with Javascript, Page no 122-125

Q.23 Match the following modifiers with their description.

SI NO	Left Column	SI NO	Right Column	Correct Answer for Column A			
A1	a) YUI Compressor	B1	1) Online compression tool that minifies the files to up to 80% of their original size	B1	B2	B3	B4
A2	b) AjaxminUi	B2	2) Command-line tool that delivers over 20% of HTTP compression	B1	B2	B3	B4
A3	c) JSCompress	B3	3) Removes redundant comments and whitespaces from JavaScript files	B1	B2	B3	B4
A4	d) JSTMin	B4	4) Minifies all the JavaScript files in a folder and nested folders	B1	B2	B3	B4

Reference: Book name: Programming with Javascript, Page no 79- 80

Prepared by: Abrar Ahmed

Q.24 What type of API provides an improved user experience and performance?	
A. Simple Object Access Protocol API	B. Representational State Transfer API
C. Remote Procedure Call API	D. Responsive API
Correct Answer: D	
Reference: Book name: Programming with Javascript, Page no 122, Heading 9.2	

Q.25 What are the two ways in which the users can send messages to Web workers?	
A. Rendering - Replacing	B. Replacing - Transferring
C. Compiling - Copying	D. Copying - Transferring
Correct Answer: D	
Reference: Book name: Programming with Javascript, Page no 100	

Q.26 Create a function to count numbers between two given numbers.	
A. <pre>function count between(f no,s_no){ return(Math.abs(f no-s_no)); console.log(count between(10,30)); }</pre>	B. <pre>function count between(f no,s_no){ return(Math.abs(f no- s_no));consolelog(count between (10,30)); }</pre>
C. <pre>function count_between(f no,s_no){ return(abs(f no-s_no)); } console.log(count_between(10,30));</pre>	D. <pre>function count_bewtveen(f no,s_no) return(Math.abs(f no-s_no)); console log(count_between(10,30));</pre>
Correct Answer: D	
Reference: Book Name: Programming with JavaScript, No direct reference available	

Q.27 Which JavaScript operation waits for the process to execute till an input or output operation is completed?	
A. Blocking	B. Concatenating
C. Grouping	D. Non-Blocking
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 52, Heading 4.2	

Q.28 Which of the following is an asynchronous function?	
A. Concatenating	B. Grouping
C. Callback	D. Blocking
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 53, Heading 4.2.1	

Q.29 What format is used to store data as text?	
A. Hypertext Markup Language (HTML)	B. Document Object Model (DOM)
C. JavaScript Object Notation (JSON)	D. Object Oriented Programming (OOPs)
Correct Answer: C	
Reference: Book name: Programming with Javascript, Page no 70, Heading 5.4	

Prepared by: Abrar Ahmed

Q.30 Which of the given option can be used to access elements of an HTML page?	
A. Document	B. Method
C. JSON	D. String
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 64, Heading 5.2	

Q.31 Which are the commonly used methods used to fetch the content of an HTML element?	
A. document.getElementById getElementsByTagName	B. JSON.parse() document.removeChild(element)
C. document.createElement(element) element.style.property = new style	D. element.setAttribute(attribute, value) getElementsByTagName
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 70	

Q.32 Which of the following three arguments does the JavaScript function reload take?	
A. Inclusive Compilation URL of the source Object-Oriented Programming	B. Multi-line stags Splat operators URL of the source
C. Inclusive Compilation Source to preprocess Splat operators	D. Source to preprocess URL of the source Script or function name of the event handler
Correct Answer: D	
Reference: Book name: Programming with Javascript, Page no 25	

Q.33 _____ data type is used in a script wherever required to perform a task repeatedly	
A. Booleans	B. Functions
C. Strings	D. Objects
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 6	

Prepared by: Abrar Ahmed

Q.34 Which of these is the correct code to create a class with attributes year of language, creator of that language?		
A. <code>function language(year, name) { this.year=year; this.creator=name; }var Visual_Basic = new language(1991,"Alan Cooper"); var Eiffel = new language(1983,"Anders Hejlsberg"); console.log(Visual</code>		
B. <code>function language(year, name) { year=year; creator=name; } var Visual_Basic = new language(1991,"Alan Cooper"); var Eiffel = new language (1983,"Anders Hejlsberg"); console.log(Visual_Basic.cre</code>		
C. <code>function Language(year, name) { this.year=year; this.creator=name; } var Visual_Basic = new language(1991,"Alan Cooper"); var Eiffel = new language(1983,"Anders Hejlsberg"); console.log(creato</code>		
D. <code>function (year) { this.year=year; this.creator=name; } var Visual_Basic = new language(1991,Alan Cooper); var Eiffel = new language(1983,Anders Hejlsberg); console.log(Visual_Basic.creator)</code>		
Correct Answer: A		
Reference: Book name: Programming with Javascript, Page no 9		

Q.35 Match the regular expression patterns with their use						
SI NO	Left Column	SI NO	Right Column	Correct Answer for Column A		
A1	Brackets	B1	Searches a match at the beginning of a word	B1	B2	B3
A2	Metacharacters	B2	Specifies the number of occurrences of a particular pattern	B1	B2	B3
A3	Quantifiers	B3	Searches range of characters between the brackets	B1	B2	B3
Reference: Book name: Programming with Javascript, Page no 20						

Q.36 When an object is passed through a combination of properties and methods to determine its semantics, it is called _____	
A. Traceur	B. Duck-typing
C. CoffeeScript	D. Compilers
Correct Answer: B	
Reference: Book name: Programming with Javascript, Page no 31	

Prepared by: Abrar Ahmed

Q.37 Which of the following convert's edge JavaScript into plain ES5 JavaScript used to run in any new as well as old browsers?

A. Rollup

B. Browserify

C. Webpack

D. Babel

Correct Answer: D

Reference: Book name: Programming with Javascript, Page no 34

Q.38 Which of the following essential JavaScript features does Web workers do not have access to?

A. 1) Window object 2) Document object 3) Parent object 4) DOM

B. 1) Application Cache 2) XMLHttpRequest 3) setTimeout() 4) Navigator object

C. 1) Window object 2) Document object 3) Parent object 4) Navigator object

D. 1) Location object 2) Application Cache 3) importScripts() 4) Navigator object

Correct Answer: A

Reference: Book name: Programming with Javascript, Page no 94, Heading 7.2

Q.39 _____ or _____ JavaScript decreases the load time of a web page resulting in a better user experience.

A. Blocking or Compiling

B. Compiling or Running

C. Grouping or Concatenating

D. Grouping or Merging

Correct Answer: C

Reference: Book name: Programming with Javascript, Page no 52

Q.40 _____ and _____ are single-thread environments.

A. Node.js and libuv

B. Callback and libuv

C. Typescript and Node.js

D. JavaScript and Node.js

Correct Answer: D

Reference: Book name: Programming with Javascript, Page no 55, Heading 4.3.1

Q.41 Which events are captured by the attributes of the HTML element?

A. Image loading and page loading

B. Mouse click and page loading

C. Mouse click and mouse over

D. Mouse over and image loading

Correct Answer: C

Reference: Book name: Programming with Javascript, Page no 69, Heading 5.3

Q.42 Arrange the given steps in the correct order

1. Minified script is called on

2. Minification Process

3. User makes a request

4. Swifter function

A. 4,2,1,3

B. 4,3,2,1

C. 4,1,2,3

D. 3,2,1,4

Correct Answer: D

Reference: Book name: Programming with Javascript, Page no 78, Heading 6.1.2

Prepared by: Abrar Ahmed

Q.43 Can you rearrange the following steps to depict how minification process occurs?	
A. Web server lets the page be processed by an online minification tool	
B. A user makes a request from a web browser for a web page	
C. The web page functions as expected with a lesser bandwidth used	
D. Web server deploys the minified file and responds to the browser	
A. B, A, D, C	B. A, B, C, D
C. C, D, A, B	D. D, A, B, C
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 78, Heading 6.1.2	

Q.44 Which of these is the valid code in TypeScript to multiply two numbers?	
A. <code>function multiply(first: number, second: number); number {return first * second; } var result = multiply(1,1);</code>	B. <code>function multiply(first,second) (return first * second;) var result = multiply(1. 1);</code>
C. <code>Function multiply(first,second) (return first * second;) var result = multiply(1. 1);</code>	D. <code>function multiply(first,second) (return first * second;) var multiply(1. 1);</code>
Correct Answer: A	
Reference: Book name: Programming with Javascript, Page no 30	