

Prepared By Abrar Ahmed

IOS Apps Development using Swift

Q1. How is an external parameter used with a function?	
A. When calling functions	B. When the parameter is used in the function body
C. When return values are not required	D. When the value needs to be passed from one function to another
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, Page no 64	

Q2. What is a closure expression?	
A. Code written to end swift code	B. Self-contained block of code
C. A function that occurs within another function	D. Code that ends a function
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no - 108 - Heading 5.10	

Q3. Enumeration can be declared as _____	
A. enumerator!	B. Enum
C. Enum ()	D. Enum!
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no - 233 - Heading 13.2	

Q4. A user indicate that an enumeration case is recursive by using _____ before the case declaration.	
A. indirect	B. recursive
C. loop	D. return
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, Page no - 246 - Heading 13.8	

Q5. Why are the folder icons in the XCode navigation area referred to as groups instead of folders?	
A. iOS does not recognize the word 'folders' which is use by Microsoft	B. This is separate from the operating system's file structure and is internal to XCode
C. They cannot contain other folders and files, unlike the operating system's structure	D. This is the activity viewer and displays only that information that is relevant for the compiler
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no 19	

Q6 What is the value of greeting in this segment of code? let string1= "Hello" let string2= "World" var greeting = string1+string2	
---	--

Prepared By Abrar Ahmed

A. Hello World	B. HelloWorld
C. "Hello World"	D. 0
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 37	

Q7. What is the data type of the Age in this segment of code? Let Age ="55"	
A. double	B. string
C. int	D. single
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, No Direct reference	

Q8. If a=5 and b=6, then what will be the result of a==b?	
A. True	B. False
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no 61, Heading 3.4	

Q9. What does this snippet of code do? <pre>var variableString = "Horse" variableString += "and carriage" //variableString is now "Horse and Carriage"</pre> <pre>Var constantString = "Highlander" constantString += "and another Highlander" //this reports a compile-time error as a constant string cannot be modified</pre>	
A. Indicates that a string and a constant can be concatenated or interpolated	B. Indicates that a variable or constant can be identified using type annotations or inference
C. Indicates that the string can be modified by assigning it to a constant constantString	D. Indicates that the string can be modified by assigning it to a variable variableString
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 36	

Q10. Which of the following is an example of a floating point literal? [Multiple Choice]	
A. 3.14159	B. 0xC.3p0
C. 17	D. 0b10001
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, No direct reference	

Q11. What is the binary representation of the number 15?	
A. 10000111	B. 00001101
C. 00000111	D. 00001111
Correct Answer: D	

Prepared By Abrar Ahmed

Reference: Book name: IOS Apps Development using Swift, No direct reference
--

Q12. Which keyword is used to declare a structure?
--

A. structure

B. struct

C. structName

D. structure()

Correct Answer: B

Reference: Book name: IOS Apps Development using Swift, Page no 120, Heading 6.3

Q13. The building block using object, variables and structures are known as _____

A. objects

B. properties

C. classes

D. methods

Correct Answer: C

Reference: Book name: IOS Apps Development using Swift, No direct reference available
--

Q14. Which of the following statements explains the While loop?

A. A set of code in which the given condition is checked before execution

B. A set of code that executes a fixed number of times, specified at the start of the loop
--

C. A set of code that is executed until the given condition fails

D. A set of code that is never executed if the condition is false

Correct Answer: C

Reference: Book name: IOS Apps Development using Swift, Page no 56

Q15. With which keyword does a function starts?

A. function

B. func

C. function_name

D. var func

Correct Answer: B

Reference: Book name: IOS Apps Development using Swift, Page no - 78 - Heading 4.1.3

Q.16 What is the minimum system requirement for Xcode 9?
--

A. OS X?Yosemite?10.10.5

B. OS X Mavericks 10.9.5 Update

C. MacOS 10.12.6 or later

D. No minimum system requirements.

Correct Answer: C

Reference: Book name: IOS Apps Development using Swift, Page no 15

Q.17 What is the left-most column in the Xcode text editor known as?
--

A. Utilities Area

B. Test Navigator

C. Debug Area

D. Gutter

Correct Answer:D

Reference: Book name: IOS Apps Development using Swift, Page no 21

Prepared By Abrar Ahmed

Q.18 Which of the following is NOT a data type used in Swift?	
A. Alphabet	B. Integer
C. Character	D. Tuple.
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, Page no 30	

Q.19 How is information accessed from collection, sequence and list?	
A. By using dictionaries	B. By using subscript
C. By using structures	D. By using arrays
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no 212, Heading 11.8	

Q.20 Which of the following classes is used to encode a json string?	
A. JSON string	B. JSON
C. JSONEncode	D. JSONDecode.
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 130	

Q.21 How can the behavior of parent class be changed in subclass?	
A. By overriding the methods	B. By deallocating the class after using.
C. By delegating classes to other initializers	D. By enabling
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, Page no 102, Heading 6.7.1	

Q.22 _____ are unordered collections of unique values.	
A. Dictionaries	B. Arrays
C. Sets	D. Collections
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 106, Heading 7.1	

Q.23 Which of the following is used to avoid duplication and to provide abstraction? <pre> Protocol increment{ func increment()->Int } extension Int:increment { func increment() ->Int { return self+20 } } let x:int =20 Print("X is : \(x.increment())") What will be the output for value X?? </pre>	
A. Protocols	B. Generic

Prepared By Abrar Ahmed

C. Extensions	D. Methods
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 167-168	

Q.24 When is the viewDidLoad method called?	
A. When a view has been added to a view hierarchy	B. When the view is about to be removed from a view hierarchy
C. When the view appears	D. When the view controller is removed from the screen
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no 198	

Q.25 What is the output of this code snippet? //Declare a variable as set let setValue:Set["Simar","Swan"] //print set value in console Print(setValue)	
A. Simar Swan	B. "Simar","Swan"
C. "Simar Swan"	D. ["Simar","Swan"]
Correct Answer: D	
Reference: Book name: IOS Apps Development using Swift, Page no 109	

Q.26 What is the output of this code snippet? //Declare set with array elements Var setName:Set<String>=[?Red?, ?Blue?, ?Green?, ?Yellow?] //Print set value in console Print("Name is of type set<Character> with \ \(setName) items.")	
A. Red, Blue, Green, Yellow.	B. Name is of type set with [?Red?, ?Blue?, ?Green?, ?Yellow?] items.
C. Name is of type set with ?Red?, ?Blue?, ?Green?, ?Yellow?.	D. Name is of type set Character with? Red?, ?Blue?, ?Green?, ?Yellow? items
Correct Answer: D	
Reference: Book name: IOS Apps Development using Swift, Page no 109	

Q.27 sqlite3_open() Is used in the database to_____	
A. Create a new table in the database	B. Insert a new record in the table
C. Open or create a new database file	D. Retrieve a record from database
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 424	

Q.28 Who developed Swift Programming Language?	
A. Steve Jobs	B. Tim Cook
C. Chris Lattner	D. Andy Hertzfeld
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 9	

Prepared By Abrar Ahmed

Q.29 Which of the following integrated development environment is used to adapt Swift?	
A. Xcode	B. Visual Studio
C. Cloud9 IDE	D. PyCharm
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, Page no 9	

Q.30 Which features allows user to check if a tested module was available on a certain platform?	
A. targetEnvironment	B. UIKit
D. flatMap	D. PlaygroundQuickLook.
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no 13	

Q.31 Which of the following bit integers are not supported by swift?	
A. 16	B. 32
C. 64	D. 128
Correct Answer: D	
Reference: Book name: IOS Apps Development using Swift, Page no 30	

Q.32 What is the default value of float type?	
A. 0.0	B. 0.1
C. 32767	D. -32768
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, Page no 30	

Q.33 Which of the following describes a tuple?	
A. A number that has a precision of at least 6 decimal digits	B. A collection of zero or more values as one value
C. A value that can be either true or false	D. Renderable text that is stored as a grapheme cluster
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no 32	

Q.34 Which of the following actions forms a new string by joining strings or characters?	
A. Interpolation	B. Extrapolation
C. Concatenation	D. Calculation
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 32	

Q.35 Which of the following equations assigns the value of 'x' to 'y' and 'y' to 'x'?	
A. $y = x; x = y$	B. $y = y! + x$
C. $y = x!$	D. $y == x$
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, Direct reference not available	

Prepared By Abrar Ahmed

Q.36 at will be the printed value in the following program: var shoppingList = ["Eggs", "Milk"] if shoppingList.isEmpty { print("The shopping list is empty.") } else { print("The shopping list is not empty.") }	
A. The shopping list is Eggs, Milk	B. The shopping list is empty
C. The shopping list is not empty	D. The shopping list is
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Direct reference not available	

Q.37 What is ConcatStrings in this snippet of code? //Define function with parameter and its body func ConcatStrings(s1:String,s2:String)->String { //Concatenate two string as resultValue = s1+s2 as String return s1 + s2 } //Calls function and concatenate two string let returnedString = ConcatStrings(s1: "My", s2: "Swift") // print returnedString print(returnedString)	
A. The method that concatenates the two strings s1 and s2	B. The name of the function
C. A comment for the programmer to understand the code.	D. The returned value of the concatenated string
Correct Answer: B	
Reference: Book name: IOS Apps Development using Swift, Page no 66	

Q. 38 How can the snippet of code that calls enum be rewritten without changing the outcome? //Define enum enum subjectType { case Science,Art, Commerce } //Call enum var student1 = subjectType.Art	
A. subjectType.student1 = subjectType.Art	B. subjectType = .Art
C. student1 = .Art	D. student1.SubjectType = .Art
Correct Answer: C	
Reference: Book name: IOS Apps Development using Swift, Page no 76	

Prepared By Abrar Ahmed

Q.39 Consider the following function and what would be the printed result?

```
func addTwoInts(_ a: Int, _ b: Int) -> Int
{
    return a + b
}
var mathFunction: (Int, Int) ? Int = addTwoInts
print("Result: \(mathFunction(2, 3))")
```

A. Result: 6

B. Result: 2

C. Result: 5

D. Result: 1

Correct Answer: C

Reference: Book name: IOS Apps Development using Swift, Direct reference not available

Q.40 Object is a _____ of a class.

A. a duplicate

B. the opposite

C. an instance

D. a declaration

Correct Answer: C

Reference: Book name: IOS Apps Development using Swift, page no 169

Q.41 Which of the following is the default access level of an object?

A. Public

B. Internal

C. Private

D. File Private

Correct Answer: B

Reference: Book name: IOS Apps Development using Swift, page no 92

Q.42 Which type of property is initialized when it is accessed first?

A. Stored

B. Computed

C. Null

D. Lazy

Correct Answer: D

Reference: Book name: IOS Apps Development using Swift, page no 94

Q.43 _____ are a collection of different values of the same type in an unordered list.

A. Collections

B. Groups

C. Sets

D. Values

Correct Answer: C

Reference: Book name: IOS Apps Development using Swift, page no 108

Q.44 Which method is used to check if a value exists in a set?

A. contains(_)

B. exists(_)

C. includes(_)

D. excludes(_)

Correct Answer: A

Reference: Book name: IOS Apps Development using Swift, page no 117

Prepared By Abrar Ahmed

Q.45 How many times the for loop will iterate? For _ in 0...4 { print("Hello!") }	
A. 0 to 4	B. 0 to 3
C. 0 and 4	D. 1 to 3
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, page no 49	

Q.46 Which of the following will be executed. If no matches occurs in Switch statement?	
A. Default	B. Continue
C. Case 0:	D. Break
Correct Answer: A	
Reference: Book name: IOS Apps Development using Swift, page no 58	