
Lecture #28: Convotutional Neural Network (CNIV)	
The de CONVII	
( Mecwar (1111)	n salara
The transfer one one or the second party of th	
premasly covered	
or limitator of ripple neural network	protection of
or indroductor so com	rates and
이 이번 점점이 하는데 이번 하다 이렇게 하고 하고 그는데 이번 가지가 하지 않는데 없었다. 그렇지 하는데 하지 않는데 하는데 하다.	-
or Images 2 features	***********
or heard (fitte), Consolitor aparator	I WE SHEET CO.
Architecture of CNN	
imper ( full of important pout - (deadures).	
-> PCAR (Red, green, blue) bit can be edged	)
texture share or over face	( Phinting or
V.	-
Pownsheam Toyh	-
extract injustant reature which then	NAMES OF THE
can be used in any down-sheam	n, marin
born lin classificator, regressor el	Ł
convolution	
is like special very of leasing out date - 965	
mathomatical gerator that bring out patterns.	
	-
applies filler de image de create feature major	Mark Town or
	-
	n-comme



	0
Edge	-\S
Depth (no g chance)	_6
no of filters in a layer determine depth	÷
	(3)
Padding	
(Technique wed to maintain the spatial dimensions	6
of input image after performing convolution operators	0
a feative map)	e
Zero	_
Types (value of piael you fill)	Ġ.
) one	<u></u>
Pooling Simplify complex data dimensionalty Reduction	-
Pooling dimensionalty Reduction	<u> </u>
(reductont information)	-
Graducing dimension of image	
Pooling = Down sizing + information Summary	-
pooling = Down SIZing + information Summery	
mant commend man realing	
most commm > max pooling	
analogies (Pooling is like compressing on image file are there	Committee of the Commit
you loose some dobal but the oscarbial and there	)_
Toockes Andre	
(moghe a leacles summarizing a chapter.	3
highlight buy ports (max pooly) over all summy (average pooling)	~
over an or ( average pooling)	7
	and the

