




deeplearning.ai

Sequence to sequence models

Attention model

Attention model

$\alpha^{<t, t'>}$ = amount of "attention" $y^{<t>}$ should pay to $a^{<t'>}$.




$$C^{<t'>} = \sum_{t'} \alpha^{<t', t'>} a^{<t'>}$$

$$a^{<t'>} = (\vec{a}^{<t'>}, \leftarrow a^{<t'>})$$

$$\sum_{t'} \alpha^{<t', t'>} = 1$$

$$C^{<t'>} = \sum_{t'} \alpha^{<t', t'>} a^{<t'>}$$





[Bahdanau et. al., 2014. Neural machine translation by jointly learning to align and translate]

Andrew Ng

Computing attention $\alpha^{<t,t'>}$

$\alpha^{<t,t'>}$ = amount of attention $y^{<t>}$ should pay to $a^{<t'>}$

$$\alpha^{<t,t'>} = \frac{\exp(e^{<t,t'>})}{\sum_{t'=1}^{T_x} \exp(e^{<t,t'>})}$$



[Bahdanau et. al., 2014. Neural machine translation by jointly learning to align and translate]

[Xu et. al., 2015. Show, attend and tell: Neural image caption generation with visual attention]

Andrew Ng

Attention examples

July 20th 1969 → 1969 – 07 – 20

23 April, 1564 → 1564 – 04 – 23

Visualization of $\alpha^{<t,t'>}$:

