



deeplearning.ai

Basics of Neural Network Programming



Gradient Descent

Gradient Descent


Recap: $\hat{y} = \sigma(w^T x + b)$, $\sigma(z) = \frac{1}{1+e^{-z}}$ ←

$$\underline{J(w, b)} = \frac{1}{m} \sum_{i=1}^m \underline{\mathcal{L}(\hat{y}^{(i)}, y^{(i)})} = -\frac{1}{m} \sum_{i=1}^m y^{(i)} \log \hat{y}^{(i)} + (1 - y^{(i)}) \log(1 - \hat{y}^{(i)})$$

Want to find w, b that minimize $J(w, b)$



Gradient Descent



Repeat {

$$w := w - \alpha \frac{dJ(w)}{dw}$$

} $w' = w - \alpha \underline{dw}$

$\frac{dJ(w)}{dw} = ?$

learning rate

"dw"

$$J(w, b)$$

$$w := w - \alpha \frac{\partial J(w, b)}{\partial w}$$

$$b := b - \alpha \frac{\partial J(w, b)}{\partial b}$$

$$\frac{\partial J(w, b)}{\partial w}$$

$$\frac{\partial J(w, b)}{\partial b}$$

$$\partial$$

$$J$$

"partial derivative"

dw

db