


# View/Download Datasets



For Presentation  
All-Purpose

2022 May 15  
Full Name




# Important Databases

## Satellite/space data

- Earth Explorer: [Link](#)
- SUPARCO: [Link](#)
- QGIS : [Link](#)
- Copernicus : [Link](#)
- Zoom Earth: [Link](#)
- UN-SPIDER: [Link](#)

## Environmental datasets

- Intergovernmental panel on climate change (IPCC) : [Link](#)
- International Water Management Institute (IWMI) : [Link](#)
- US-EPA : [Link](#)
- NASA : [Link](#)
- Climate match : [Link](#)
- Columbia climate : <https://sedac.ciesin.columbia.edu/> [Link](#)




# Earth Explorer

- You can view datasets only with specific information.
- Images can be downloaded one by one after logged in.
- You can search for data by entering a location, specifying a date range, and selecting the desired data sets.
- The datasets include imagery, elevation data, and land cover data.

The screenshot shows the USGS Earth Explorer website. The header features the USGS logo with the tagline "science for a changing world" and the site name "EarthExplorer". Navigation links for "Help", "Feedback", and "Login" are in the top right. The main interface is divided into a left sidebar and a right map area. The sidebar has tabs for "Search Criteria", "Data Sets", "Additional Criteria", and "Results". Under "Search Criteria", there's a section "1. Enter Search Criteria" with instructions: "To narrow your search area: type in an address or place name, enter coordinates or click the map to define your search area (for advanced map tools, view the [help documentation](#)), and/or choose a date range." Below this are buttons for "Geocoder" and "KML/Shapefile Upload". A "Select a Geocoding Method" dropdown is set to "Feature (GNIS)". A "Search Limits" note states: "The search result limit is 100 records; select a Country, Feature Class, and/or Feature Type to reduce your chances of exceeding this limit." There are buttons for "US Features" and "World Features". Input fields for "Feature Name" (with a note "use % as wildcard"), "State" (dropdown set to "All"), and "Feature Type" (dropdown set to "All") are present, followed by "Show" and "Clear" buttons. At the bottom of the sidebar are buttons for "Polygon", "Circle", and "Predefined Area". The right map area has a "Search Criteria Summary (Show)" header and a "Clear Search Criteria" link. The map itself shows a satellite view of the United States with a search box in the top right containing coordinates "(49° 49' 15\"



# Earth Explorer



The screenshot shows the USGS EROS Registration System interface. At the top is the USGS logo with the tagline "science for a changing world". Below the logo is a navigation bar with "EROS Registration System" and a "Change Password" link. To the right of the navigation bar are links for "Help", "Feedback", and "Login". A disclaimer states: "Registration and login credentials are required to access all system features and download data from USGS EROS web services. To ensure privacy and security, ERS uses Hypertext Transfer Protocol with Secure Sockets Layer (HTTPS) to encrypt user authentication. To register, please create a username and password. The information gathered from the registration process is not distributed to other organizations and is only used to determine trends in data usage. Review [USGS Privacy Policies](#). The Cancel button can be used to exit the registration process at any time and information entered will be lost."

The registration form is divided into two main sections. The left section contains input fields for "Username", "New Password", and "Confirm New Password". Below these fields is a checkbox labeled "I'm not a robot" and a reCAPTCHA widget. A "Continue" button is at the bottom of this section. The right section contains two requirement boxes. The "Username Requirements" box lists: "Must be between 4 and 30 characters", "May contain alphabetic and numeric characters", and "May only contain the following special characters" (period ".", at sign "@", underscore "\_", and dash "-"). The "Password Requirements" box lists: "Must be between 12 and 64 characters" and "Cannot contain 3 or more repeating characters (eg. 'aaa')".

- Create login filled up the your personal information. [Link](#)
- After that you will be asked for the “Demographic Information”, fill it accordingly or follow the image below.

## Demographic Information

[View Roles](#)

**Operational Work Percentage:** NA

**Non-Operational Work Percentage:** NA

**Free and Open Access Importance:** Very Important

**Distribution Amount:** A little of the data

**Usage Characteristics:** End user (apply data or products derived from the data to accomplish my work, including scientific research and education)

### Affiliation


Academic Institution

**Primary Usage:** Education: university/college

**Secondary Usage:** Emergency/disaster management, Environmental regulation, Fire science/management, Public health



# Earth Explorer



- Click on the Dataset section and select any category.
- Select the checkbox and click on the image to highlight these areas on the map.
- Click on the information tag adjacent to check box to know more about dataset.
- Scroll down and click on the “Results”.
- For **bulk download** click on the item basket and proceed.




# SUPARCO

The Space Application Centre for Response in Emergency and Disasters (SACRED–SUPARCO), which hosts the UN–SPIDER Regional Support Office in Pakistan (PAK–RSO).


## SACRED–SUPARCO's core functions

- Utilizing satellite remote sensing technology, GIS (Geographic Information Systems), and other data sources to deliver space-based information to NDMA and PDMA in response to natural disasters like floods, droughts, earthquakes, and landslides.
- Activating the International Charter Space and Major Disasters during large-scale catastrophes.
- Building capacity in the area of space-based disaster management for NDMA and PDMA personnel.






# SUPARCO




- Select suitable data on which you want to access like Flood, Earthquake etc.
- By selecting the map layers and visualization, click on the download button.
- Select suitable dataset for your problem as shown in image-2.





# SUPARCO

## Rapid Damage Assessment - Settlements District Shikarpur, Sindh



- Left side image from sentinel-2 satellite and right side from the landsat-8.
- Different type of information shown in the images as affected settlements.
- Area location also mentioned on the images.
- These type of images can be used while analyzing purposes.



# Copernicus

This website provides free access to a wide range of Earth observation data collected by the Copernicus Sentinel missions.

PROGRAMME OF THE EUROPEAN UNION

Copernicus

esa

EXPLORE DATA

ANALYSE DATA

ECOSYSTEM

SUPPORT

LOGIN


It provides dual polarization capability, short revisit times and rapid product delivery. Additionally, precise measurements of spacecraft position and attitude are available for every observation.

Following products are available in the data space:


| PRODUCT TYPE                                                          | SPATIAL EXTENT | TEMPORAL EXTENT             | DOCUMENTATION                 |
|-----------------------------------------------------------------------|----------------|-----------------------------|-------------------------------|
| GRD (*)(**) Packed or Unpacked (IAD)                                  | World          | Oct-14 - Present            | <a href="#">Documentation</a> |
| GRD (***) Packed or Unpacked, SAFE with Cloud optimized GeoTIFF (IAD) | World          | Oct-14 - Present            | <a href="#">Documentation</a> |
| GRD (****) Packed, original SAFE (IAD)                                | World          | Last one year               | <a href="#">Documentation</a> |
| GRD Packed, original SAFE (DAD)                                       | World          | Oct 2014 - Present (1 year) | <a href="#">Documentation</a> |
| SLC (*) Packed or Unpacked (IAD)                                      | Europe         | Oct-14 - Present            | <a href="#">Documentation</a> |



# Copernicus




- The six Sentinel satellites are Sentinel-1, Sentinel-2, Sentinel-3, Sentinel-5P, Sentinel-6, and SMOS, used for land/maritime monitoring, land monitoring, ocean/land surface monitoring, atmospheric monitoring, atmospheric monitoring, and soil moisture/ocean salinity monitoring respectively.



- Create a login to view/download the data as shown in the image 2.
- Input suitable fields or add research/education purpose and verify account from your email.




# Copernicus



- Select/download the suitable data as per your need.
- **Before download, read documentation about the data whether it is according to your problem statement**

- Click on the search bar and select the data source you want to view/download and click on search button.






# Zoom Earth

Zoom Earth is a website that provides a live weather map of the world.

It allows you to explore the current weather and see forecasts for your location through interactive maps of:

- Rain
- Wind
- Temperature
- Pressure

It also track the development of hurricanes and storms, monitor wildfires and smoke, and stay aware of the latest conditions by viewing satellite imagery and rain radar updated in near real-time.






# Zoom Earth


## Key Features:

- Live weather map
- Hurricane tracker
- Wildfire and smoke monitoring
- Satellite imagery and rain radar
- Forecasts
- Alerts





# Zoom Earth



Live Example of weather in Finland




# UN-SPIDER

This website contained resource for information on using space-based information for disaster management. It is managed by the United Nations Office for Outer Space Affairs (UNOOSA).

The website provides a variety of resources, including:

- Links to institutions
- Data sources
- GIS and remote sensing software
- Online learning resources
- Online training courses





# UN-SPIDER

UN-SPIDER Search Interface

**Filters:**

- Hazard:
- Data Type:
- Costs:
- Disaster Cycle Phase:
- Temporal Coverage:
- Spatial Coverage:
- Data accessibility:
- File types:
- Name of Dataset:
- Satellites:
- Sort by:
- Order:

**Apply**

**Results:**

- Active Fire Data MODIS FIRMS (NASA)**  
Type: hazard specific data  
Costs: free  
Hazard: [Forest Fire](#)  
Format: export data, export map, visualization of data (e.g. web GIS or real time monitoring)  
Publisher: [National Aeronautics and Space Administration \(NASA\)](#)
- Actual Evapotranspiration Anomaly and NDVI (FEWS NET - USGS, USAID)**  
Type: baseline data, hazard specific data, land use, land cover data  
Costs: free  
Hazard: [Drought](#)  
Format: export data, visualization of data (e.g. web GIS or real time monitoring)  
Publisher: [United States Geological Survey \(USGS\)](#)
- Advanced Microwave Scanning Radiometer 2 (AMSR2 - NASA)**  
Type: baseline data  
Costs: free  
Hazard:  
Format: visualization of data (e.g. web GIS or real time monitoring)  
Publisher: [National Aeronautics and Space Administration \(NASA\)](#)

- You can search any type of dataset by using this search bar.
- Select the suitable filters and explore the data from multiple organizations.



# UN-SPIDER

- You can explore the dataset by clicking on the dataset.
- Explore the dataset from the given link (image 1).

un-spider.org/links-and-resources/data-sources/advanced-microwave-scanning-radiometer-2-amsr2-nasa

Tech With Tim - Pyt... Academics Portal - ... Digital Image Proce... What is Feature Extr... Introduction to mac... Solve Problem - MA... External packages w...

Home / Links and Resources / Data Sources / Advanced Microwave Scanning Radiometer 2 (AMSR2 - NASA) / Advanced Microwave Scanning Radiometer 2 (AMSR2 - NASA)

### Advanced Microwave Scanning Radiometer 2 (AMSR2 - NASA)



**Provider**



Data provided by: **National Aeronautics and Space Administration (NASA)**  
Data accessibility: visualization of data (e.g. web GIS or real time monitoring)  
Link to the data: **LANCE AMSR2 NRT DATA PRODUCTS FROM GCOM-W1** [WorldView](#)  
File type: hdf, hdf, hdf, hdf  
Data type: baseline data  
Space-based Information: NRT AMSR2 products are generated within three hours of observation, using preliminary algorithms provided by the NASA-funded US AMSR2 Science Team, with JAXA NRT Level 1 R (L1R, resampled brightness temperatures) as input. NASA standard products are available from NASA's National Snow and Ice Data Center (NSIDC) Distributed Active Archive Center (DAAC). . . Once processed, near real-time AMSR2 data can be accessed through the LANCE AMSR2 Near Real-Time Products page on GHRC DAAC's website and will be available for viewing using NASA's WorldView data visualization tool or any geographic information system (GIS) software capable of reading and visualizing data in HDF-EOS5 format.  
Satellites and Sensors: **GCOM-W1 (AMSR2)**  
Spatial coverage: Global  
Spatial resolution: ~62 x 35km depending on band

lance.nsstc.nasa.gov/products.html

S. Russell and P. No... Tech With Tim - Pyt... Academics Portal - ... Digital Image Proce... What is Feature Extr... Introduction to mac... Solve Problem - MA... External packages w...

## LANCE AMSR2 NRT DATA PRODUCTS FROM GCOM-W1

Registration is required to obtain LANCE data. Please visit the [Earthdata Login](#) to register for a username and password to access our data.

If you have any problems accessing our data, please [contact us!](#)

If you wish to retrieve multiple products at the same time (download in bulk), please reference [these instructions](#).

To access data or information, click the icons below or download directly from either data server:  
<https://lance.nsstc.nasa.gov/amr2-science/>  
<http://lance.itsc.uah.edu/amr2-science/>

[AMSR2 Standard Product at NSIDC](#)  
[AMSR2 Announcements](#)

worldview.earthdata.nasa.gov/?f=AMSRU2\_Columnar\_Water\_Vapor\_Night,AMSRU2\_Columnar\_Water\_Vapor\_Day,AMSRU2\_Surface\_Precipitation\_Night,AMSRU2\_Surf...

S. Russell and P. No... Tech With Tim - Pyt... Academics Portal - ... Digital Image Proce... What is Feature Extr... Introduction to mac... Solve Problem - MA... External packages w...

### NASA WORLDVIEW

Layers Events Data

OVERLAYS

- Columnar Water Vapor (Night) GCOM-W1 / AMSR2 **VR02 NRT** 25 mm
- Columnar Water Vapor (Day) GCOM-W1 / AMSR2 **VR02 NRT** 0 mm 75 mm
- Surface Precipitation (Night) GCOM-W1 / AMSR2 **VR02 NRT** 0.0 mm/hr ≥ 25.0 mm/hr
- Surface Precipitation (Day) GCOM-W1 / AMSR2 **VR02 NRT** 0.0 mm/hr ≥ 25.0 mm/hr
- Coastlines

Group Similar Layers

+ Add Layers Start Comparison

**NRT AMSR2 Unified Global Swath Surface Precipitation GSFC Profiling Algorithm**

The GCOM-W1 NRT AMSR2 Unified Global Swath Surface Precipitation GSFC Profiling Algorithm is a swath product containing global rain rate and type, calculated by the GPROF 2017 V2R rainfall retrieval algorithm using resampled NRT Level-1R data provided by JAXA. This is the same algorithm that generates the corresponding standard science products in the AMSR SIPs. The NRT products are generated in HDF-EOS-5 augmented with netCDF-4/CF metadata and are available via HTTPS.

**NRT AMSR2 Unified L2B Global Swath Ocean Products**

The GCOM-W1 NRT AMSR2 Unified L2B Global Swath Ocean Products is a swath product containing global sea surface temperature over ocean, wind speed over ocean, water vapor over ocean and cloud liquid water over ocean, using resampled NRT Level-1R data provided by JAXA. This is the same algorithm that generates the corresponding standard science products in the AMSR SIPs. The NRT products are generated in HDF-EOS-5 augmented with netCDF-4/CF metadata and are available via HTTPS.




# Intergovernmental panel on climate change

This web functions as a central hub for accessing and exploring data relevant to climate change research and assessments.

You can explore:

- Data Resources:
  - TG-Data Meetings
  - Data & Code Access
    - Climate Change 2021: The Physical Science Basis
    - CMIP6 Datasets
    - Code Access
  - Other Data Resources





# IPCC

## Welcome to the IPCC Data Distribution Centre

Search all datasets

SEARCH

BROWSE ALL

WGI

WGII

WGIII

Temperature

Precipitation

HOME OLD SITE HELP ATLAS

ipcc

AR6-DATA

DATA

GUIDANCE

ABOUT

METADATABROWSER

Find

Onboarding

Exchange

Help

Feedback

Clear All

dataset x  
dataset... x  
terminolo... x  
dataclass x  
dataelem... x

Keywords

Publisher Name

Format

Q

Advanced Search

Size

Showing results: 1 to 25 of 4225

All: 4225 Data Class: 216 Terminology: 0 Data Standard: 0 Dataset: 2723 Data Element: 1286

**20 and 30 year climatologies from CMIP3 climate model output as used in the 2007 IPCC Fourth Assessment Rep...** Dataset Published by NERC EDS Centre for Environmental Data A...

Climatology data used in Climate Change 2007, the Fourth Assessment Report (AR4) of the United Nations Intergovernmental Panel on Climate Change (IPCC) calculated from Coupled Model Intercomparison Project Phase 3 ...

Keywords: 1pctto2x, 1pctto4x, 20C3M, AR4, CMIP3, COMMIT, IPCC-DDC, piControl

**30 year climatologies from model output as used in the 1995 IPCC Second Assessment Report (SAR)** Dataset Published by NERC EDS Centre for Environmental Data Analysis

Data used in Climate Change 1995, the Second Assessment Report (SAR) of the United Nations Intergovernmental Panel on Climate Change (IPCC).

Keywords: IPCC-DDC, IPCC-SAR, IS92

ipcc

AR6-DATA

DATA

GUIDANCE

ABOUT

METADATABROWSER

Find

Onboarding

Exchange

Help

Feedback

Settings

Descriptive Metadata

Version History

Data Download

[Return to Results](#)

**20 and 30 year climatologies from CMIP3 climate model output as used in the 2007 IPCC Fourth Assessment Report (AR4)** Dataset

Version: 0.0.1 | Published: 2021-11-01 | Updated: 846 days ago

Climatology data used in Climate Change 2007, the Fourth Assessment Report (AR4) of the United Nations Intergovernmental Panel on Climate Change (IPCC) calculated from Coupled Model Intercomparison Project Phase 3 (CMIP3) model output.

1pctto2x, 1pctto4x, 20C3M, AR4, CMIP3, COMMIT, IPCC-DDC, piControl

Contact


Data Service

- The IPCC website provides limited information on directly analyzing or manipulating the data. However, it links to resources that can help you understand and utilize the data effectively.
- By click on “Browse All”, all the available datasets can be downloaded as per your need.



# IPCC

- Explore and download the dataset from here.
- These are very large dataset and contained “.nc” format files.
- You need a nc file viewer or you can search out for online website.
- Read documentation about the data

 **CEDA Archive**

About News Search Catalogue Get Data Deposit Tools

Sign in

This website uses cookies. By continuing to use this website you are agreeing to our use of cookies. [OK](#) [Find out more](#)

 Dataset

 **ipcc**  
View XML

20 and 30 year climatologies from CMIP3 climate model output as used in the 2007 IPCC Fourth Assessment Report (AR4)

[Open Access](#) [Download](#) [See Related Documents](#)

|                     |                    |
|---------------------|--------------------|
| Latest Data Update: | 2011-03-07         |
| Status:             | Completed          |
| Online Status:      | ONLINE             |
| Publication State:  | Published          |
| Publication Date:   | 2021-06-01         |
| Download Stats:     | last 12 months     |
| Dataset Size:       | 16.0K Files   13GB |

**Abstract**

Climatology data used in Climate Change 2007, the Fourth Assessment Report (AR4) of the United Nations Intergovernmental Panel on Climate Change (IPCC) calculated from Coupled Model Intercomparison Project Phase 3 (CMIP3) model output.

Simulations of global climate models were run by various climate modelling groups coordinated by the World Climate Research Programme (WCRP) on behalf of the IPCC.

**Coverage**

**Temporal Range**

Start time: 1850-01-01T00:00:00


End time: 2100-12-31T23:59:59



# International Water Management Institute (IWMI)

This web is about a monitoring system specifically designed to track droughts in South Asia, called the South Asia Drought Monitoring System (SADMS) and it's a collaborative effort led by the International Water Management Institute (IWMI).

The SADMS produces weekly maps that depict the current drought conditions across South Asia. This information is valuable for farmers, water managers, and policymakers as it allows them to be aware of and plan for potential droughts.






## Drought monitoring system

The South Asia Drought Monitoring System (SADMS), established in 2014, is a weekly map of drought conditions that are produced and maintained at IWMI. Numerous drought indices, including the Integrated Drought Severity Index, Standardized Precipitation Index and Soil Moisture Index have been developed to provide advanced drought monitoring and assessment information for various purposes. View [...]

May 31, 2018 | By IWMI | 58

The South Asia Drought Monitoring System (SADMS), established in 2014, is a weekly map of drought conditions that are produced and maintained at IWMI. Numerous drought indices, including the Integrated Drought Severity Index, Standardized Precipitation Index and Soil Moisture Index have been developed to provide advanced drought monitoring and assessment information for various purposes.

View the site here: <http://dms.iwmi.org/>



We are undergoing maintenance, some features may not function as expect. We regret any inconvenience caused.



The International Water Management Institute (IWMI) has been doing research on water for the last 30 years. Being a non-profit research organization all the research outputs and data used for the research are shared with researchers across the globe as a global public goods (GPGs).

The Water Data Portal (WDP), following "one-stop shop" approach, provides access to a large amount of data related to water and agriculture. WDP contains meteorological, hydrological, socio-economic, spatial data layer, satellite images as well as hydrological model setups. The data in the WDP, both spatial & non-spatial, are supported by the standardized metadata and are available for download by user

### Flagship Products

- Global Irrigated Area Mapping
- Irrigated Area Map - Asia & Africa

### Information Products

- River Basin Datasets
- Hydrology & Water Resources Model Inventory
- Eco - Hydrological Databases
- Urban Water, Food and Sanitation
- Groundwater-based Natural Infrastructure Solutions


### Mapping Products

- Global Environmental Flow Information System
- Global Drought Patterns
- Glacier and Snow in Asia Basin
- Flood Risk Mapping : South Asia
- Nepal Climate Change Vulnerability


- “Drought monitoring system” details from the web.
- You can select any type of data from the source.
- By clicking on “**visit the site here**” visit the web page and access the data.
- From image-2, select any suitable dataset from your side and process it.



# IWMI




- The website is in under-maintenance, it may or may not provide you data at the same time.
- By click on the download button you will see a pop-up which contain archive information, download the data and use it according to your problem statement.





# US-EPA

- US-EPA discusses data on environmental topics.
- Users can search for and download data by location or by topic.
- The data can be downloaded in various formats, including tabular reports, comma separated value (CSV) files, and geospatial data files.



## Envirofacts

[CONTACT US](#)


## Data Downloads

[Home](#) | [Multisystem Search](#) | [Topic Searches](#) | [System Data Searches](#) | [About the Data](#) | [Data Downloads](#) | [Widgets](#) | [Services](#) | [Mobile](#) | [Other Datasets](#)

Envirofacts offers several choices for downloading data. The search options listed below allow a user to build their own search and download the results to a file. The Geospatial Download feature enables a user to download spatial data files for use in mapping and reporting applications.

## EZ Searches

- [FRS](#) - This search allows you select key data elements from EPA's Facility Registry Service (FRS) and Location Reference Database to build a tabular report or a Comma Separated Value (CSV) file for downloading.



## System Data Searches

- [Multisystem](#)
- [BR](#)



# US-EPA

epa.gov/enviro/pcs-icis-customized-search

Tech With Tim - PyT...Academics Portal - ...Digital Image Proce...What is Feature Extr...Introduction to mac...Solve Problem - MA...External packages w...

» | All Bookmarks

Frozen as of June 17th, 2009: TX, LA, GM, AL

Frozen as of August 11, 2010: MI

Frozen as of February 17, 2011: MN, MO, OH, FL, KY

Frozen as of March 2nd, 2012: DE

Frozen as of Nov 29, 2012: AZ, IA, KS, ME, MS, NC, ND, NJ, OR, SC, VA, VT, WA, WV, WY

Please refer to the [ECHO Clean Water Act Search](#) to retrieve updated data for the states frozen in Envirofacts.

Step 1: Start by selecting one subject to be the primary focus of your search by clicking on one of the underlined subject names listed below.

| Subject                                                | Subject Description                                                                                                                                                |
|--------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Facility Information</a>                   | Address and other location information about the facility.                                                                                                         |
| <a href="#">Single Event Violation</a>                 | A table of violations that are characterized as one-time events that occurred on a fixed date, and are associated with one permitted facility.                     |
| <a href="#">Pipe Schedule - Outfalls</a>               | Tables of information about particular discharge points at a permit facility that are governed by effluent limitations and monitoring and submission requirements. |
| <a href="#">Effluent Limits - Allowable Discharges</a> | Tables containing restrictions imposed on quantities, discharge rates, and concentrations of pollutants by the                                                     |

[ECHO/IDEA](#)

FRS

[EZ Search](#)

[Organization Search](#)

[Greenhouse Gas](#)

[Customized Search](#)

[ICIS](#)

[ICIS-AIR](#)

[ICR](#)

[NGGS](#)

[Locational Information](#)

[Locational Search](#)

[NEI](#)

[PCS](#)

[Customized Search](#)

[RadNet](#)

[Customized Search](#)

[RCRAInfo](#)

[SDWIS](#)

[SEMS](#)

[SRS](#)

Related Topics: [Envirofacts](#)

CONTACT US

[Home](#) | [Multisystem Search](#) | [Topic Searches](#) | [System Data Searches](#) | [About the Data](#) | [Data Downloads](#) | [Widgets](#) | [Services](#) | [Mobile](#) | [Other Datasets](#)

Selection of Subjects for Customized Search

<< Return

Step 1: Currently Selected Subject(s)

Single Event Violation

You may now GO TO

Step 2: Retrieve Tables for Selected Subjects

OR

select an additional [subject](#) by clicking on one of the underlined subject names listed below.

[Facility Information](#)

Address and other location information about the facility.

- Click on any search as shown in the previous image.
- Guidance through each step is defined on the website.

## STEP 2: Select Tables

Select tables by clicking the box next to the tables displayed below.

| Tables for Subject: Single Event Violation |                                         |                                                                                                                                                   |
|--------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/>                   | <a href="#">pcs_single_event_viol</a>   | A one time event for a permitted facility that occurred on a fixed date.                                                                          |
| Tables for Subject: Facility Information   |                                         |                                                                                                                                                   |
| <input type="checkbox"/>                   | <a href="#">pcs_sludge</a>              | Describes the volumn of sludge produced, identification information on a sludge handler, and classification/permitting information on a facility. |
| <input type="checkbox"/>                   | <a href="#">v_pcs_permit_facilities</a> | A facility that discharges pollutants from one or more point sources into United States' waters.                                                  |

Step 3: Select Columns   Reset



# US-EPA

|                          |                                                         |                                                                                                        |
|--------------------------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> | Code Expansion for Receiving Stream Classification Code | Selecting this option will provide you with the description for the code from the field above this one |
| <input type="checkbox"/> | <a href="#">River Basin</a>                             | A six-digit field used to identify the river basin in which the facility is located.                   |
| <input type="checkbox"/> | Code Expansion for River Basin                          | Selecting this option will provide you with the description for the code from the field above this one |
| <input type="checkbox"/> | <a href="#">Scale</a>                                   | Describes the scale used to determine the latitude and longitude coordinates.                          |
| <input type="checkbox"/> | Code Expansion for Scale                                | Selecting this option will provide you with the description for the code from the field above this one |
| <input type="checkbox"/> | <a href="#">Stream Segment</a>                          | A four-character code to identify stretches of water from one significant event to another.            |
| <input type="checkbox"/> | <a href="#">Type of Ownership</a>                       | A three-digit code describing ownership classification.                                                |
| <input type="checkbox"/> | Code Expansion for Type of Ownership                    | Selecting this option will provide you with the description for the code from the field above this one |
| <input type="checkbox"/> | <a href="#">USGS Water Basin Code</a>                   | A code to identify a facility's drainage water basins by their geographic location.                    |
| <input type="checkbox"/> | Code Expansion for USGS Water Basin Code                | Selecting this option will provide you with the description for the code from the field above this one |

STEP 4: Enter Search Criteria

Reset



[Output Options for Selected Columns](#)

| <a href="#">Column Name</a>                               | <a href="#">Operator Definition</a> | <a href="#">Search Value</a>                                                                                    | <a href="#">Column Display Order</a> | <a href="#">Sort Column</a> | <a href="#">Sort Order</a> | <a href="#">Where Only</a> |
|-----------------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------|----------------------------|----------------------------|
| <a href="#">QNCr Measurement Violation Detection Code</a> | Equal to ▾                          | <input type="text"/><br>1. List All QNCr Measurement Violation Detection Code(s)                                | <input type="checkbox"/>             | <input type="checkbox"/>    | Ascending ▾                | <input type="checkbox"/>   |
| <a href="#">QNCr Measurement Violation Detection Date</a> | Equal to ▾                          | <input type="text"/> <small>The date must be entered completely in MON-DD-YYYY format (eg. JUN-23-1989)</small> | <input type="checkbox"/>             | <input type="checkbox"/>    | Ascending ▾                | <input type="checkbox"/>   |

Search Database   Reset   Output to CSV File

- In step 4, there will be too many columns select as much you need and proceed with step 4, button.
- Specify your search options and or not to fill it and then click on “output to CSV File”.
- CSV file can be downloaded from the image-3.

<< Return

Page No. 1

Generated SQL


```
SELECT DISTINCT PCS_SINGLE_EVENT_VIOL.QNCR_RNC_DET_CODE, to_char(PCS_SINGLE_EVENT_VIOL.QNCR_RNC_DET_DATE, 'YYYY-MM-DD') from PCS_SINGLE_EVENT_VIOL
```

You selected the CSV Output Option. Click on the underlined filename: 174151811.CSV to download the file



# NASA

- NASA use Earthdata to provide and access data.
- Earthdata provides free and open access to a massive collection of Earth science data (highlight the free and open access aspect).
- Data covers various aspects of Earth, including atmosphere, oceans, land, and biology (mention the data variety).
- You can search for data by keyword, location, or instrument (mention how users can find data).



The screenshot shows the NASA Earthdata website. The header includes the NASA logo, 'EARTHDATA', and the tagline 'OPEN ACCESS FOR OPEN SCIENCE'. Navigation links for 'Data', 'Topics', 'Learn', 'Engage', and 'About' are present. Below the header, the 'Find Data' section is highlighted. It contains a paragraph about NASA's data acquisition and distribution. A red arrow points from the 'Find Data' section to the 'Browse By Topic' section. The 'Browse By Topic' section features a satellite image of Earth and text describing the nine key topics: Atmosphere, Biosphere, Cryosphere, Human Dimensions, Land Surface, Ocean, Solid Earth, Sun-Earth Interactions, and Terrestrial Hydrosphere. The 'Access By API' section features a map of Earth with a color-coded overlay and text describing the variety of Application Programming Interfaces (APIs) available.

**Find Data**

NASA acquires, archives, and distributes data from a variety of sources, including remote sensing instruments on satellite and airborne platforms, field campaigns, in situ measurements, and model outputs. These data span the breadth of Earth science disciplines and cover even the most remote areas of the planet, providing measurements of Earth's atmosphere, ocean, land, and cryosphere; assessments about how humans interact with the environment; and assessments of calibrated radiance and solar radiance. These measurements help NASA better understand climate change, severe weather, sea ice and glaciers, hazards and disasters, health and air quality, ecology, and water resources. Through interagency and international partnerships, NASA also distributes and promotes Earth observation data from non-NASA missions.

An Earthdata Login is required before users can download data or use selected tools from the Distributed Active Archive Centers (DAACs) that comprise NASA's Earth Observing System Data and Information System (EOSDIS). [Register](#)

**Browse By Topic**

Data and information are filtered by nine key topics: Atmosphere, Biosphere, Cryosphere, Human Dimensions, Land Surface, Ocean, Solid Earth, Sun-Earth Interactions, and Terrestrial Hydrosphere. Explore the datasets within your topic of interest.

**Access By API**

Browse the variety of Application Programming Interfaces (APIs) Earthdata provides to find, discover, and access NASA Earth science data from the command line.



Topics

Understanding the connections between the myriad of interdependent Earth systems is critical for understanding the world in which we live. Using a combination of Earth observing satellites, airborne and field campaigns, and in situ data, NASA constantly is collecting data about these interconnected systems. NASA's Earth Science Data Systems (ESDS) Program oversees the complete lifecycle of these data and ensures they are available to global data users freely, openly, and without restriction. While there are many ways to organize data, connecting them through specific topics enables them to be discovered efficiently for use in a wide range of scientific investigations.



Atmosphere

The atmosphere is a gaseous envelope surrounding and protecting our planet from the intense radiation of the Sun and serves as a key interface between the terrestrial and ocean cycles.



Biosphere

The biosphere encompasses all life on Earth and extends from root systems to mountaintops and all depths of the ocean. It is critical for maintaining species diversity, regulating climate, and providing numerous ecosystem functions.

Ocean Biology DAAC (OB.DAAC)

Disciplines: Ocean color, sea surface temperature, sea surface salinity

Find Data



NASA's Ocean Biology Distributed Active Archive Center (OB.DAAC) is managed by NASA's Ocean Biology Processing Group (OBPG). OB.DAAC is responsible for archiving satellite ocean biology data produced or collected under NASA's Earth Observing System Data and Information System (EOSDIS). OB.DAAC's holdings include a mixture of historical and current missions, as well as data from both NASA and partner space organizations. Supported sensors, related information, and direct links to data can be found on the OB.DAAC website.

Ocean Data Processing System

OB.DAAC provides access to data and information through the Ocean Color website. Users can visually search the ocean color data archive and directly download and/or order data from single files to the entire mission using the Level 1 and 2 Browser. Using the Level 3 Browser, users may also browse the entire Level 3 global ocean color data set for many parameters and time periods and download either PNG images or digital data in HDF format. In addition, the Ocean Color Project maintains several HTTPS sites for the direct download of data for each supported mission/sensor.

Data Visualization, Processing and Analysis

More Resources

[Ocean Color Web](#)

[Ocean Color Level 1 and Level 2 Data Browser](#)

[Ocean Color Level 3 Data Browser](#)

[Ocean Color Image Gallery](#)

[OB.DAAC on Earthdata Forum](#)

[OB.DAAC Fact Sheet](#)

Featured

NASA provides data for studying the global ocean

Atmosphere

The atmosphere is a gaseous envelope surrounding and protecting our planet from the intense radiation of the Sun and serves as a key interface between the terrestrial and ocean cycles.

Find Data



Earth's atmosphere is a thin veil of gas surrounding the planet. Although it only extends a few hundred kilometers above the surface, it contains a mixt of gases, such as oxygen and nitrogen, that are critical for life to exist. It distributes incoming solar radiation, protecting life from harmful ultraviolet radiation but also driving atmospheric circulation and weather. The atmosphere enables the greenhouse effect, which makes Earth more habitable. Human activity, however, is contributing more gases, many of which are negatively impacting the protective nature of this vital layer. NASA data provid measurements on weather phenomena as well as gases within the troposphere (the lowest layer of the atmosphere) and stratosphere (the layer above troposphere) and their effect on air quality.

Data products include information about geophysical processes involving clouds, aerosols, precipitation, lightning, chemistry, temperature, radiation balance, and dynamics. Interactions of the atmosphere with land and ocean surfaces along with measurements of solar radiation also fall within this discipline.

Definition source: University Corporation for Atmospheric Research<sup>¶</sup>

Related Data Archives

[ASDC](#)

[GES DISC](#)

[GHRC DAAC](#)

[LAADS DAAC](#)

[LP DAAC](#)

[NSIDC DAAC](#)

[OB.DAAC](#)

[ORNL DAAC](#)

[PO.DAAC](#)

[SEDAC](#)

Sub-Topics

[Aerosols](#) | [Air Quality](#) | [Atmospheric Chemistry](#) | [Atmospheric Pressure](#) | [Atmospheric Radiation](#) | [Atmospheric Temperature](#) | [Atmospheric Water Vapor](#) | [Atmospheric Winds](#) | [Clouds](#) | [Precipitation](#) | [Weather Events](#)

LOGIN

[OceanData Home](#) » [directdataaccess](#)

### Direct Data Access

AllStandardProvisionalTestingSpecial

|                                 |
|---------------------------------|
| Directory                       |
| <a href="#">Ancillary/</a>      |
| <a href="#">Browse/</a>         |
| <a href="#">Miscellaneous/</a>  |
| <a href="#">Geo-Location/</a>   |
| <a href="#">Level-0/</a>        |
| <a href="#">Level-1A/</a>       |
| <a href="#">Level-1B/</a>       |
| <a href="#">Level-1C/</a>       |
| <a href="#">Level-2/</a>        |
| <a href="#">Level-3 Binned/</a> |
| <a href="#">Level-3 Mapped/</a> |
| <a href="#">Level-4 Binned/</a> |
| <a href="#">Level-4 Mapped/</a> |
| <a href="#">HSI-HABS-RAW/</a>   |


ABOUT

TOOLS


HELP

CONNECT WITH US

- Select suitable Topic & sub-topic for your problem statement.
- Click on direct download and access the data.







## NRT Archive

Index of /archive/allData/5200/VNP01\_NRT/

Directory CSV JSON Download scripts

Download CSV

Open in New Tab

```
name,last_modified,size,mtime,cksum,md5sum,resourceType,downloadsLink
2024,2024-03-02 15:08,0,1709392117,null,null,Directory,https://nrt3.modaps.eosdis.nasa.gov/api/v2/content/archives/allData/5200/VNP01_NRT/2024
Recent,2024-03-02 15:08,0,1709392117,null,null,Directory,https://nrt3.modaps.eosdis.nasa.gov/api/v2/content/archives/allData/5200/VNP01_NRT/Recent
```

- Before access data, create login using your credentials.
- Then access the link or suitable data from the website to download.
- For demonstration purpose access the link below : [Link](#)
- Access the csv files from the given link and analyze the data.



# Climate Match

This website provides free access to a wide range of Earth observation data collected by the Copernicus Sentinel missions.

CLIMATEWATCH

COUNTRIES

SECTORS

COMMITMENTS

GHG EMISSIONS

PATHWAYS

ABOUT

DOWNLOAD & VISUALIZE

196

Data Explorer

Download Bulk Data

Here you can find all the raw data that is used in the other modules across the site. Filter the data using the picklists at the top and download data for that module or the whole site for your own analysis.

Historical EmissionsPathwaysNDC-SDG LinkagesNDC ContentLTS ContentNet Zero Content

Data sources

Filter by Data sources

Parties and regions

Filter by Parties and Regions

Sectors

Filter by Sectors

Gases

Filter by gases

Start year

Filter by Start year

End year

Filter by End year

Raw DataSources & Metadata

This website uses cookies to provide you with an improved user experience. By continuing to browse this site, you consent to the use of cookies and similar technologies. For further details, please visit our [privacy policy](#).

Ok, got it

Activate Web tour

# Climate Match

Download Bulk Data ▲

ALL DATA (13 MB) ⬇

NDC ENHANCEMENT TRACKER (29 KB) ⬇

NDC CONTENT (4.9 MB) ⬇

NDC-SDG LINKAGES (830 KB) ⬇

NDC TEXT IN HTML (36 KB) ⬇

LTS CONTENT (27 KB) ⬇

PLEDGES (59 KB) ⬇

GHG EMISSIONS (3.4 MB) ⬇

- Select suitable topic/data for your need.
- Fill out the details and data will be downloaded at the same time.

Data Download

First name

Last name

Email

Country

☐ Subscribe to email updates

Organization

Sector



How do you intend to use the data?

2016 2015

47691.83 47059.77



# Climate Match



| A1 | country |            |           |           |           |             |             |           |              |                                                              |          |          |          |          |          |          |          |          |          |           |           |  |  |  |
|----|---------|------------|-----------|-----------|-----------|-------------|-------------|-----------|--------------|--------------------------------------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|--|--|--|
| 1  | country | poverty_yr | poverty_1 | climate_r | climate_r | vulnerabili | vulnerabili | readiness | readiness_wb | urls                                                         | hazard_1 | hazard_2 | hazard_3 | hazard_4 | hazard_5 | hazard_6 | hazard_7 | hazard_8 | hazard_9 | hazard_10 | hazard_11 |  |  |  |
| 2  | AFG     | 2016       | 54.5      | 37.83     | 17        | 0.592742    | 172         | 0.221415  | 182          | https://climateknowledgeportal.                              | YES      | YES      | YES      | YES      |          | YES      |          |          |          |           |           |  |  |  |
| 3  | AGO     | 2018       | 32.3      | 84        | 87        | 0.504155    | 132         | 0.251473  | 173          | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 4  | ALB     | 2012       | 14.3      | 113.5     | 125       | 0.429632    | 92          | 0.426645  | 84           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          | YES      | YES      |          |          |           |           |  |  |  |
| 5  | AND     |            |           |           |           |             |             | 0.399961  | 99           | https://climateknowledgeportal.worldbank.org/country/andorra |          |          |          |          |          |          |          |          |          |           |           |  |  |  |
| 6  | ARE     |            |           | 156       | 165       | 0.374357    | 44          | 0.599504  | 29           | https://climateknowledgeportal.worldbank.org/coun            | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 7  | ARG     | 2019       | 35.5      | 77        | 80        | 0.403182    | 70          | 0.378078  | 108          | https://climateknowl                                         | YES      | YES      | YES      | YES      |          |          | YES      |          |          |           |           |  |  |  |
| 8  | ARM     | 2019       | 26.4      | 142.83    | 156       | 0.408054    | 77          | 0.498224  | 58           | https://clir                                                 | YES      | YES      | YES      | YES      |          | YES      | YES      |          |          |           |           |  |  |  |
| 9  | ATG     |            |           | 64.5      | 56        | 0.480726    | 125         | 0.449841  | 72           | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 10 | AUS     |            |           | 47.67     | 31        | 0.33072     | 19          | 0.722757  | 10           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          | YES      |          |          |          |           |           |  |  |  |
| 11 | AUT     | 2018       | 13.3      | 56.5      | 43        | 0.293244    | 4           | 0.715979  | 13           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          |          | YES      |          |          |           |           |  |  |  |
| 12 | AZE     | 2012       | 6         | 133.5     | 146       | 0.408326    | 78          | 0.414018  | 93           | https://clir                                                 | YES      | YES      | YES      | YES      |          | YES      | YES      |          |          |           |           |  |  |  |
| 13 | BDI     | 2013       | 64.9      | 74.5      | 74        | 0.562157    | 164         | 0.250736  | 174          | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          | YES      |          |           |           |  |  |  |
| 14 | BEL     | 2018       | 14.8      | 63.67     | 53        | 0.359621    | 35          | 0.610618  | 26           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          |          |          | YES      |          |           |           |  |  |  |
| 15 | BEN     | 2019       | 38.5      | 139.83    | 152       | 0.575932    | 168         | 0.331392  | 133          | https://climateknowledgeportal.                              | YES      | YES      | YES      | YES      |          | YES      |          |          |          |           |           |  |  |  |
| 16 | BFA     | 2018       | 41.4      | 101       | 112       | 0.558313    | 161         | 0.282248  | 159          | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 17 | BGD     | 2016       | 24.3      | 28.33     | 7         | 0.546174    | 155         | 0.266562  | 167          | https://climateknowl                                         | YES      | YES      | YES      | YES      |          |          |          | YES      |          |           |           |  |  |  |
| 18 | BGR     | 2019       | 23.8      | 71.67     | 68        | 0.35592     | 33          | 0.473101  | 65           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          | YES      | YES      | YES      |          |           |           |  |  |  |
| 19 | BHR     |            |           | 170.83    | 178       | 0.453721    | 108         | 0.482622  | 61           | https://climateknowledgeportal.                              | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 20 | BHS     |            |           | 27.67     | 6         | 0.463948    | 110         | 0.437619  | 78           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 21 | BIH     | 2015       | 16.9      | 68.17     | 63        | 0.372471    | 42          | 0.366019  | 111          | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          | YES      |          |           |           |  |  |  |
| 22 | BLR     | 2019       | 5         | 156.17    | 166       | 0.348811    | 26          | 0.514122  | 51           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          |          |          | YES      |          |           |           |  |  |  |
| 23 | BLZ     |            |           | 48.67     | 33        | 0.478513    | 123         | 0.330925  | 134          | https://climateknowl                                         | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 24 | BOL     | 2019       | 37.2      | 40.17     | 25        | 0.474553    | 118         | 0.285246  | 154          | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          | YES      |          |           |           |  |  |  |
| 25 | BRA     |            |           | 79.5      | 81        | 0.401775    | 68          | 0.346137  | 124          | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |
| 26 | BRB     |            |           | 135.33    | 148       | 0.390401    | 58          | 0.506055  | 54           | https://clir                                                 | YES      | YES      | YES      | YES      |          |          | YES      |          |          |           |           |  |  |  |
| 27 | BRN     |            |           | 167.5     | 176       | 0.382225    | 49          | 0.534141  | 41           | https://climateknowledgeportal.worldbank.org/country/brunei  | YES      | YES      | YES      | YES      |          | YES      |          |          |          |           |           |  |  |  |
| 28 | BTN     | 2017       | 8.2       | 95.17     | 105       | 0.50842     | 133         | 0.462458  | 69           | https://climateknowl                                         | YES      | YES      | YES      | YES      |          | YES      | YES      | YES      |          |           |           |  |  |  |
| 29 | BWA     | 2009       | 19.3      | 130.17    | 143       | 0.468554    | 114         | 0.418524  | 86           | https://clir                                                 | YES      | YES      | YES      | YES      |          |          |          |          |          |           |           |  |  |  |


- An overview to the data in the images.
- By using the csv data, AI models can be generated for the prediction/classification of the data.

# Columbia Climate

This website also used EarthData for processing of data.

**Specific datasets available:** The exact datasets available for download depend on the specific EPI version being used.

**Data documentation and usage:** The webpage should provide documentation explaining the data format, variables included, and any limitations.








# Columbia Climate


Before accessing the dataset, see the documentation about the data.

There were various type of data found on this sites you can select for the one as you need.






# Summary







# Thank you

For Presentation  
All-Purpose

2024 March 02  
Prof. Dr. Saman Shahid

