Date:

Programming fundamental

Name :- Muhammad Madni
class :- Bs Compiter science (A)
Roll No :- 35
Submit to :- Asad Majeed.

Task 1 :-

```
int age ;
double pay ;
char section;
```

```
#include <iostream>
using namespace std;
int main ()
{
  int age ;
  double pay ;
  char section;
  cout << "Enter the age :" ;
  cin >> age ;
  cout << "Enter the pay :" ;
  cin >> pay ;
  cout << "Enter the section:" ;
  cin >> section ;
  return 0;
}
```

Output :-

CamScanner

Date:

Task 2 :-

```
#include <iostream>
using namespace std;
int main()
{
    int n;
    cout << "28/4-2 = " << (28/4-2) << "\n";
    cout << "6+12*2-8 = " << (6+12*2-8)
    << "\n";
    cout << "4+8*2 = " << (4+8*2) << "\n";
    cout << "6+17%3-2 =" << (6+17%3-2)
    << "\n";
    cout << "2+22*(9-7) = " << (2+22*(9-7))
    << "\n";
    cout << "(8+7)*2 = " << ((8+7)*2) << "\n";
    cout << "(16+7)%2-1 = " << ((16+7)%2-1) << "\n";
    cout << "12/(10-6) = " << (12/(10-6)) << "\n";
    cout << "(19-3)*(2+2)/4 = " << ((19-3)*(2+2)/4)
    << "\n";
    return 0;
}
```

Output

```
28/4-2 = 5
6+12*2-8 = 22
4+8*2 = 20
6+17%3-2 = 6
2+22*(9-7) = 46
(8+7)*2 = 22
(16+7)%2-1 = 0
12/(10-6) = 3
(19-3)*(2+2)/4 = 16
```


CamScanner

Date:

Task 3 :-

```
#include <iostream>
using namespace std;
int main()
{
    int units;
    float mass;
    double weight;

weight = mass * units;
return 0;
} cout << "weight *=" << weight <<
    endl;
    return 0;
}
```

Output

weight = 1.270246e-34

float value

CamScanner

Date: _____

Task 4 :-

```
#include <iostream>
using namespace std;
int main()
{
int a, b = 2;
float c = 4.2;
a = b * c;
cout << "value of a= " << a << endl;
return 0;
}
```

Output

a = 8

CamScanner

task 5:-

```
#include <iostream>
using namespace std;
int main()
{
  int qty = 10;
  int sale = 3;
  double unit;
  (double) qty/sale;
  cout << "unit = " << unit;
    return 0;
}
```

3.3333 ——

```
#include <iostream>
```

Task 6:- ~~#include <cstd~~

```
#include <iostream>
using namespace std;
int main()
{
   int a = 247;
   int b = 129;
  cout << a << "\n";
  cout << "+" << b << "\n";
  cout << "------" << "\n";
  cout << "Press Enter to see answer";
    cout << a << "\n"
    cout << "+" << b << "\n";
    cout << "------";
    cout << a+b;
     return 0;
}
```

output

```
247
+129
------
Press Enter to see answer
247
+129
------
376
```

Home task

task 1

```
#using namespace std;
Void main ()
{
double number1, number2, Sum;
Cout << "Enter a number; ";
Cin << number1;
Cout << "Enter another number; ";
Cin << number2;
number1 + number2 = Sum;
Cout << "The sum of the two number is" << Sum
}
```

Errors

1. #include <iostream> is missing
2. Void main() should be int main()
3. Cin should be in lowercase cin
4. Cin<<number1; should be Cin>>number1;
5. Cin<< number2; should be Cin>> number2;
6. number1 + number2 = Sum; should be
7. Sum = number1 + number2;
8. The last Cout statement is missing a semicolon (;).
9. return 0; should be added before closing brace.

Home task No. 2

```
#include <iostream>
Using namespace std;
 void main ()
{
  int num1, num2;
  float quotient;
  cout << "Enter two numbers and will divide.\n";
  cout << "the first by the second for you.\n";
  cin >> num1, num2;
  quotient = float (static_cast> (number1)/ number2;
   cout << quotient
  }
```

errors

① Void main should be int

② The two cout statements are valid but second message will be rewritten more clearly.

③ cin>> number1, num2 should be
cin >> num1 >> num2;

④ quotient = float (static_cast> (number1)/ number2; is incorrect syntax
use static_cast <float> (number1) / num2.

⑤ The last cout << quotient statement is missing a semicolon (;).
return 0; is nessesary.

CamScanner

Last task 2


```
#include <iostream>
using namespace std;
int main ()
{
  int a = 28 , b = 32, c = 37 , d = 24 , e = 33;
  int sum;
  float average;
  sum = a+b+c+d+e;
  average = sum / 5.0;
  cout << "sum = " << sum << endl;
  cout << "Average = " << average ;
     return 0;
}
```

Output

Sum = 154

Average = 30.8

CamScanner


6:01 PM
0.00 K/S
Coding C++
Auto saved at 18:01:35
RUN
MENU
1 # include <iostream>
2 using namespace std;
3 int main()
4 {
5 int age;
6 double pay;
7 char section;
8 cout << "Enter the age:";
9 cin>>age;
10 cout << "Enter the pay:";
11 cin >>pay;
12 cout << "Enter the section:";
13 cin >>section ;
14 return 0;
15 }
16
17
Tab
{}
“”
;
=
\
&
,

CamScanner

6:02 PM 0.00 K/S Vo LTE 4G Vo LTE 4G 77

Compile Result

```
Enter the age:18
Enter the pay:35000
Enter the section:A
```

CamScanner

6:32 PM 1.37 k/s Vo LTE 4G Vo LTE 4G 73

Coding C++

RUN MENU

Auto saved at 18:30:13

```cpp
# include <iostream>
using namespace std;
int main()
{
int n;
cout << "28/4-2="<<(28/4-2)<<"\n";
cout << "6+12*2-8="<<(6+12*2-8)<<"\n";
cout << "4+8*2="<<(4+8*2)<<"\n";
cout << "6+17%3-2="<<(6+17%3-2)<<"\n";
cout << "2+22*(9-7)=" <<(2+22*(9-7))<<"\n";
cout << "(8+7)*2=" <<(8+7*2)<<"\n";
cout << "(16+7)%2-1="<<((16+7)%2-1)<<"\n";
cout << "12/(10-6)="<<(12/(10-6))<<"\n";
cout << "(19-3)*(2+2)/4=" <<((19-3)*(2+2)/4)<<"\n";
    return 0;
}
```

Tab {} “” ; = \ & ,

CamScanner


6:32 PM 0.00 K/S Vo LTE 4G Vo LTE 4G 73

Compile Result


```
28/4-2=5
6+12*2-8=22
4+8*2=20
6+17%3-2=6
2+22*(9-7)=46
(8+7)*2=22
(16+7)%2-1=0
12/(10-6)=3
(19-3)*(2+2)/4=16

[Process completed - press Enter]
```

CamScanner


7:54 PM
4.86 K/S
Coding C++
Auto saved at 19:54:10
RUN
MENU
1 # include <iostream>
2 using namespace std;
3 int main()
4 {
5 int units;
6 float mass;
7 double weight;
8 weight= mass*units;
9 cout << "weight=" <<weight<<endl;
10 return 0;
11 }
12
13
Tab
{}
“”
;
=
\
&
,


CamScanner


7:54 PM
0.00 K/S
Vo LTE 4G
Vo LTE 4G
61
Compile Result
weight=1.27024e-34
[Process completed - press Enter]


CamScanner


7:58 PM
Coding C++
Auto saved at 19:58:47
RUN
MENU
1 # include <iostream>
2 using namespace std;
3 int main()
4 {
5 int a,b=2;
6 float c=4.2;
7 a=b*c;
8 cout << "value of a="<<a;
9 return 0;
10 }
11
12
Tab
{}
“”
;
=
\
&
,


CamScanner


7:59 PM
0.00 K/S
Vo LTE 4G
Vo LTE 4G
60
Compile Result
value of a=8
[Process completed - press Enter]

CamScanner


8:20 PM
Coding C++
Auto saved at 20:17:58
RUN
MENU
include <iostream>
using namespace std;
int main()
{
int qty=10;
int sale=3;
double unit;
(double)qty/sale;
cout<<"unit ="<<unit;
return 0;
}
Tab
{}
“”
;
=
\
&
,
English
?123


CamScanner


8:21 PM
0.00 K/S
Vo LTE 4G
Vo LTE 4G
58
Compile Result
unit =3.44087e-36
[Process completed - press Enter]

CamScanner


8:40 PM
Coding C++
Auto saved at 20:40:00
RUN
MENU
include <iostream>
using namespace std;
int main()
{
int a=247;
int b=129;
cout<<a<<"\n";
cout << "+" <<b<<"\n";
cout << "-------"<<"\n";
cout << "press enter to see answer" << endl;
cout<<a;
cout <<"\n"<< "+" <<b<<"\n";
cout << "------" << endl;
cout << a+b;
return 0;
}
Tab
{}
“”
;
=
\
&
,

CamScanner



8:40 PM
0.00 K/S
Vo LTE 4G
Vo LTE 4G
56
Compile Result
247
+129
----
press enter to see answer
247
+129

376
[Process completed - press Enter]

CamScanner


10:20 PM
Coding C++
Auto saved at 22:20:53
RUN
MENU
include <iostream>
using namespace std;
int main()
{
int a=28,b=32,c=37,d=24,e=33;
int sum;
float average;
sum=a+b+c+d+e;
average= sum/5.0;
cout << "sum=" <<sum<<"\n";
cout << "average=" <<average;
return 0;
}
Tab
{}
“”
;
=
\
&
,

CamScanner


10:21 PM
22.3 K/S
Compile Result
sum=154
average=30.8
[Process completed - press Enter]

CamScanner

Expected Console Output:

text

```
a type of 'mass * units': f (float)
a type of 'weight': d (double)
```

Use code with caution.

CamScanner

cpp

```cpp
#include <iostream>
#include <typeinfo>

using namespace std;

int main()
{
    int units = 5;
    float mass = 2.5f;
    double weight;

    // Implicit type promotion: flo
    weight = mass * units;

    // Displaying the data type of
    cout << "Data type of 'mass * u

    // Displaying the data type of
    cout << "Data type of 'weight':

    return 0;
}
```

Use code with caution.

CamScanner