


EXOHAND COMPLETE WIRING - COMPONENT SIDE

FRONT / COMPONENT SIDE

Actual 57 x 36 hole board. Components and all fly wires are shown.

- SOLID BLUE = BACKSIDE SOLDER WIRE
- DASHED MAGENTA = FRONT-SIDE FLY WIRE
- DASHED CYAN = OFF-BOARD PCA9685 LOOM






EXOHAND COMPLETE WIRING - SOLDER SIDE

Mirrored backside view. Solid blue routes are underside solder wires; rail colors identify power.

- SOLID BLUE = BACKSIDE SOLDER WIRE    BACK / SOLDER SIDE - MIRRORED
- DASHED MAGENTA = FRONT-SIDE FLY WIRE
- DASHED CYAN = OFF-BOARD PCA9685 LOOM
- POWER RAILS = BACKSIDE SOLDERED BARE COPPER






EXOHAND BACKSIDE - POWER SOLDER ROUTES

Solid blue = underside insulated solder wire. Colored rails = backside bare copper.

- SOLID BLUE = BACKSIDE SOLDER WIRE
- BACK / SOLDER SIDE - MIRRORED
- DASHED MAGENTA = FRONT-SIDE FLY WIRE
- DASHED CYAN = OFF-BOARD PCA9685 LOOM
- POWER RAILS = BACKSIDE SOLDERED BARE COPPER





EXOHAND BACKSIDE - SIGNAL SOLDER AND FLY-WIRE REFERENCE

BACK / SOLDER SIDE - MIRRORED

Solid blue = backside signal solder wire. Dashed magenta = front fly-wire reference.

- SOLID BLUE = BACKSIDE SOLDER WIRE
- DASHED MAGENTA = FRONT-SIDE FLY WIRE
- DASHED CYAN = OFF-BOARD PCA9685 LOOM

