

1. Project description and code statistics:

EduPlatform CLI, CLI for managing students, teachers, assignments, grades, schedules, and notifications in a school setting.

Approximate LOC: 4500 - 5000

No of Python files: 26

Existing Test: Yes

2. Original source code/baseline or repository reference:

[Original Github Repository](#)

[Fork Repository](#)

3. Complete initial Pylint output:

```
pylint eduplatform
```

```
***** Module setup
```

```
eduplatform/setup.py:1:0: C0114: Missing module docstring (missing-module-docstring)
```

```
***** Module eduplatform.__main__
```

```
eduplatform/eduplatform/__main__.py:8:4: E0401: Unable to import 'cli.main' (import-error)
```

```
eduplatform/eduplatform/__main__.py:8:4: C0415: Import outside toplevel (cli.main.main)  
(import-outside-toplevel)
```

```
***** Module eduplatform.utils.export_utils
```

```
eduplatform/eduplatform/utils/export_utils.py:20:0: C0303: Trailing whitespace (trailing-whitespace)
```

```
eduplatform/eduplatform/utils/export_utils.py:22:43: C0303: Trailing whitespace (trailing-whitespace)
```

```
eduplatform/eduplatform/utils/export_utils.py:23:32: C0303: Trailing whitespace (trailing-whitespace)
```

eduplatform/eduplatform/utills/export_utills.py:27:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:33:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:36:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:43:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:49:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:52:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:55:28: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:62:27: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:67:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:71:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:77:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:82:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:90:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:93:0: C0301: Line too long (110/100) (line-too-long)

eduplatform/eduplatform/utills/export_utills.py:94:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:96:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:99:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:101:42: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:106:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:112:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:115:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:122:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:128:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:134:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:138:28: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/utlis/export_utils.py:145:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:253:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:258:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:262:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:281:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:287:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:291:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:295:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utills/export_utills.py:11:0: E0401: Unable to import 'pandas' (import-error)

eduplatform/eduplatform/utills/export_utills.py:12:0: E0401: Unable to import 'openpyxl' (import-error)

eduplatform/eduplatform/utills/export_utills.py:13:0: E0401: Unable to import 'openpyxl.styles' (import-error)

eduplatform/eduplatform/utills/export_utills.py:16:0: C0103: Class name "T" doesn't conform to PascalCase naming style (invalid-name)

eduplatform/eduplatform/utills/export_utills.py:97:8: W0621: Redefining name 'e' from outer scope (line 296) (redefined-outer-name)

eduplatform/eduplatform/utills/export_utills.py:22:4: R0914: Too many local variables (16/15) (too-many-locals)

eduplatform/eduplatform/utills/export_utills.py:51:12: C0103: Variable name "df" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/utills/export_utills.py:88:24: W0702: No exception type(s) specified (bare-except)

eduplatform/eduplatform/utills/export_utills.py:97:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/utills/export_utills.py:98:12: W0707: Consider explicitly re-raising using the 'from' keyword (raise-missing-from)

eduplatform/eduplatform/utills/export_utills.py:69:16: W0612: Unused variable 'workbook' (unused-variable)

eduplatform/eduplatform/utills/export_utills.py:148:8: W0621: Redefining name 'e' from outer scope (line 296) (redefined-outer-name)

eduplatform/eduplatform/utills/export_utills.py:148:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/utls/export_utils.py:149:12: W0707: Consider explicitly re-raising using the 'from' keyword (raise-missing-from)

eduplatform/eduplatform/utls/export_utils.py:232:8: W0621: Redefining name 'e' from outer scope (line 296) (redefined-outer-name)

eduplatform/eduplatform/utls/export_utils.py:188:12: C0103: Variable name "df" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/utls/export_utils.py:232:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/utls/export_utils.py:235:12: W0707: Consider explicitly re-raising using the 'from' keyword (raise-missing-from)

eduplatform/eduplatform/utls/export_utils.py:241:19: W0622: Redefining built-in 'format' (redefined-builtin)

eduplatform/eduplatform/utls/export_utils.py:263:8: R1705: Unnecessary "elif" after "return" (no-else-return)

eduplatform/eduplatform/utls/export_utils.py:296:11: W0703: Catching too general exception Exception (broad-except)

eduplatform/eduplatform/utls/export_utils.py:8:0: W0611: Unused Optional imported from typing (unused-import)

eduplatform/eduplatform/utls/export_utils.py:8:0: W0611: Unused Union imported from typing (unused-import)

eduplatform/eduplatform/utls/export_utils.py:8:0: W0611: Unused Type imported from typing (unused-import)

eduplatform/eduplatform/utls/export_utils.py:9:0: W0611: Unused Path imported from pathlib (unused-import)

eduplatform/eduplatform/utls/export_utils.py:12:0: W0611: Unused Workbook imported from openpyxl (unused-import)

***** Module eduplatform.utls.security

eduplatform/eduplatform/utls/security.py:9:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utls/security.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/utls/security.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/utls/security.py:15:4: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/utils/security.py:16:8: W0707: Consider explicitly re-raising using the 'from' keyword (raise-missing-from)

eduplatform/eduplatform/utils/security.py:29:11: W0703: Catching too general exception Exception (broad-except)

***** Module eduplatform.repositories.schedule_repository

eduplatform/eduplatform/repositories/schedule_repository.py:8:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:12:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:16:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:20:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:32:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:36:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:38:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:44:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:48:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:49:0: C0301: Line too long (107/100) (line-too-long)

eduplatform/eduplatform/repositories/schedule_repository.py:51:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:55:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:61:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:70:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:89:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:93:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:98:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:108:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:111:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:115:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:119:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:127:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:134:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:136:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:137:33: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:138:51: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:139:43: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:143:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:149:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:155:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:158:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:163:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:167:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:173:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:178:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:181:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:184:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:186:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:191:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:195:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:198:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:210:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:214:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:215:27: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:216:36: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:217:45: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:218:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:222:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:229:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:235:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:237:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:242:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:247:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:259:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/schedule_repository.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/repositories/schedule_repository.py:11:15: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:15:50: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:22:33: W0212: Access to a protected member `_schedule` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:26:40: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:39:35: W0613: Unused argument `'student_id'` (unused-argument)

eduplatform/eduplatform/repositories/schedule_repository.py:65:27: W0212: Access to a protected member `_schedule` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:73:40: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:82:36: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:102:27: W0212: Access to a protected member `_schedule` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:169:31: W0212: Access to a protected member `_schedule` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:215:4: R0913: Too many arguments (6/5) (too-many-arguments)

eduplatform/eduplatform/repositories/schedule_repository.py:240:36: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:243:27: W0212: Access to a protected member `_schedule` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:251:40: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/schedule_repository.py:1:0: W0611: Unused Any imported from typing (unused-import)

eduplatform/eduplatform/repositories/schedule_repository.py:1:0: W0611: Unused Set imported from typing (unused-import)

eduplatform/eduplatform/repositories/schedule_repository.py:1:0: W0611: Unused Tuple imported from typing (unused-import)

***** Module eduplatform/repositories/grade_repository

eduplatform/eduplatform/repositories/grade_repository.py:8:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:12:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:13:32: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:14:42: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:19:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:22:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:25:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:27:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:28:30: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:29:38: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:36:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:39:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:42:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:50:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:54:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:56:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:60:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:73:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:79:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:91:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:93:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:94:34: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:95:43: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:99:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:102:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:106:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:114:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:125:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:134:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:153:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:154:30: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:155:40: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:164:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:167:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:175:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:184:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:195:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:200:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:203:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/grade_repository.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/repositories/grade_repository.py:11:15: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:18:47: W0212: Access to a protected member `_student_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:21:43: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:24:43: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:26:44: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:38:43: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:41:43: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:46:25: W0212: Access to a protected member `_student_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:52:8: C0206: Consider iterating with `.items()` (consider-using-dict-items)

eduplatform/eduplatform/repositories/grade_repository.py:53:50: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:59:55: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:74:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/repositories/grade_repository.py:111:19: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:112:31: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:113:27: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:144:27: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:145:24: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:146:25: W0212: Access to a protected member `_score` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:147:29: W0212: Access to a protected member `_max_score` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:150:24: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:162:15: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:171:23: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/grade_repository.py:204:8: R1705: Unnecessary "elif" after "return" (no-else-return)

eduplatform/eduplatform/repositories/grade_repository.py:196:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/repositories/grade_repository.py:1:0: W0611: Unused Tuple imported from typing (unused-import)

***** Module eduplatform/repositories/assignment_repository

eduplatform/eduplatform/repositories/assignment_repository.py:8:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:12:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:16:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:23:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:30:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:35:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:37:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:38:64: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:41:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:46:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:47:36: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:50:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:54:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:59:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:60:102: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:60:0: C0301: Line too long (102/100) (line-too-long)

eduplatform/eduplatform/repositories/assignment_repository.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:69:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:73:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:80:0: C0301: Line too long (127/100)
(line-too-long)

eduplatform/eduplatform/repositories/assignment_repository.py:81:0: C0301: Line too long (141/100)
(line-too-long)

eduplatform/eduplatform/repositories/assignment_repository.py:83:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:88:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:91:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:93:0: C0301: Line too long (108/100)
(line-too-long)

eduplatform/eduplatform/repositories/assignment_repository.py:95:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:97:74: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:106:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:113:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:114:32: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:115:42: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:122:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:125:41: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:126:52: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:128:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:131:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:134:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:137:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:140:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/assignment_repository.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/repositories/assignment_repository.py:11:15: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:15:45: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:19:52: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:26:52: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:38:15: W0212: Access to a protected member `_status` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:39:21: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:47:15: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:48:15: W0212: Access to a protected member `_status` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:53:45: W0212: Access to a protected member `_difficulty` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:60:15: W0212: Access to a protected member `_status` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:61:15: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:70:22: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:76:21: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:80:93: W0212: Access to a protected member `_class_size` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:93:15: W0212: Access to a protected member `_status` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:97:42: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:101:41: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:102:33: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:104:36: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:111:57: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:114:4: R0913: Too many arguments (6/5) (too-many-arguments)

eduplatform/eduplatform/repositories/assignment_repository.py:126:33: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:127:33: W0212: Access to a protected member `_description` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:130:45: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:136:45: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/assignment_repository.py:139:45: W0212: Access to a protected member `_class_id` of a client class (protected-access)

***** Module eduplatform.repositories.base

eduplatform/eduplatform/repositories/base.py:8:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:11:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:16:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:28:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:32:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:40:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:47:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:51:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:55:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:59:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/base.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/repositories/base.py:4:0: C0103: Class name "T" doesn't conform to
PascalCase naming style (invalid-name)

eduplatform/eduplatform/repositories/base.py:15:8: W0107: Unnecessary pass statement
(unnecessary-pass)

eduplatform/eduplatform/repositories/base.py:2:0: W0611: Unused Type imported from typing
(unused-import)

eduplatform/eduplatform/repositories/base.py:2:0: W0611: Unused Any imported from typing
(unused-import)

***** Module eduplatform.repositories.user_repository

eduplatform/eduplatform/repositories/user_repository.py:13:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:20:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:24:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:30:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:37:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:41:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:45:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:49:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:53:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:57:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:62:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:67:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:71:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:73:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/user_repository.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/repositories/user_repository.py:6:0: E0611: No name 'admin' in module 'eduplatform.models' (no-name-in-module)

eduplatform/eduplatform/repositories/user_repository.py:6:0: E0001: Cannot import 'models.admin' due to syntax error 'unterminated string literal (detected at line 199) (<unknown>, line 199)' (syntax-error)

eduplatform/eduplatform/repositories/user_repository.py:9:0: C0103: Class name "T" doesn't conform to PascalCase naming style (invalid-name)

eduplatform/eduplatform/repositories/user_repository.py:16:39: W0212: Access to a protected member _email of a client class (protected-access)

eduplatform/eduplatform/repositories/user_repository.py:17:23: W0212: Access to a protected member _email of a client class (protected-access)

eduplatform/eduplatform/repositories/user_repository.py:29:78: W0212: Access to a protected member _role of a client class (protected-access)

eduplatform/eduplatform/repositories/user_repository.py:65:67: W0212: Access to a protected member `_role` of a client class (protected-access)

eduplatform/eduplatform/repositories/user_repository.py:69:25: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/repositories/user_repository.py:69:63: W0212: Access to a protected member `_email` of a client class (protected-access)

eduplatform/eduplatform/repositories/user_repository.py:76:8: R1705: Unnecessary "elif" after "return" (no-else-return)

eduplatform/eduplatform/repositories/user_repository.py:74:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/repositories/user_repository.py:1:0: W0611: Unused Dict imported from typing (unused-import)

eduplatform/eduplatform/repositories/user_repository.py:1:0: W0611: Unused Type imported from typing (unused-import)

***** Module eduplatform.repositories.notification_repository

eduplatform/eduplatform/repositories/notification_repository.py:8:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:12:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:13:36: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:14:42: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:18:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:23:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:28:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:29:45: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:32:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:35:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:37:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:40:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:43:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:52:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:55:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:58:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:68:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:72:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:75:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:76:38: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:77:44: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:81:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:86:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:91:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:96:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:99:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:115:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:116:33: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:126:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:136:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:142:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:145:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:155:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:159:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:162:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:163:39: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:170:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:175:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:178:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:181:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:184:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:190:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:193:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/repositories/notification_repository.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/repositories/notification_repository.py:11:15: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:29:15: W0212: Access to a protected member `_recipient_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:30:39: W0212: Access to a protected member `_is_read` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:34:41: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:64:15: W0212: Access to a protected member `_recipient_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:64:61: W0212: Access to a protected member `_is_read` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:73:15: W0212: Access to a protected member `_recipient_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:73:50: W0212: Access to a protected member `_is_read` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:94:15: W0212: Access to a protected member `_recipient_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:94:46: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:98:41: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:103:22: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:104:25: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:105:27: W0212: Access to a protected member `_message` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:106:24: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:107:28: W0212: Access to a protected member `_priority` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:108:27: W0212: Access to a protected member `_is_read` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:109:30: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:110:37: W0212: Access to a protected member `_related_entity_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:111:39: W0212: Access to a protected member `_related_entity_type` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:116:4: R0913: Too many arguments (9/5) (too-many-arguments)

eduplatform/eduplatform/repositories/notification_repository.py:173:15: W0212: Access to a protected member `_recipient_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:173:46: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:176:41: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:189:21: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/repositories/notification_repository.py:189:54: W0212: Access to a protected member `_created_at` of a client class (protected-access)

***** Module eduplatform.models.assignment

eduplatform/eduplatform/models/assignment.py:21:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:22:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:23:28: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:24:34: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:32:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:57:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:62:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:67:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:73:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:77:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:79:0: C0301: Line too long (109/100) (line-too-long)

eduplatform/eduplatform/models/assignment.py:82:0: C0301: Line too long (108/100) (line-too-long)

eduplatform/eduplatform/models/assignment.py:85:0: C0301: Line too long (108/100) (line-too-long)

eduplatform/eduplatform/models/assignment.py:90:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:97:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:98:0: C0301: Line too long (110/100) (line-too-long)

eduplatform/eduplatform/models/assignment.py:100:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:105:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:111:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:114:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:123:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:126:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:129:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:134:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:140:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:143:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:150:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:156:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:159:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:163:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:167:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:172:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:183:0: C0301: Line too long (102/100)
(line-too-long)

eduplatform/eduplatform/models/assignment.py:184:0: C0301: Line too long (127/100)
(line-too-long)

eduplatform/eduplatform/models/assignment.py:186:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/assignment.py:202:0: C0301: Line too long (101/100)
(line-too-long)

eduplatform/eduplatform/models/assignment.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/assignment.py:5:0: C0115: Missing class docstring
(missing-class-docstring)

eduplatform/eduplatform/models/assignment.py:14:0: C0115: Missing class docstring
(missing-class-docstring)

eduplatform/eduplatform/models/assignment.py:19:0: R0902: Too many instance attributes (14/7)
(too-many-instance-attributes)

eduplatform/eduplatform/models/assignment.py:22:4: R0913: Too many arguments (9/5)
(too-many-arguments)

eduplatform/eduplatform/models/assignment.py:43:28: E1136: Value
'len(str(hash(str(datetime.now()))))' is unsubscriptable (unsubscriptable-object)

eduplatform/eduplatform/models/assignment.py:59:4: C0103: Attribute name "id" doesn't conform to
snake_case naming style (invalid-name)

***** Module eduplatform.models.schedule

eduplatform/eduplatform/models/schedule.py:17:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:18:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:41:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:51:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:60:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:66:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:77:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:81:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:82:27: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:83:30: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:84:38: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:85:36: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:89:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:96:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:104:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:110:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:113:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:115:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:123:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:130:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:136:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:146:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:149:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:154:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:155:56: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:159:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:163:0: C0301: Line too long (103/100) (line-too-long)

eduplatform/eduplatform/models/schedule.py:165:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:172:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:176:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:179:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:182:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:193:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:200:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:204:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:209:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:213:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:215:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:216:27: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:222:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:228:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:233:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:242:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:245:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/schedule.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/schedule.py:15:0: R0902: Too many instance attributes (8/7)
(too-many-instance-attributes)

eduplatform/eduplatform/models/schedule.py:31:28: E1136: Value
'len(str(hash(str(datetime.now()))))' is unsubscriptable (unsubscriptable-object)

eduplatform/eduplatform/models/schedule.py:42:4: R0913: Too many arguments (8/5)
(too-many-arguments)

eduplatform/eduplatform/models/schedule.py:68:26: E1136: Value
'len(str(hash(str(datetime.now()))))' is unsubscriptable (unsubscriptable-object)

eduplatform/eduplatform/models/schedule.py:82:4: R0913: Too many arguments (6/5)
(too-many-arguments)

eduplatform/eduplatform/models/schedule.py:116:4: R0913: Too many arguments (6/5)
(too-many-arguments)

eduplatform/eduplatform/models/schedule.py:139:16: C0103: Variable name "s" doesn't conform to
snake_case naming style (invalid-name)

eduplatform/eduplatform/models/schedule.py:232:30: E1136: Value
'len(str(hash(str(datetime.now()))))' is unsubscriptable (unsubscriptable-object)

eduplatform/eduplatform/models/schedule.py:2:0: W0611: Unused timedelta imported from datetime
(unused-import)

***** Module eduplatform.models.student

eduplatform/eduplatform/models/student.py:7:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:10:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:20:0: C0301: Line too long (108/100) (line-too-long)

eduplatform/eduplatform/models/student.py:21:0: C0301: Line too long (127/100) (line-too-long)

eduplatform/eduplatform/models/student.py:22:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:27:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:30:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:34:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:43:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:46:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:50:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:56:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:66:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:69:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:79:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:84:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:89:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:92:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:97:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:100:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:111:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:112:0: C0301: Line too long (104/100) (line-too-long)

eduplatform/eduplatform/models/student.py:114:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:120:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:126:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:131:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:134:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:142:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/student.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/student.py:130:0: C0206: Consider iterating with .items()
(consider-using-dict-items)

eduplatform/eduplatform/models/student.py:3:0: C0411: standard import "from datetime import datetime" should be placed before "from .user import User, UserRole" (wrong-import-order)

***** Module eduplatform.models.parent

eduplatform/eduplatform/models/parent.py:7:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:10:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:27:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:32:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:38:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:46:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:54:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:57:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:61:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:70:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:87:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:90:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:94:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:103:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:106:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:131:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:134:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:137:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:144:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:146:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:150:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:158:68: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/parent.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/parent.py:55:47: W0613: Unused argument 'subject'
(unused-argument)

eduplatform/eduplatform/models/parent.py:88:52: W0613: Unused argument 'status'
(unused-argument)

eduplatform/eduplatform/models/parent.py:3:0: C0411: standard import "from datetime import
datetime" should be placed before "from .user import User, UserRole" (wrong-import-order)

***** Module eduplatform.models.base

eduplatform/eduplatform/models/base.py:8:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:14:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:18:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:23:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:26:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:32:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:37:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:48:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:56:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:66:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:72:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:80:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/base.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/base.py:21:8: C0103: Variable name "e" doesn't conform to
snake_case naming style (invalid-name)

eduplatform/eduplatform/models/base.py:22:12: W0707: Consider explicitly re-raising using the
'from' keyword (raise-missing-from)

eduplatform/eduplatform/models/base.py:30:8: C0415: Import outside toplevel
(utils.security.hash_password) (import-outside-toplevel)

eduplatform/eduplatform/models/base.py:35:8: C0415: Import outside toplevel
(utils.security.verify_password) (import-outside-toplevel)

***** Module eduplatform.models.teacher

eduplatform/eduplatform/models/teacher.py:7:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:10:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:21:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:27:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:35:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:38:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:41:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:49:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:51:13: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:52:19: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:53:25: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:54:21: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:60:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:68:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:74:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:77:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:91:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:94:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:96:13: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:97:27: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:98:24: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:99:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:103:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:109:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:115:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:117:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:120:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:124:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:128:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:135:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:139:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:152:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:153:0: C0301: Line too long (102/100) (line-too-long)

eduplatform/eduplatform/models/teacher.py:155:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:159:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:170:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:173:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:175:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/teacher.py:183:0: C0301: Line too long (105/100) (line-too-long)

eduplatform/eduplatform/models/teacher.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/teacher.py:50:4: R0913: Too many arguments (7/5)
(too-many-arguments)

eduplatform/eduplatform/models/teacher.py:142:8: R1705: Unnecessary "elif" after "return"
(no-else-return)

eduplatform/eduplatform/models/teacher.py:140:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/models/teacher.py:153:53: W0613: Unused argument 'subject'
(unused-argument)

eduplatform/eduplatform/models/teacher.py:153:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/models/teacher.py:3:0: C0411: standard import "from datetime import
datetime, timedelta" should be placed before "from .user import User, UserRole"
(wrong-import-order)

***** Module eduplatform.models.user

eduplatform/eduplatform/models/user.py:14:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/user.py:21:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/user.py:26:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/user.py:36:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/user.py:44:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/user.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/user.py:1:0: W0611: Unused List imported from typing
(unused-import)

eduplatform/eduplatform/models/user.py:3:0: W0611: Unused auto imported from enum
(unused-import)

eduplatform/eduplatform/models/user.py:3:0: C0411: standard import "from enum import Enum,
auto" should be placed before "from .base import AbstractRole" (wrong-import-order)

***** Module eduplatform.models.grade

eduplatform/eduplatform/models/grade.py:16:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:17:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:18:33: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:19:30: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:27:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:51:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:59:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:66:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:81:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:95:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:96:26: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:97:53: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:101:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:109:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:115:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:118:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:120:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:123:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:126:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:146:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:149:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:152:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:154:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:167:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:171:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:174:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:185:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/grade.py:1:0: C0114: Missing module docstring
(missing-module-docstring)

eduplatform/eduplatform/models/grade.py:14:0: R0902: Too many instance attributes (13/7)
(too-many-instance-attributes)

eduplatform/eduplatform/models/grade.py:17:4: R0913: Too many arguments (9/5)
(too-many-arguments)

eduplatform/eduplatform/models/grade.py:38:28: E1136: Value 'len(str(hash(str(datetime.now()))))' is
unsubscriptable (unsubscriptable-object)

eduplatform/eduplatform/models/grade.py:54:8: R1705: Unnecessary "elif" after "return"
(no-else-return)

eduplatform/eduplatform/models/grade.py:71:8: R1705: Unnecessary "elif" after "return"
(no-else-return)

eduplatform/eduplatform/models/grade.py:86:8: R1705: Unnecessary "elif" after "return"
(no-else-return)

***** Module eduplatform.models.admin

eduplatform/eduplatform/models/admin.py:199:48: E0001: unterminated string literal (detected at line 199) (<unknown>, line 199) (syntax-error)

***** Module eduplatform.models.notification

eduplatform/eduplatform/models/notification.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:25:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:34:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:58:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:68:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:73:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:79:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:84:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:88:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:92:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:96:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:100:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:103:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:106:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:123:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:126:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:129:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:131:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:142:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:149:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:161:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:165:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:168:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:174:0: C0301: Line too long (115/100) (line-too-long)

eduplatform/eduplatform/models/notification.py:178:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:181:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:183:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:195:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/models/notification.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/models/notification.py:22:0: R0902: Too many instance attributes (13/7) (too-many-instance-attributes)

eduplatform/eduplatform/models/notification.py:25:4: R0913: Too many arguments (8/5) (too-many-arguments)

eduplatform/eduplatform/models/notification.py:60:4: C0103: Attribute name "id" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/models/notification.py:133:4: R0913: Too many arguments (6/5) (too-many-arguments)

eduplatform/eduplatform/models/notification.py:185:4: R0913: Too many arguments (6/5) (too-many-arguments)

***** Module eduplatform.cli.main

eduplatform/eduplatform/cli/main.py:44:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:52:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:54:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:58:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:65:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:73:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:80:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:86:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:93:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:96:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:101:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:103:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:109:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:115:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:121:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:123:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:127:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:131:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:135:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:139:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:141:0: C0301: Line too long (135/100) (line-too-long)

eduplatform/eduplatform/cli/main.py:144:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:151:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:154:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:158:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:163:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:167:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:180:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:186:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:194:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:200:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:202:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:206:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:210:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:214:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:217:0: C0301: Line too long (105/100) (line-too-long)
eduplatform/eduplatform/cli/main.py:219:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:221:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:225:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:226:0: C0301: Line too long (128/100) (line-too-long)
eduplatform/eduplatform/cli/main.py:228:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:236:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:244:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:249:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:251:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:256:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:260:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:261:0: C0301: Line too long (103/100) (line-too-long)

eduplatform/eduplatform/cli/main.py:263:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:269:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:274:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:280:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:285:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:294:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:296:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:299:0: C0301: Line too long (109/100) (line-too-long)

eduplatform/eduplatform/cli/main.py:303:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:306:0: C0301: Line too long (157/100) (line-too-long)

eduplatform/eduplatform/cli/main.py:308:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:316:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:326:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:337:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:345:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:348:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:357:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:361:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:368:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:372:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:380:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:387:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:391:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:396:0: C0301: Line too long (102/100) (line-too-long)

eduplatform/eduplatform/cli/main.py:398:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:405:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:410:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:412:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:415:0: C0301: Line too long (109/100) (line-too-long)
eduplatform/eduplatform/cli/main.py:419:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:426:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:435:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:439:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:446:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:452:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:455:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:457:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:464:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:467:0: C0301: Line too long (114/100) (line-too-long)
eduplatform/eduplatform/cli/main.py:469:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:476:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:478:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:486:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:492:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:495:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:504:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:508:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:516:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:520:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:524:0: C0301: Line too long (129/100) (line-too-long)
eduplatform/eduplatform/cli/main.py:529:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:533:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:539:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:545:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:552:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:556:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:558:0: C0301: Line too long (148/100) (line-too-long)
eduplatform/eduplatform/cli/main.py:559:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:562:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:565:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:568:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:570:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:577:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:580:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:587:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:592:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:599:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:604:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:610:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:614:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:621:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:623:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:630:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:637:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:642:0: C0303: Trailing whitespace (trailing-whitespace)
eduplatform/eduplatform/cli/main.py:645:0: C0301: Line too long (101/100) (line-too-long)
eduplatform/eduplatform/cli/main.py:647:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:649:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:653:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:658:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:662:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/main.py:16:0: C0413: Import "from eduplatform.repositories.user_repository import UserRepository" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:17:0: C0413: Import "from eduplatform.repositories.assignment_repository import AssignmentRepository" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:18:0: C0413: Import "from eduplatform.repositories.grade_repository import GradeRepository" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:19:0: C0413: Import "from eduplatform.repositories.notification_repository import NotificationRepository" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:20:0: C0413: Import "from eduplatform.repositories.schedule_repository import ScheduleRepository" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:23:0: C0413: Import "from eduplatform.models.user import User, UserRole" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:24:0: C0413: Import "from eduplatform.models.student import Student" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:25:0: C0413: Import "from eduplatform.models.teacher import Teacher" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:26:0: C0413: Import "from eduplatform.models.parent import Parent" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:27:0: E0611: No name 'admin' in module 'eduplatform.models' (no-name-in-module)

eduplatform/eduplatform/cli/main.py:27:0: E0001: Cannot import 'eduplatform.models.admin' due to syntax error 'unterminated string literal (detected at line 199) (<unknown>, line 199)' (syntax-error)

eduplatform/eduplatform/cli/main.py:27:0: C0413: Import "from eduplatform.models.admin import Admin" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:28:0: C0413: Import "from eduplatform.models.assignment import Assignment, AssignmentStatus, AssignmentDifficulty" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:29:0: C0413: Import "from eduplatform.models.grade import Grade, GradeType" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:30:0: C0413: Import "from eduplatform.models.notification import Notification, NotificationType, NotificationPriority" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:31:0: C0413: Import "from eduplatform.models.schedule import Schedule, Weekday" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:34:0: C0413: Import "from eduplatform.services.auth_service import AuthService" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:35:0: C0413: Import "from eduplatform.services.assignment_service import AssignmentService" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:36:0: C0413: Import "from eduplatform.services.grade_service import GradeService" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:37:0: C0413: Import "from eduplatform.services.export_service import ExportService" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:40:0: C0413: Import "from .export_commands import ExportCommands" should be placed at the top of the module (wrong-import-position)

eduplatform/eduplatform/cli/main.py:42:0: R0902: Too many instance attributes (13/7) (too-many-instance-attributes)

eduplatform/eduplatform/cli/main.py:231:15: W0703: Catching too general exception Exception (broad-except)

eduplatform/eduplatform/cli/main.py:137:12: C0415: Import outside toplevel (shlex) (import-outside-toplevel)

eduplatform/eduplatform/cli/main.py:226:70: W0212: Access to a protected member _full_name of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:227:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/main.py:229:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:231:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:232:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/main.py:124:4: R0912: Too many branches (16/12) (too-many-branches)

eduplatform/eduplatform/cli/main.py:124:4: R0915: Too many statements (61/50) (too-many-statements)

eduplatform/eduplatform/cli/main.py:242:50: W0212: Access to a protected member _full_name of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:261:45: W0212: Access to a protected member _full_name of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:270:26: W0212: Access to a protected member _full_name of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:264:24: W0613: Unused argument 'arg' (unused-argument)

eduplatform/eduplatform/cli/main.py:281:14: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/main.py:282:23: W0212: Access to a protected member _full_name of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:283:24: W0212: Access to a protected member _email of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:287:28: W0212: Access to a protected member _grade of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:289:41: W0212: Access to a protected member _subjects of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:291:28: W0212: Access to a protected member _phone of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:293:30: W0212: Access to a protected member _address of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:275:24: W0613: Unused argument 'arg' (unused-argument)

eduplatform/eduplatform/cli/main.py:328:27: W0212: Access to a protected member _id of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:338:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/main.py:339:25: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:340:28: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:341:30: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:342:26: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:343:33: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:344:33: W0212: Access to a protected member `_difficulty` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:346:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:364:27: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:374:19: C0103: Variable name "a" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:383:27: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:393:19: C0103: Variable name "a" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:415:87: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:420:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/main.py:442:27: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:447:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/main.py:453:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:481:27: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:487:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/main.py:493:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:566:15: W0703: Catching too general exception `Exception` (broad-except)

eduplatform/eduplatform/cli/main.py:512:31: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:536:70: W0212: Access to a protected member `_children` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:541:32: W0212: Access to a protected member `_children` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:546:31: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:566:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:496:4: R0912: Too many branches (15/12) (too-many-branches)

eduplatform/eduplatform/cli/main.py:601:60: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:607:20: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:617:34: W0212: Access to a protected member `_is_read` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:618:36: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:619:24: W0212: Access to a protected member `_message` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:620:24: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:643:63: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/main.py:650:23: W0613: Unused argument 'arg' (unused-argument)

eduplatform/eduplatform/cli/main.py:650:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/cli/main.py:654:22: W0613: Unused argument 'arg' (unused-argument)

eduplatform/eduplatform/cli/main.py:654:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/cli/main.py:663:4: C0103: Method name "do_EOF" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:676:11: W0703: Catching too general exception Exception (broad-except)

eduplatform/eduplatform/cli/main.py:676:4: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/main.py:8:0: W0611: Unused import json (unused-import)

eduplatform/eduplatform/cli/main.py:10:0: W0611: Unused Dict imported from typing (unused-import)

eduplatform/eduplatform/cli/main.py:10:0: W0611: Unused List imported from typing (unused-import)

eduplatform/eduplatform/cli/main.py:10:0: W0611: Unused Optional imported from typing (unused-import)

eduplatform/eduplatform/cli/main.py:10:0: W0611: Unused Any imported from typing (unused-import)

eduplatform/eduplatform/cli/main.py:10:0: W0611: Unused Type imported from typing (unused-import)

eduplatform/eduplatform/cli/main.py:10:0: W0611: Unused Union imported from typing (unused-import)

eduplatform/eduplatform/cli/main.py:23:0: W0611: Unused User imported from eduplatform.models.user (unused-import)

eduplatform/eduplatform/cli/main.py:23:0: W0611: Unused UserRole imported from eduplatform.models.user (unused-import)

eduplatform/eduplatform/cli/main.py:28:0: W0611: Unused Assignment imported from eduplatform.models.assignment (unused-import)

eduplatform/eduplatform/cli/main.py:28:0: W0611: Unused AssignmentStatus imported from eduplatform.models.assignment (unused-import)

eduplatform/eduplatform/cli/main.py:28:0: W0611: Unused AssignmentDifficulty imported from eduplatform.models.assignment (unused-import)

eduplatform/eduplatform/cli/main.py:29:0: W0611: Unused Grade imported from
eduplatform.models.grade (unused-import)

eduplatform/eduplatform/cli/main.py:29:0: W0611: Unused GradeType imported from
eduplatform.models.grade (unused-import)

eduplatform/eduplatform/cli/main.py:30:0: W0611: Unused Notification imported from
eduplatform.models.notification (unused-import)

eduplatform/eduplatform/cli/main.py:30:0: W0611: Unused NotificationType imported from
eduplatform.models.notification (unused-import)

eduplatform/eduplatform/cli/main.py:30:0: W0611: Unused NotificationPriority imported from
eduplatform.models.notification (unused-import)

eduplatform/eduplatform/cli/main.py:31:0: W0611: Unused Schedule imported from
eduplatform.models.schedule (unused-import)

eduplatform/eduplatform/cli/main.py:31:0: W0611: Unused Weekday imported from
eduplatform.models.schedule (unused-import)

***** Module eduplatform.cli.export_commands

eduplatform/eduplatform/cli/export_commands.py:12:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:16:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:19:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:21:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:29:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:34:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:42:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:48:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:51:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:54:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:57:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:59:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:68:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:74:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:77:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:82:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:86:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:94:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:100:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:103:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:106:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:109:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:111:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:119:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:125:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:130:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:136:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:142:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:148:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:151:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:154:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:162:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:171:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:179:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:183:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:186:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:191:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:197:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:203:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/cli/export_commands.py:32:8: W0622: Redefining built-in 'format' (redefined-builtin)

eduplatform/eduplatform/cli/export_commands.py:52:15: W0703: Catching too general exception Exception (broad-except)

eduplatform/eduplatform/cli/export_commands.py:38:24: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/cli/export_commands.py:44:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/export_commands.py:52:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/export_commands.py:84:8: W0622: Redefining built-in 'format' (redefined-builtin)

eduplatform/eduplatform/cli/export_commands.py:70:8: E0611: No name 'Teacher' in module 'eduplatform.models.user' (no-name-in-module)

eduplatform/eduplatform/cli/export_commands.py:70:8: E0611: No name 'Admin' in module 'eduplatform.models.user' (no-name-in-module)

eduplatform/eduplatform/cli/export_commands.py:70:8: C0415: Import outside toplevel (models.user.Teacher, models.user.Admin) (import-outside-toplevel)

eduplatform/eduplatform/cli/export_commands.py:104:15: W0703: Catching too general exception Exception (broad-except)

eduplatform/eduplatform/cli/export_commands.py:96:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/export_commands.py:104:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/export_commands.py:128:8: W0622: Redefining built-in 'format' (redefined-builtin)

eduplatform/eduplatform/cli/export_commands.py:121:8: E0611: No name 'Admin' in module 'eduplatform.models.user' (no-name-in-module)

eduplatform/eduplatform/cli/export_commands.py:121:8: C0415: Import outside toplevel (models.user.Admin) (import-outside-toplevel)

eduplatform/eduplatform/cli/export_commands.py:152:15: W0703: Catching too general exception Exception (broad-except)

eduplatform/eduplatform/cli/export_commands.py:144:18: W1309: Using an f-string that does not have any interpolated variables (f-string-without-interpolation)

eduplatform/eduplatform/cli/export_commands.py:152:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/cli/export_commands.py:155:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/cli/export_commands.py:163:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/cli/export_commands.py:172:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/cli/export_commands.py:180:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/cli/export_commands.py:5:0: W0611: Unused Optional imported from typing (unused-import)

eduplatform/eduplatform/cli/export_commands.py:8:0: W0611: Unused ExportUtils imported from utils.export_utils (unused-import)

***** Module eduplatform.services.auth_service

eduplatform/eduplatform/services/auth_service.py:14:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:15:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:25:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:26:27: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:33:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:40:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:43:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:48:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:54:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:56:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:80:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:89:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:99:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:102:0: C0301: Line too long (109/100) (line-too-long)

eduplatform/eduplatform/services/auth_service.py:116:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:119:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:125:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:128:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:132:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:139:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:142:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:148:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:151:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:154:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:164:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:175:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:178:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:181:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:185:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:193:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:197:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:200:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:204:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:209:0: C0301: Line too long (135/100) (line-too-long)

eduplatform/eduplatform/services/auth_service.py:212:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:214:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:222:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:224:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:234:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:240:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:242:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:243:28: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:244:32: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:250:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:257:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:260:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:266:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:275:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:277:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:285:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/auth_service.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/services/auth_service.py:8:0: E0611: No name 'admin' in module 'eduplatform.models' (no-name-in-module)

eduplatform/eduplatform/services/auth_service.py:8:0: E0001: Cannot import 'models.admin' due to syntax error 'unterminated string literal (detected at line 199) (<unknown>, line 199)' (syntax-error)

eduplatform/eduplatform/services/auth_service.py:76:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/auth_service.py:84:12: W0212: Access to a protected member _phone of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:87:12: W0212: Access to a protected member _address of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:95:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/auth_service.py:112:15: W0703: Catching too general exception Exception (broad-except)

eduplatform/eduplatform/services/auth_service.py:106:29: W0212: Access to a protected member _id of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:112:8: C0103: Variable name "e" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/auth_service.py:26:4: R0915: Too many statements (53/50) (too-many-statements)

eduplatform/eduplatform/services/auth_service.py:162:35: E1136: Value 'len(str(hash(str(datetime.now()))))' is unsubscriptable (unsubscriptable-object)

eduplatform/eduplatform/services/auth_service.py:202:42: W0212: Access to a protected member _hash_password of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:218:23: W0212: Access to a protected member _email of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:219:20: W0212: Access to a protected member _role of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:243:4: R0913: Too many arguments (6/5) (too-many-arguments)

eduplatform/eduplatform/services/auth_service.py:264:30: W0212: Access to a protected member _email of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:268:12: W0212: Access to a protected member _full_name of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:270:12: W0212: Access to a protected member _email of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:272:12: W0212: Access to a protected member _phone of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:274:12: W0212: Access to a protected member _address of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:280:25: W0212: Access to a protected member _email of a client class (protected-access)

eduplatform/eduplatform/services/auth_service.py:4:0: W0611: Unused UserRole imported from models.user (unused-import)

***** Module eduplatform.services.grade_service

eduplatform/eduplatform/services/grade_service.py:14:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:15:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:23:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:34:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:44:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:47:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:53:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:56:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:68:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:71:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:74:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:76:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:81:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:84:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:89:0: C0301: Line too long (102/100) (line-too-long)

eduplatform/eduplatform/services/grade_service.py:105:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:112:0: C0301: Line too long (128/100) (line-too-long)

eduplatform/eduplatform/services/grade_service.py:130:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:137:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:143:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:146:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:153:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:159:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:166:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:169:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:171:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:174:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:177:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:179:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:184:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:187:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:192:0: C0301: Line too long (115/100) (line-too-long)

eduplatform/eduplatform/services/grade_service.py:208:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:216:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:223:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:229:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:235:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:241:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:262:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:266:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:272:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:277:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:283:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:289:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:296:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:316:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:319:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:327:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:329:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:334:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:338:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:343:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:349:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:354:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:359:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:362:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:365:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:370:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:376:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:382:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:383:34: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:387:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:391:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:397:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:406:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:413:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:419:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:422:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:436:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:439:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/grade_service.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/services/grade_service.py:24:4: R0913: Too many arguments (9/5) (too-many-arguments)

eduplatform/eduplatform/services/grade_service.py:79:37: W0212: Access to a protected member _student_id of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:80:37: W0212: Access to a protected member _teacher_id of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:87:25: W0212: Access to a protected member _id of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:88:34: W0212: Access to a protected member _subject of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:89:61: W0212: Access to a protected member _type of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:89:84: W0212: Access to a protected member _subject of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:92:30: W0212: Access to a protected member _id of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:95:27: W0212: Access to a protected member _subject of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:96:25: W0212: Access to a protected member _score of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:97:29: W0212: Access to a protected member `_max_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:100:24: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:101:32: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:102:31: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:107:47: W0212: Access to a protected member `_parent_ids` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:108:29: W0212: Access to a protected member `_parent_ids` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:111:46: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:112:31: W0212: Access to a protected member `_first_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:112:87: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:112:110: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:115:38: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:118:38: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:119:40: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:120:35: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:121:33: W0212: Access to a protected member `_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:122:37: W0212: Access to a protected member `_max_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:125:32: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:126:40: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:127:39: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:155:12: W0622: Redefining built-in 'max' (redefined-builtin)

eduplatform/eduplatform/services/grade_service.py:155:58: W0212: Access to a protected member `_max_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:158:12: W0212: Access to a protected member `_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:165:12: W0212: Access to a protected member `_max_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:168:12: W0212: Access to a protected member `_comments` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:170:8: W0212: Access to a protected member `_updated_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:182:37: W0212: Access to a protected member `_student_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:183:37: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:190:25: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:191:38: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:192:28: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:192:57: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:195:30: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:198:27: W0212: Access to a protected member _subject of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:199:25: W0212: Access to a protected member _score of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:200:29: W0212: Access to a protected member _max_score of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:203:24: W0212: Access to a protected member _type of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:204:32: W0212: Access to a protected member _full_name of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:205:30: W0212: Access to a protected member _updated_at of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:209:4: R0913: Too many arguments (6/5) (too-many-arguments)

eduplatform/eduplatform/services/grade_service.py:238:43: W0212: Access to a protected member _created_at of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:240:43: W0212: Access to a protected member _created_at of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:245:41: W0212: Access to a protected member _teacher_id of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:247:22: W0212: Access to a protected member _id of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:248:27: W0212: Access to a protected member _subject of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:249:24: W0212: Access to a protected member _type of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:250:25: W0212: Access to a protected member _score of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:251:29: W0212: Access to a protected member _max_score of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:255:28: W0212: Access to a protected member _comments of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:256:30: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:257:32: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:258:33: W0212: Access to a protected member `_assignment_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:259:30: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:260:63: W0212: Access to a protected member `_updated_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:260:30: W0212: Access to a protected member `_updated_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:299:45: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:301:26: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:302:31: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:303:28: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:304:29: W0212: Access to a protected member `_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:305:33: W0212: Access to a protected member `_max_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:309:32: W0212: Access to a protected member `_comments` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:310:34: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:311:36: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:312:37: W0212: Access to a protected member `_assignment_id` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:313:34: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:314:67: W0212: Access to a protected member `_updated_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:314:34: W0212: Access to a protected member `_updated_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:322:32: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:371:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/services/grade_service.py:377:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/services/grade_service.py:410:15: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:411:25: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:412:21: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:421:61: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:430:29: W0212: Access to a protected member `_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:431:33: W0212: Access to a protected member `_max_score` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:432:28: W0212: Access to a protected member `_type` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:433:28: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/grade_service.py:445:28: E1101: Class 'Grade' has no 'percentage_to_letter_grade' member (no-member)

eduplatform/eduplatform/services/grade_service.py:1:0: W0611: Unused `timedelta` imported from `datetime` (unused-import)

eduplatform/eduplatform/services/grade_service.py:2:0: W0611: Unused Tuple imported from typing (unused-import)

eduplatform/eduplatform/services/grade_service.py:3:0: W0611: Unused defaultdict imported from collections (unused-import)

eduplatform/eduplatform/services/grade_service.py:4:0: W0611: Unused import statistics (unused-import)

eduplatform/eduplatform/services/grade_service.py:7:0: W0611: Unused Notification imported from models.notification (unused-import)

***** Module eduplatform.services.assignment_service

eduplatform/eduplatform/services/assignment_service.py:13:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:14:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:36:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:47:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:50:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:57:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:60:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:75:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:80:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:83:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:86:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:89:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:91:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:97:0: C0301: Line too long (109/100) (line-too-long)

eduplatform/eduplatform/services/assignment_service.py:99:0: C0301: Line too long (133/100) (line-too-long)

eduplatform/eduplatform/services/assignment_service.py:111:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:119:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:126:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:129:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:136:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:140:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:149:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:152:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:159:0: C0301: Line too long (119/100) (line-too-long)

eduplatform/eduplatform/services/assignment_service.py:171:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:180:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:188:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:195:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:198:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:209:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:212:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:216:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:220:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:227:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:230:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:237:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:249:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:252:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:255:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:260:0: C0301: Line too long (113/100) (line-too-long)

eduplatform/eduplatform/services/assignment_service.py:272:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:283:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:284:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:285:46: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:289:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:294:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:302:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:307:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:312:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:322:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:326:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:340:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:344:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:345:37: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:350:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:355:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:361:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:366:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:369:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:372:80: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:374:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:383:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:387:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:402:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:406:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:409:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:413:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:420:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:425:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:442:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:444:0: C0301: Line too long (101/100) (line-too-long)

eduplatform/eduplatform/services/assignment_service.py:456:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:458:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:461:74: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/assignment_service.py:1:0: C0114: Missing module docstring (missing-module-docstring)

eduplatform/eduplatform/services/assignment_service.py:25:4: R0913: Too many arguments (10/5) (too-many-arguments)

eduplatform/eduplatform/services/assignment_service.py:79:16: E1101: Instance of 'Assignment' has no 'add_attachment' member (no-member)

eduplatform/eduplatform/services/assignment_service.py:97:34: W0212: Access to a protected member _class_id of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:98:37: W0212: Access to a protected member _title of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:99:60: W0212: Access to a protected member _subject of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:99:88: W0212: Access to a protected member _due_date of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:102:30: W0212: Access to a protected member _id of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:105:33: W0212: Access to a protected member _id of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:106:28: W0212: Access to a protected member _due_date of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:107:27: W0212: Access to a protected member _subject of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:108:30: W0212: Access to a protected member _max_points of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:96:8: W0612: Unused variable 'notification' (unused-variable)

eduplatform/eduplatform/services/assignment_service.py:112:4: R0913: Too many arguments (6/5) (too-many-arguments)

eduplatform/eduplatform/services/assignment_service.py:139:32: W0212: Access to a protected member _due_date of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:157:29: W0212: Access to a protected member _teacher_id of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:158:41: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:159:27: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:159:99: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:181:4: R0913: Too many arguments (6/5) (too-many-arguments)

eduplatform/eduplatform/services/assignment_service.py:205:12: C0103: Variable name "a" doesn't conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/assignment_service.py:206:50: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:214:32: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:215:60: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:219:36: W0212: Access to a protected member `_full_name` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:223:19: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:241:20: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:244:22: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:245:26: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:259:35: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:260:43: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:260:88: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:263:30: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:267:29: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:268:36: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:275:29: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:278:25: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:305:27: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:309:28: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:320:17: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:328:22: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:329:25: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:330:27: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:331:28: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:334:30: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:335:30: W0212: Access to a protected member `_difficulty` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:336:31: W0212: Access to a protected member `_description` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:337:30: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:338:28: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:364:15: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:367:28: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:371:36: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:372:48: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:377:15: W0212: Access to a protected member `_status` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:379:17: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:389:22: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:390:25: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:391:27: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:392:28: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:393:28: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:398:30: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:399:30: W0212: Access to a protected member `_difficulty` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:400:30: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:429:18: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:430:21: W0212: Access to a protected member `_title` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:431:27: W0212: Access to a protected member `_description` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:432:23: W0212: Access to a protected member `_subject` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:433:24: W0212: Access to a protected member `_class_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:434:26: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:435:24: W0212: Access to a protected member `_due_date` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:436:26: W0212: Access to a protected member `_max_points` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:437:26: W0212: Access to a protected member `_difficulty` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:439:26: W0212: Access to a protected member `_created_at` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:440:27: W0212: Access to a protected member `_attachments` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:444:38: W0212: Access to a protected member `_role` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:444:66: W0212: Access to a protected member `_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:444:78: W0212: Access to a protected member `_teacher_id` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:445:42: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:446:46: W0212: Access to a protected member `_submissions` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:449:40: W0212: Access to a protected member `_role` of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:451:28: W0212: Access to a protected member _submissions of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:461:42: W0212: Access to a protected member _submissions of a client class (protected-access)

eduplatform/eduplatform/services/assignment_service.py:459:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/services/assignment_service.py:1:0: W0611: Unused timedelta imported from datetime (unused-import)

eduplatform/eduplatform/services/assignment_service.py:5:0: W0611: Unused Notification imported from models.notification (unused-import)

***** Module eduplatform.services.export_service

eduplatform/eduplatform/services/export_service.py:24:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:25:22: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:34:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:35:30: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:40:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:45:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:48:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:54:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:59:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:62:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:70:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:76:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:79:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:92:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:103:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:109:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:112:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:118:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:123:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:126:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:134:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:137:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:142:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:149:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:154:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:161:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:178:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:191:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:197:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:200:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:213:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:225:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:231:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:234:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:239:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:243:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:246:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:254:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:261:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:269:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:276:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:283:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:289:0: C0303: Trailing whitespace
(trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:292:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:305:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:321:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:327:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:330:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:332:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:337:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:343:0: C0301: Line too long (110/100) (line-too-long)

eduplatform/eduplatform/services/export_service.py:345:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:360:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:366:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:368:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:377:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:384:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:405:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:410:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/eduplatform/services/export_service.py:418:0: C0301: Line too long (117/100)
(line-too-long)

eduplatform/eduplatform/services/export_service.py:420:0: C0301: Line too long (117/100)
(line-too-long)

eduplatform/eduplatform/services/export_service.py:421:0: C0301: Line too long (105/100)
(line-too-long)

eduplatform/eduplatform/services/export_service.py:422:0: C0301: Line too long (123/100)
(line-too-long)

eduplatform/eduplatform/services/export_service.py:13:0: E0611: No name 'admin' in module
'eduplatform.models' (no-name-in-module)

eduplatform/eduplatform/services/export_service.py:13:0: E0001: Cannot import 'models.admin' due
to syntax error 'unterminated string literal (detected at line 199) (<unknown>, line 199)' (syntax-error)

eduplatform/eduplatform/services/export_service.py:38:24: W0622: Redefining built-in 'format'
(redefined-builtin)

eduplatform/eduplatform/services/export_service.py:35:4: R0914: Too many local variables (19/15)
(too-many-locals)

eduplatform/eduplatform/services/export_service.py:61:27: W0212: Access to a protected member
_full_name of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:88:19: W0703: Catching too general exception
Exception (broad-except)

eduplatform/eduplatform/services/export_service.py:88:12: C0103: Variable name "e" doesn't
conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/export_service.py:97:29: W0212: Access to a protected member
_full_name of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:106:13: W1514: Using open without explicitly
specifying an encoding (unspecified-encoding)

eduplatform/eduplatform/services/export_service.py:106:41: C0103: Variable name "f" doesn't
conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/export_service.py:107:12: C0415: Import outside toplevel (json)
(import-outside-toplevel)

eduplatform/eduplatform/services/export_service.py:116:25: W0622: Redefining built-in 'format'
(redefined-builtin)

eduplatform/eduplatform/services/export_service.py:113:4: R0914: Too many local variables (28/15)
(too-many-locals)

eduplatform/eduplatform/services/export_service.py:163:59: W0212: Access to a protected member
_id of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:166:34: W0212: Access to a protected member
_id of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:167:36: W0212: Access to a protected member
_full_name of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:209:19: W0703: Catching too general exception
Exception (broad-except)

eduplatform/eduplatform/services/export_service.py:209:12: C0103: Variable name "e" doesn't
conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/export_service.py:228:13: W1514: Using open without explicitly
specifying an encoding (unspecified-encoding)

eduplatform/eduplatform/services/export_service.py:228:41: C0103: Variable name "f" doesn't
conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/export_service.py:229:12: C0415: Import outside toplevel (json)
(import-outside-toplevel)

eduplatform/eduplatform/services/export_service.py:237:26: W0622: Redefining built-in 'format'
(redefined-builtin)

eduplatform/eduplatform/services/export_service.py:235:4: R0914: Too many local variables (26/15)
(too-many-locals)

eduplatform/eduplatform/services/export_service.py:280:59: W0212: Access to a protected member
_id of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:301:19: W0703: Catching too general exception
Exception (broad-except)

eduplatform/eduplatform/services/export_service.py:301:12: C0103: Variable name "e" doesn't
conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/export_service.py:324:13: W1514: Using open without explicitly
specifying an encoding (unspecified-encoding)

eduplatform/eduplatform/services/export_service.py:324:41: C0103: Variable name "f" doesn't
conform to snake_case naming style (invalid-name)

eduplatform/eduplatform/services/export_service.py:325:12: C0415: Import outside toplevel (json)
(import-outside-toplevel)

eduplatform/eduplatform/services/export_service.py:363:33: W0212: Access to a protected member
_phone of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:365:35: W0212: Access to a protected member
_address of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:333:4: R0201: Method could be a function
(no-self-use)

eduplatform/eduplatform/services/export_service.py:375:15: W0703: Catching too general exception
Exception (broad-except)

eduplatform/eduplatform/services/export_service.py:382:15: W0703: Catching too general exception
Exception (broad-except)

eduplatform/eduplatform/services/export_service.py:403:15: W0703: Catching too general exception
Exception (broad-except)

eduplatform/eduplatform/services/export_service.py:393:22: W0212: Access to a protected member
_id of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:394:25: W0212: Access to a protected member
_title of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:395:27: W0212: Access to a protected member
_message of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:396:24: W0212: Access to a protected member
_type of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:397:28: W0212: Access to a protected member
_priority of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:398:27: W0212: Access to a protected member
_is_read of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:399:30: W0212: Access to a protected member
_created_at of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:400:37: W0212: Access to a protected member
_related_entity_id of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:401:39: W0212: Access to a protected member
_related_entity_type of a client class (protected-access)

eduplatform/eduplatform/services/export_service.py:406:4: R0201: Method could be a function (no-self-use)

eduplatform/eduplatform/services/export_service.py:6:0: W0611: Unused Optional imported from typing (unused-import)

eduplatform/eduplatform/services/export_service.py:6:0: W0611: Unused Union imported from typing (unused-import)

eduplatform/eduplatform/services/export_service.py:6:0: W0611: Unused Type imported from typing (unused-import)

eduplatform/eduplatform/services/export_service.py:6:0: W0611: Unused TypeVar imported from typing (unused-import)

eduplatform/eduplatform/services/export_service.py:6:0: W0611: Unused cast imported from typing (unused-import)

eduplatform/eduplatform/services/export_service.py:7:0: W0611: Unused Path imported from pathlib (unused-import)

eduplatform/eduplatform/services/export_service.py:14:0: W0611: Unused AssignmentStatus imported from models.assignment (unused-import)

eduplatform/eduplatform/services/export_service.py:15:0: W0611: Unused Grade imported from models.grade (unused-import)

eduplatform/eduplatform/services/export_service.py:15:0: W0611: Unused GradeType imported from models.grade (unused-import)

eduplatform/eduplatform/services/export_service.py:16:0: W0611: Unused Notification imported from models.notification (unused-import)

eduplatform/eduplatform/services/export_service.py:16:0: W0611: Unused NotificationType imported from models.notification (unused-import)

***** Module tests.unit.utils.test_export_utils

eduplatform/tests/unit/utils/test_export_utils.py:13:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utils/test_export_utils.py:22:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utils/test_export_utils.py:30:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utils/test_export_utils.py:34:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utils/test_export_utils.py:41:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utils/test_export_utils.py:44:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:49:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:53:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:60:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:63:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:68:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:72:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:80:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:83:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:90:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:92:0: C0301: Line too long (102/100) (line-too-long)

eduplatform/tests/unit/utlis/test_export_utlis.py:94:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:96:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:105:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/utlis/test_export_utlis.py:5:0: E0401: Unable to import 'pandas' (import-error)

eduplatform/tests/unit/utlis/test_export_utlis.py:46:8: C0103: Variable name "df" doesn't conform to snake_case naming style (invalid-name)

eduplatform/tests/unit/utlis/test_export_utlis.py:65:8: C0103: Variable name "df" doesn't conform to snake_case naming style (invalid-name)

eduplatform/tests/unit/utlis/test_export_utlis.py:6:0: C0411: standard import "import sqlite3" should be placed before "import pandas as pd" (wrong-import-order)

***** Module tests.unit.services.test_export_service

eduplatform/tests/unit/services/test_export_service.py:16:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:23:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:30:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:41:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:51:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:59:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:70:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:82:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:92:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:99:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:103:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:107:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:111:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:114:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:122:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:131:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:138:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:143:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:149:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:156:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:162:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:167:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:172:30: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:173:30: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:176:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:178:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:184:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:193:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:198:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:206:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:213:0: C0303: Trailing whitespace (trailing-whitespace)

eduplatform/tests/unit/services/test_export_service.py:8:0: E0611: No name 'Student' in module 'eduplatform.models.user' (no-name-in-module)

eduplatform/tests/unit/services/test_export_service.py:8:0: E0611: No name 'Teacher' in module 'eduplatform.models.user' (no-name-in-module)

eduplatform/tests/unit/services/test_export_service.py:8:0: E0611: No name 'Admin' in module 'eduplatform.models.user' (no-name-in-module)

eduplatform/tests/unit/services/test_export_service.py:8:0: E0611: No name 'Parent' in module 'eduplatform.models.user' (no-name-in-module)

eduplatform/tests/unit/services/test_export_service.py:14:0: R0902: Too many instance attributes (11/7) (too-many-instance-attributes)

eduplatform/tests/unit/services/test_export_service.py:60:31: E1123: Unexpected keyword argument 'assignment_id' in constructor call (unexpected-keyword-arg)

eduplatform/tests/unit/services/test_export_service.py:71:26: E1123: Unexpected keyword argument 'grade_id' in constructor call (unexpected-keyword-arg)

eduplatform/tests/unit/services/test_export_service.py:71:26: E1123: Unexpected keyword argument 'type' in constructor call (unexpected-keyword-arg)

eduplatform/tests/unit/services/test_export_service.py:71:26: E1120: No value for argument 'grade_type' in constructor call (no-value-for-parameter)

eduplatform/tests/unit/services/test_export_service.py:83:33: E1123: Unexpected keyword argument 'notification_id' in constructor call (unexpected-keyword-arg)

eduplatform/tests/unit/services/test_export_service.py:83:33: E1123: Unexpected keyword argument 'user_id' in constructor call (unexpected-keyword-arg)

eduplatform/tests/unit/services/test_export_service.py:83:33: E1120: No value for argument 'recipient_id' in constructor call (no-value-for-parameter)

eduplatform/tests/unit/services/test_export_service.py:88:30: E1101: Class 'NotificationType' has no 'ASSIGNMENT_GRADED' member (no-member)

eduplatform/tests/unit/services/test_export_service.py:94:59: W0108: Lambda may not be necessary (unnecessary-lambda)

eduplatform/tests/unit/services/test_export_service.py:203:8: C0415: Import outside toplevel (datetime.datetime) (import-outside-toplevel)

eduplatform/tests/unit/services/test_export_service.py:8:0: W0611: Unused Parent imported from eduplatform.models.user (unused-import)

eduplatform/tests/unit/services/test_export_service.py:1:0: R0801: Similar lines in 2 files

```
==eduplatform.repositories.notification_repository:[102:111]
```

```
==eduplatform.services.export_service:[392:401]
```

```
    'id': n._id,
```

```
    'title': n._title,
```

```
    'message': n._message,
```

```
    'type': n._type.value,
```

```
    'priority': n._priority.value,
```

```
    'is_read': n._is_read,
```

```
'created_at': n._created_at.isoformat(),  
'related_entity_id': n._related_entity_id,  
'related_entity_type': n._related_entity_type (duplicate-code)
```

eduplatform/tests/unit/services/test_export_service.py:1:0: R0801: Similar lines in 2 files

```
==tests.unit.services.test_export_service:[109:122]
```

```
==tests.unit.utils.test_export_utils:[19:30]
```

```
]
```

```
# Create temp directory for exports
```

```
self.temp_dir = tempfile.mkdtemp()
```

```
def tearDown(self):
```

```
    """Clean up after tests."""
```

```
# Clean up any created files
```

```
for root, _, files in os.walk(self.temp_dir, topdown=False):
```

```
    for name in files:
```

```
        os.remove(os.path.join(root, name))
```

```
    os.rmdir(root)
```

```
(duplicate-code)
```

eduplatform/tests/unit/services/test_export_service.py:1:0: R0801: Similar lines in 2 files

```
==eduplatform.repositories.user_repository:[1:6]
```

```
==eduplatform.services.auth_service:[3:8]
```

```
from ..models.user import User, UserRole
```

```
from ..models.student import Student
```

```
from ..models.teacher import Teacher
```

```
from ..models.parent import Parent
```

```
from ..models.admin import Admin (duplicate-code)
```

Your code has been rated at 2.33/10 (previous run: 1.33/10, +1.00)

4. Classification/summary of findings:

Quality concern	Reported findings	What it means from a software-quality perspective
Naming / readability	<code>invalid-name</code> , <code>redefined-builtin</code> , <code>redefined-outer-name</code>	Names such as <code>T</code> , <code>df</code> , and <code>e</code> do not always clearly communicate their purpose or follow the project's naming conventions. This makes code harder to understand and maintain. The report also shows <code>format</code> redefining a Python built-in.
Documentation	<code>missing-module-docstring</code> , <code>missing-class-docstring</code>	Some modules and classes do not explain their purpose. This increases the effort required for a new developer to understand and maintain the system. For example, missing module docstrings appear in several repository and model files.
Complexity	<code>too-many-locals</code> , <code>no-else-return</code>	Some functions contain more local variables or unnecessary control-flow structures than desirable. This can make logic harder to follow, understand, and test. <code>export_utils.py</code> , for example, has a function with 16 local variables.
Function design	<code>too-many-arguments</code> , <code>unused-argument</code>	Functions receiving many parameters are often harder to call, understand, test, and maintain. The report includes functions with 6, 9, and even more arguments. It also reports an unused <code>student_id</code> argument.

Class design	<code>too-many-instance-attributes</code> , <code>no-self-use</code>	A class with many attributes may be handling too many responsibilities. For example, the <code>Assignment</code> class has 14 instance attributes where Pylint's threshold is 7. Methods that do not use <code>self</code> may also indicate that some behavior does not really belong inside the class.
Maintainability	<code>protected-access</code> , <code>no-else-return</code> , <code>unnecessary-pass</code>	Repeated access to protected members such as <code>_id</code> , <code>_subject</code> , <code>_schedule</code> , etc. creates stronger dependencies between classes. Changes to one class can therefore require changes in other classes.
Error handling	<code>bare-except</code> , <code>broad-except</code> , <code>raise-missing-from</code>	Catching every possible exception can hide the real cause of failures. The report contains both bare exception handling and <code>except Exception</code> . Missing exception chaining can also make debugging harder because the original cause is less clearly preserved.
Unused / dead code	<code>unused-variable</code> , <code>unused-import</code> , <code>unused-argument</code>	Variables or imports that are never used add unnecessary code and make the program harder to understand. For example, <code>workbook</code> is unused, and several imports such as <code>Optional</code> , <code>Union</code> , <code>Type</code> , <code>Path</code> , and <code>Workbook</code> are reported as unused.
Possible defect	<code>syntax-error</code> , <code>import-error</code> , <code>no-name-in-module</code> , <code>unsubscriptable-object</code>	These are more serious because they may indicate code that cannot run correctly. For example, Pylint reports a syntax error in <code>models.admin</code> , an inability to import <code>pandas/openpyxl</code> , and an <code>unsubscriptable-object</code> issue in <code>assignment.py</code> .
Coding convention / formatting	<code>line-too-long</code> , <code>trailing-whitespace</code>	These issues usually do not change the program's behavior, but they reduce consistency and readability. The report contains a very large number of trailing-whitespace findings and several lines exceeding the 100-character limit.

Encapsulation	<code>protected-access</code>	Repository classes frequently directly access members beginning with <code>_</code> , such as <code>_id</code> , <code>_email</code> , <code>_role</code> , and <code>_schedule</code> . This weakens encapsulation because classes are depending directly on another class's internal implementation.
Dependency / environment problems	<code>import-error</code>	Pylint cannot resolve dependencies such as <code>pandas</code> and <code>openpyxl</code> . This may indicate missing packages or an incorrectly configured development environment. It should therefore be distinguished from a purely stylistic code-quality problem.

5. Detailed analysis of 10 selected findings:

The following findings were selected because they represent different types of code-quality problems. They affect readability, maintainability, reliability, testability, and code design.

1. Syntax Error

A. Tool finding

- **File:** `eduplatform/eduplatform/models/admin.py`
- **Line:** 199
- **Pylint message:** Unterminated string literal (detected at line 199)
- **Message ID:** `E0001 (syntax-error)`

Pylint reported this error directly in the file.

B. Relevant original code

```
for item in data:

    profile = item.get_profile()
```

```

        values = ', '.join(
            line 199:    f"'{str(v).replace('"',
'''')}'" if v is not None else 'NULL'

            for v in profile.values()

        )

        inserts.append(f"INSERT INTO
{table_name} ({columns}) VALUES ({values});")

```

C. Explain the problem

A string was started but was not properly closed with a quotation mark. Because of this, Python cannot correctly understand the code.

This is more serious than a normal style warning because the affected file may not be imported or executed correctly.

D. Quality impact

- **Reliability:** The program may fail before running.
- **Maintainability:** Developers cannot safely modify or use the affected file until the syntax is fixed.
- **Testability:** Tests involving this module cannot run correctly.
- **Correctness:** The program cannot be considered correct if its code cannot be parsed.

2. Too Many Branches

A. Tool finding

- **File:** `eduplatform/eduplatform/cli/main.py`
- **Line:** 124
- **Pylint message:** Too many branches (16/12)
- **Message ID:** `R0912 (too-many-branches)`

Pylint found 16 branches where the configured limit was 12.

B. Relevant original code

```
def do_register(self, arg):

    """Register a new user.

    Usage: register <role> "<full_name>"
    <email> <password> [phone] "[address]"

    Examples:

        register admin "John Doe"
john@example.com mypassword

        register teacher "Jane Smith"
jane@example.com mypassword 1234567890 "123
Main St"

    Roles: student, teacher, parent, admin

    """

    print("\n[CLI] Starting user
registration process")
```

```
try:

    import shlex

    args = shlex.split(arg)

    if len(args) < 4:

        print("Error: Missing required
arguments. Usage: register <role>
\"<full_name>\" <email> <password> [phone]
[address]")

        print("Note: Enclose names and
addresses with spaces in quotes")

        return

    role_map = {

        'student': Student,

        'teacher': Teacher,

        'parent': Parent,

        'admin': Admin

    }
```

```
        role = args[0].lower()

        print(f"[CLI] Registering user with
role: {role}")

        if role not in role_map:

            print(f"Error: Invalid role.
Must be one of: {' , '.join(role_map.keys())}")

            return

        # Extract arguments with proper
handling of optional fields

        full_name = args[1]

        email = args[2]

        password = args[3]

        # Handle optional phone and address

        phone = None
```

```
address = None

if len(args) > 4:

    # If there's a 5th argument,
    it's either a phone number or address

    if len(args) == 5:

        # If it's just one more
        argument, treat it as phone if it's all digits

        if args[4].isdigit():

            phone = args[4]

        else:

            address = args[4]

    else:

        # If there are 6+ arguments,
        4th is phone, rest is address

        phone = args[4]

        address = ' '.join(args[5:])
```

```
        print(f"[CLI] Registration details -  
Name: {full_name}, Email: {email}")  
  
        if phone:  
            print(f"[CLI] Phone: {phone}")  
  
        if address:  
            print(f"[CLI] Address:  
{address}")  
  
        # Create a dictionary of kwargs to  
pass to register_user  
  
        user_kwargs = {  
            'user_type': role_map[role],  
            'full_name': full_name,  
            'email': email,  
            'password': password  
        }  
  
        # Add optional fields if provided
```

```
        if phone:

            user_kwargs['phone'] = phone

        if address:

            user_kwargs['address'] = address


        print("[CLI] Calling
auth_service.register_user")

        # Call register_user with the
prepared arguments

        result =
self.auth_service.register_user(**user_kwargs)

        print(f"[CLI]
auth_service.register_user returned:
{type(result)}")

        if not result:

            print("Error: Registration
failed - No result returned")
```

```
        return

    if not isinstance(result, dict):

        print(f"Error: Expected dict
result, got {type(result).__name__}")

        return

    if 'user' not in result:

        print("Error: Registration
failed - No user in result")

        print(f"Result keys:
{result.keys() if hasattr(result, 'keys') else
'Not a dictionary'}")

        return

    print("[CLI] Registration
successful, processing result...")

    self.current_user = result['user']
```

```
        self.current_user_type =  
result.get('user_type', 'user')  
  
        self.auth_token =  
result.get('token')  
  
        print(f"\n[CLI] Successfully  
registered and logged in as  
{self.current_user._full_name}  
( {self.current_user_type} )")  
  
        print(f"Welcome to EduPlatform!")  
  
    except ValueError as e:  
  
        print(f"Error: {str(e)}")  
  
    except Exception as e:  
  
        print(f"\n[CLI] An unexpected error  
occurred during registration:")  
  
        print(f"Type: {type(e).__name__}")  
  
        print(f"Error: {str(e)}")  
  
        print("\nPlease check the input and  
try again.")
```

C. Explain the problem

The function contains too many different decision paths. This usually means one function is handling too many different situations.

For example, a function with many `if`, `elif`, and other decision statements becomes harder to follow because the programmer has to consider many possible paths.

D. Quality impact

- **Readability:** The function is harder to understand.
 - **Maintainability:** Changes become more difficult because many paths must be considered.
 - **Testability:** More test cases are needed to cover the different branches.
 - **Reliability:** A change in one branch can accidentally affect another branch.
-

3. Too Many Instance Attributes

A. Tool finding

- **File:** `eduplatform/eduplatform/models/assignment.py`
- **Line:** 19
- **PyLint message:** Too many instance attributes (14/7)
- **Message ID:** `R0902 (too-many-instance-attributes)`

The class has 14 instance attributes while the configured limit is 7.

B. Relevant original code

```
class Assignment:

    """Class representing an assignment in the
    educational platform."""
```

```

def __init__(self,
               title: str,
               description: str,
               subject: str,
               teacher_id: str,
               class_id: str,
               due_date: Optional[datetime] =
None,
               max_points: float = 100.0,
               difficulty:
AssignmentDifficulty =
AssignmentDifficulty.MEDIUM) :

```

C. Explain the problem

The class stores a large number of different pieces of information. Having 14 attributes suggests that the class may be responsible for too many things.

A smaller class with closely related data is generally easier to understand and modify.

D. Quality impact

- **Maintainability:** The class becomes harder to manage.
 - **Readability:** It takes more time to understand what the class represents.
 - **Modifiability:** Changing one part may require checking many attributes.
 - **Testability:** More attributes mean more combinations that may need testing.
-

4. Too Many Arguments

A. Tool finding

- **File:** `eduplatform/eduplatform/models/assignment.py`
- **Line:** 22
- **Pylint message:** Too many arguments (9/5)
- **Message ID:** `R0913 (too-many-arguments)`

Pylint reported 9 arguments where the limit is 5.

B. Relevant original code

```
class Assignment:

    """Class representing an assignment in the
    educational platform."""

    def __init__(self,

                    title: str,

                    description: str,

                    subject: str,

                    teacher_id: str,

                    class_id: str,

                    due_date: Optional[datetime] =
None,

                    max_points: float = 100.0,
```

```
        difficulty:
AssignmentDifficulty =
AssignmentDifficulty.MEDIUM):

    """Initialize a new assignment.

    Args:

        title: Assignment title

        description: Detailed description

        subject: Subject this assignment is
for
        teacher_id: ID of the teacher who
created the assignment

        class_id: ID of the class this
assignment is for

        due_date: Optional due date
(defaults to 7 days from creation)

        max_points: Maximum points possible

        difficulty: Assignment difficulty
level

    """
```

```
        self._id =
f"assgn_{len(str(hash(str(datetime.now()))))[-6
:]}]"

        self._title = title

        self._description = description

        self._subject = subject

        self._teacher_id = teacher_id

        self._class_id = class_id

        self._created_at = datetime.now()

        self._due_date = due_date if due_date
else (datetime.now() + timedelta(days=7))

        self._max_points =
max(float(max_points))

        self._difficulty = difficulty

        self._status =
AssignmentStatus.DRAFT.value

        self._submissions: Dict[str, Dict] = {}
# {student_id: submission_data}

        self._grades: Dict[str, Dict] = {} #
{student_id: grade_data}
```

```
self._attachments: List[Dict] = [] #  
List of file attachments
```

C. Explain the problem

The function requires too much information through separate parameters. This makes it harder to remember what each argument means and increases the chance of passing the wrong value.

Some of these values may belong together in a class or data object.

D. Quality impact

- **Readability:** Function calls become difficult to understand.
 - **Maintainability:** Changing the function requires checking many calls.
 - **Testability:** Many combinations of arguments may need to be tested.
 - **Reliability:** There is a greater chance of passing arguments in the wrong order.
-

5. Unsubscriptable Object

A. Tool finding

- **File:** `eduplatform/eduplatform/models/assignment.py`
- **Line:** 43
- **Pylint message:** Value `len(str(hash(str(datetime.now()))))` is unsubscriptable
- **Message ID:** `E1136 (unsubscriptable-object)`

This exact expression is shown in the Pylint output.

B. Relevant code fragment reported by Pylint

```
self._id =  
f"assgn_{len(str(hash(str(datetime.now()))))[-6  
:]}"
```

C. Explain the problem

Pylint believes the value is being used in a way that may require indexing or subscripting even though its inferred type does not support that operation.

This indicates that the expression is confusing enough for static analysis to detect a possible type-related problem.

D. Quality impact

- **Reliability:** Incorrect type usage can cause errors when the program runs.
 - **Maintainability:** Complex expressions are harder to understand.
 - **Readability:** The expression is difficult to understand at first glance.
 - **Testability:** Type-related problems may only appear for particular execution paths.
-

6. Broad Exception Handling

A. Tool finding

- **File:** `eduplatform/eduplatform/utils/export_utils.py`
- **Line:** 296
- **Pylint message:** Catching too general exception `Exception`
- **Message ID:** `W0703 (broad-except)`

Pylint reported this in `export_utils.py`.

B. Relevant original code

```
except Exception as e:

    print(f"Error: {str(e)}")
```

C. Explain the problem

The code catches the general `Exception` type instead of catching a specific error.

This can hide different types of errors. For example, a programming error and a normal file error could both be caught by the same block, making debugging harder.

D. Quality impact

- **Reliability:** Real errors may be hidden.
- **Maintainability:** Debugging becomes more difficult.

- **Testability:** Tests may not reveal the actual source of failures.
 - **Error handling:** The program cannot react differently to different error types.
-

7. Bare Except

A. Tool finding

- **File:** `eduplatform/eduplatform/utils/export_utils.py`
- **Line:** 88
- **PyLint message:** No exception type(s) specified
- **Message ID:** `W0702 (bare-except)`

PyLint reported a bare `except` at line 88.

B. Relevant original code

```
except Exception as e:

    raise IOError(f"Failed to export to
Excel: {str(e)}")
```

C. Explain the problem

A bare `except` catches almost any exception. This makes it difficult to know which errors the programmer expected.

It can also hide unexpected problems instead of allowing them to be fixed.

D. Quality impact

- **Reliability:** Unexpected errors may be hidden.
 - **Maintainability:** Debugging becomes harder.
 - **Testability:** Some failures may be silently swallowed.
 - **Error handling:** The program loses control over different types of errors.
-

8. Protected Member Access

A. Tool finding

- **File:** `eduplatform/eduplatform/repositories/schedule_repository.py`
- **Line:** 11
- **Pylint message:** Access to a protected member `_id` of a client class
- **Message ID:** `W0212 (protected-access)`

Pylint reported many similar protected-member accesses in this repository.

B. Relevant code fragment

```
def _get_key(self, item: Schedule) -> str:
    """Get the unique key for a schedule
    (its ID)."""
    return item._id
```

C. Explain the problem

Names beginning with `_` are normally treated as internal or protected members of a class.

Accessing them directly from another class breaks the intended separation between the class's internal data and the code using that class.

A public method or property can be used instead.

D. Quality impact

- **Maintainability:** Changes inside the class can break other code.
- **Modifiability:** Internal implementation becomes harder to change safely.
- **Encapsulation:** The class's internal data is exposed to other parts of the program.
- **Reliability:** Direct access can allow data to be changed incorrectly.

9. Unused Variable

A. Tool finding

- **File:** `eduplatform/eduplatform/services/assignment_service.py`
- **Line:** 96
- **Pylint message:** Unused variable `notification`

- **Message ID:** W0612 (unused-variable)

Pylint specifically reports that `notification` is assigned but not used.

B. Relevant original code

```
def _notify_students(self, assignment:
Assignment) -> None:
    """Notify students about a new
assignment."""
    # In a real implementation, we would get
the list of students in the class
    # For this example, we'll just create a
notification for the assignment
    notification =
self.notification_repo.create_notification(
recipient_id=f"class_{assignment._class_id}",
# This would be expanded to individual student
IDs
        title=f"New Assignment:
{assignment._title}",
        message=f"A new assignment has been
posted for {assignment._subject}. Due:
{assignment._due_date.strftime('%b %d, %Y')}",
```

```

notification_type=NotificationType.ASSIGNMENT.v
alue,
        priority=NotificationPriority.HIGH,
        related_entity_id=assignment._id,
        related_entity_type='assignment',
        metadata={
            'assignment_id': assignment._id,
            'due_date':
assignment._due_date.isoformat(),
            'subject': assignment._subject,
            'max_points':
assignment._max_points
        }
    )

```

C. Explain the problem

The program creates or stores a value in `notification`, but the value is not used afterward.

This may mean the variable is unnecessary, or it may indicate that the programmer forgot to use the result.

D. Quality impact

- **Readability:** Unused variables make the code more confusing.
 - **Maintainability:** Developers have to spend time deciding whether the variable is needed.
 - **Reliability:** If the result was supposed to be used, an important operation may be missing.
 - **Code cleanliness:** Dead code makes the program unnecessarily complicated.
-

10. Line Too Long

A. Tool finding

- **File:** `eduplatform/eduplatform/services/assignment_service.py`
- **Line:** 99
- **Pylint message:** Line too long (133/100)
- **Message ID:** `C0301 (line-too-long)`

Pylint reports that line 99 contains 133 characters while the limit is 100.

B. Relevant original code

```
message=f"A new assignment has been  
posted for {assignment._subject}. Due:  
{assignment._due_date.strftime('%b %d, %Y')}",
```

C. Explain the problem

The line contains too much code or text on one line. Long lines are harder to read because the reader may need to scroll horizontally or mentally break the statement into smaller parts.

D. Quality impact

- **Readability:** The code is harder to read.
- **Maintainability:** Understanding and modifying the line takes more effort.
- **Code quality:** Consistent formatting is reduced.
- **Team development:** Long lines make code reviews more difficult.

6. Five manually identified code-quality issues:

This review was done by reading the source directly, without looking at the Pylint findings first, then cross-checked against `intial_pylint_detailed_report` afterward to see which issues Pylint had *not* surfaced. Six problems are documented below; **#1, #2, #3, and #5 were not reported anywhere in the Pylint output**, which is more than the required minimum of two.

1. Broken password-reset flow

File: `eduplatform/services/auth_service.py`

```
def reset_password_request(self, email: str) -> bool: user =
self.user_repo.get_by_email(email) if user: reset_token =
f"reset_{len(str(hash(str(datetime.now()))))[-10:]}" ... self.notification_repo.create_notification(
recipient_id=email, ... ) return True def reset_password(self, token: str, new_password: str) ->
bool: if not token.startswith('reset_'): return False user_email = token.split('_')[-1] # <-- assumes
the email is embedded in the token user = self.user_repo.get_by_email(user_email) ...
```

Problem: `reset_password_request` never embeds the user's email (or any identifier tied to the user) into the token, the token content is just digits derived from `hash(datetime.now())`. `reset_password` then tries to recover an email address by taking everything after the last underscore in the token. This can never succeed: `token.split('_')[-1]` will always yield a numeric string, never a real email, so `user_repo.get_by_email(...)` will always return `None` and the reset always fails. (Separately, this line also crashes outright `len(...)` returns an `int`, which isn't subscriptable, but that specific crash was flagged by Pylint as `E1136 unsubscriptable-object`; the deeper design flaw, that even a fixed version of this code could never work was not.)

Quality impact: This is a completely non-functional feature hiding behind plausible-looking code. It would pass a superficial read-through and even a naive test that only checks return types, but it can never let a real user reset their password. It also reveals a security anti-pattern: reset tokens generated from a low-entropy, guessable seed (current timestamp hash) rather than a cryptographically random value tied to the user and stored with an expiry.

Recommendation: Generate a cryptographically secure random token with `secrets.token_urlsafe(32)`, store it (e.g. in a `password_resets` table/repository keyed by user id, with an expiry timestamp), and have `reset_password` look up the *token* directly rather than trying to decode an email out of it.

2. Magic number silently corrupts a statistic

File: `eduplatform/services/assignment_service.py`, `get_teacher_assignments`

```
result.append({
    ...
    'total_submissions': total_submissions,
    'graded_submissions': graded_submissions,
    'submission_rate': (total_submissions / 25) * 100, # Assuming 25 students per class
```

```
})
```

Problem: The submission rate is computed against a hardcoded assumption of exactly 25 students per class, for every class, regardless of its actual size. A class of 30 students with 100% submission would report a 120% "submission rate"; a class of 10 students would be capped at 40% even if everyone submitted.

Quality impact: This isn't a style nit, the number produced is simply wrong for any class that doesn't happen to have exactly 25 students, and nothing in the code or its output signals that the value is unreliable. Pylint has no way to catch this because `25` is a syntactically ordinary literal; only a human reading the comment and the surrounding logic notices the assumption doesn't hold.

Recommendation: Look up the actual class roster size (via a class/enrollment repository) and use that as the denominator: `(total_submissions / class_size) * 100` with a guard for `class_size == 0`. If enrollment data genuinely isn't available yet, the field should be omitted or explicitly marked as an estimate rather than presented as a real statistic.

3. Duplicated logic within a single file

File: `eduplatform/services/export_service.py`

`export_user_data`, `export_class_data`, and `export_school_data` each end with essentially the same ~25-line block:

```
result = {}
for data_type, data in export_data.items():
    if not data:
        continue
    filename = f"{base_filename}_{data_type}.{format}"
    output_path = os.path.join(output_dir, filename)
    try:
        exported_path = self.export_utils.export_data(
            data=data, output_path=output_path, format=format,
            sheet_name=data_type.replace('_', ' ').title()
        )
        result[data_type] = exported_path
    except Exception as e:
        print(f"Warning: Failed to export {data_type}: {str(e)}")
        continue

manifest = {'export': {... , 'file_paths': result}}
```

```
manifest_path = os.path.join(output_dir, f'{base_filename}_manifest.json')
with open(manifest_path, 'w') as f:
    import json
    json.dump(manifest, f, indent=2)
result['manifest'] = manifest_path
return result
```

Problem: This is copy-pasted three times with only the manifest's inner fields changing.

Quality impact: Any fix to the export loop (say, retrying failed exports, or writing errors to the manifest instead of just printing them) has to be made in three places, and it's easy to update two and miss the third, a classic maintenance trap. It's also a low-cohesion smell: the class is really doing "build a dataset" + "write dataset(s) to disk" + "write a manifest," and those last two steps deserve to be factored out.

Recommendation: Extract a single private helper, e.g. `_export_and_manifest(self, data_by_type, output_dir, base_filename, format)`, that all three public methods call with just their prepared dictionary.

4. Duplicated logic between methods, not just within one method

File: `eduplatform/services/grade_service.py`

`get_student_grades` (lines 242–261) and `get_class_grades` (lines 297–315) each build this same 14-key dictionary from a `Grade` object:

```
result.append({
    'id': grade._id, 'subject': grade._subject, 'type': grade._type.value,
    'score': grade._score, 'max_score': grade._max_score,
    'percentage': grade.percentage, 'letter_grade': grade.letter_grade,
    'gpa_points': grade.gpa_points, 'comments': grade._comments,
    'teacher_id': grade._teacher_id,
    'teacher_name': teacher._full_name if teacher else 'Unknown',
    'assignment_id': grade._assignment_id,
    'created_at': grade._created_at.isoformat(),
    'updated_at': grade._updated_at.isoformat() if grade._updated_at else None
})
```

Problem: Identical serialization logic, duplicated instead of shared. As with #3, Pylint's duplicate-code detector didn't flag this pairing either.

Quality impact: If a new field is added to grades (e.g. a rubric reference), a developer has to remember to update both call sites; missing one produces silently inconsistent API responses between "my grades" and "class grades" views.

Recommendation: Extract a `_serialize_grade(self, grade, teacher)` helper and call it from both methods.

5. Two parallel, inconsistent grade-tracking systems (architecture level not caught by Pylint)

Files: `eduplatform/models/student.py` vs.
`eduplatform/services/grade_service.py` + `eduplatform/models/grade.py`

student.py: Student keeps its own private grade store

```
self._grades: Dict[str, List[Dict]] = {}
```

```
def receive_grade(self, assignment_id: str, grade: int, teacher_id: str, comment: str = "") -> bool:
```

```
...
```

```
    self._grades[subject].append({'value': grade, 'date': ..., 'teacher_id': teacher_id, ...})
```

versus

grade_service.py: the "real" grading system used everywhere else

```
def record_grade(self, student_id, subject, grade_type, score, teacher_id, ...):
```

```
    grade = Grade(student_id=student_id, subject=subject, ...)
```

```
    self.grade_repo.add(grade)
```

Problem: The codebase has two independent representations of "a student's grades": a plain dict living inside the `Student` object (`_grades`, populated only via `Student.receive_grade`), and the proper `Grade` model persisted through `GradeRepository/GradeService` (used by `AssignmentService.grade_assignment`, `ExportService`, and reporting). Nothing keeps them in sync, nowhere does `AssignmentService` or `GradeService` call `Student.receive_grade`, and nothing calls `GradeService.record_grade` from `Student`. This is a case of low cohesion at the domain-model level: the concept "grade" is duplicated instead of owned by one component.

Quality impact: `student.view_grades()` and `student.calculate_overall_average()` will return empty/zero for every grade that was actually recorded through the normal `GradeService` flow that the rest of the application uses, while grades placed via `Student.receive_grade` never show up in report cards, exports, or class statistics. This is a real data-integrity bug that unit tests targeting either half of the system

in isolation would never catch, and it's invisible to a linter because both halves are individually well-formed code, the flaw only exists in the relationship between two files.

Recommendation: Delete the

`_grades/receive_grade/view_grades/calculate_overall_average` machinery from `Student` and route every read of "this student's grades" through `GradeService`, which already owns persistence, notifications, and GPA/average calculations for grades.

6. Debug `print()` statements used as production logging, with sensitive data exposure

File: `eduplatform/services/auth_service.py`, `register_user` (and repeated in `export_service.py`)

```
print(f"[AUTH] register_user called with: {user_type}, {full_name}, {email}, {kwargs}")
...
print(f"[AUTH] Set phone: {kwargs['phone']}")
print(f"[AUTH] Set address: {kwargs['address']}")
...
except Exception as e:
    print(f"[AUTH] Error creating user: {str(e)}")
    print(f"[AUTH] Exception type: {type(e).__name__}")
    raise
```

Problem: There are over a dozen `print()` calls acting as the only "logging" in `register_user`. They can't be turned off, filtered by severity, or routed to a log aggregator, and more importantly they print personal data (full name, email, phone, address, and the entire `kwargs` dict, which could include the plaintext password if a caller ever passed it through `kwargs`) straight to stdout. Pylint has no rule against `print()` usage and never mentions logging practice anywhere in the report, so this is invisible to the automated scan entirely.

Quality impact: In any real deployment this is both a debugging/operability problem (no log levels, no structured fields, can't be disabled in production) and a potential privacy/security issue (PII and exception internals dumped unconditionally to console/log files that may not be access-controlled the way an audit log would be).

Recommendation: Replace all `print()` calls with the standard `logging` module (`logger.debug(...)`, `logger.info(...)`, `logger.exception(...)`), configured with an appropriate level per environment, and stop logging raw `kwargs` or other unfiltered user-supplied dictionaries log only the specific fields that are safe and useful (e.g. user id, not password-adjacent payloads).

7. Analysis of at least three Pylint configuration decisions:

#	Finding	Classification	Justification
1	Syntax error	A – Should be fixed	A syntax error means Python cannot properly parse the code. This can prevent the affected module from running or being imported. There is no good reason to leave a syntax error in working code. Pylint reported an unterminated string in <code>admin.py</code> line 199.
2	Too many branches	A – Should be fixed	The function at <code>cli/main.py:124</code> has 16 branches , while Pylint's limit is 12. A large number of branches makes the function harder to understand and test. The function should ideally be divided into smaller functions. However, this is a design improvement rather than proof that the function is completely wrong.
3	Too many instance attributes	B – Context dependent	The class has 14 attributes , while the limit is 7. This can indicate that the class is doing too much. However, if the class represents an object that naturally contains many related pieces of information, having many attributes can be reasonable. Therefore, I would review the class before changing it.

4	Too many arguments	B – Context dependent	The function has 9 arguments , compared with a limit of 5. This can make function calls difficult to understand. However, some functions naturally need several values. If all 9 arguments are necessary and closely related to the function's purpose, the warning may be acceptable.
5	Unsubscriptable object	A – Should be fixed	This finding indicates a possible type-related programming error. Unlike a style warning, it may cause an error when the code runs. Therefore, the expression should be checked and corrected rather than simply ignored.
6	Broad exception	A – Should be fixed	Catching general <code>Exception</code> can hide unexpected errors. More specific exceptions should normally be caught so that the program handles known errors properly. The report shows this issue in <code>export_utils.py</code> .
7	Bare except	A – Should be fixed	A bare <code>except:</code> catches exceptions without specifying their type. This can hide problems and make debugging difficult. A specific exception should normally be used. Pylint reported this at line 88 of <code>export_utils.py</code> .
8	Protected member access	B – Context dependent	Accessing members such as <code>_id</code> from another class is normally discouraged because they are intended to be internal. However, there may be a valid reason in this project, especially if the model classes do not provide public getters/properties. Therefore, I would inspect the design before changing every occurrence.
9	Unused variable	A – Should be fixed	The variable <code>notification</code> is reported as unused. If it is truly not needed, it should be removed. If the programmer intended to use it, then something may be missing. Either way, the finding should be investigated and resolved.
10	Line too long	B – Context dependent	A long line mainly affects readability and formatting. A line of 133 characters can usually be split into smaller lines, but it does not necessarily indicate a functional problem. If splitting it makes

the code less clear, the warning could reasonably be accepted.

8. Before/after evidence for at least five improvements:

1. Decompose `AuthService.register_user` and remove `print()`-based logging

File: `eduplatform/services/auth_service.py`

Original

```
from typing import Optional, Dict, Any, Type, Union
from datetime import datetime, timedelta
import jwt
...

class AuthService:
    def __init__(self, user_repository, notification_repository, jwt_secret, jwt_expire_hours=24):
        ...

    def register_user(self, user_type, full_name, email, password, **kwargs):
        print(f"[AUTH] register_user called with: {user_type}, {full_name}, {email}, {kwargs}")
        print(f"[AUTH] Checking if email exists: {email}")
        if self.user_repo.email_exists(email):
            print(f"[AUTH] Email {email} already exists")
            raise ValueError("Email already registered")
        print(f"[AUTH] Email {email} is available")
        print(f"[AUTH] Creating user of type: {user_type.__name__}")
```

```

try:
    if user_type == Student:
        if 'grade' not in kwargs:
            raise ValueError("Grade is required for student registration")
        user = Student(full_name, email, password, kwargs['grade'])
        print(f"[AUTH] Created Student: {user}")
    elif user_type == Teacher:
        user = Teacher(full_name, email, password)
        print(f"[AUTH] Created Teacher: {user}")
    elif user_type == Parent:
        user = Parent(full_name, email, password)
        print(f"[AUTH] Created Parent: {user}")
    elif user_type == Admin:
        user = Admin(full_name, email, password)
        print(f"[AUTH] Created Admin: {user}")
    else:
        raise ValueError(f"Invalid user type: {user_type.__name__}")
except Exception as e:
    print(f"[AUTH] Error creating user: {str(e)}")
    print(f"[AUTH] Exception type: {type(e).__name__}")
    raise
print("[AUTH] Adding additional profile information")
if 'phone' in kwargs:
    user._phone = kwargs['phone']
    print(f"[AUTH] Set phone: {kwargs['phone']}")
if 'address' in kwargs:
    user._address = kwargs['address']
    print(f"[AUTH] Set address: {kwargs['address']}")
print("[AUTH] Adding user to repository")
try:
    self.user_repo.add(user)
    print("[AUTH] User added to repository successfully")
except Exception as e:
    print(f"[AUTH] Error adding user to repository: {str(e)}")
    print(f"[AUTH] Exception type: {type(e).__name__}")
    raise
print("[AUTH] Sending welcome notification")
welcome_message = f"Welcome to EduPlatform, {full_name}! Your account has been
successfully created."
try:
    notification = self.notification_repo.create_notification(
        recipient_id=user._id, title="Welcome to EduPlatform",
        message=welcome_message, notification_type="system"
    )

```

```

        print(f"[AUTH] Created notification: {notification}")
    except Exception as e:
        print(f"[AUTH] Error creating notification: {str(e)}")
        print(f"[AUTH] Exception type: {type(e).__name__}")
    token = self._generate_token(user)
    return {'user': user, 'token': token, 'user_type': self.user_repo.get_user_type(user)}

```

Improved

```

import logging
import secrets
from typing import Optional, Dict, Any, Type, Union
from datetime import datetime, timedelta
import jwt
...

logger = logging.getLogger(__name__)

class AuthService:
    def __init__(self, user_repository, notification_repository, jwt_secret, jwt_expire_hours=24):
        ...
        self._reset_tokens: Dict[str, Dict[str, Any]] = {} # used by fix #2 below

    def register_user(self, user_type, full_name, email, password, **kwargs):
        logger.info("Registering new %s (email=%s)", user_type.__name__, email)

        if self.user_repo.email_exists(email):
            raise ValueError("Email already registered")

        user = self._create_user_instance(user_type, full_name, email, password, kwargs)
        self._apply_optional_profile_fields(user, kwargs)

        self.user_repo.add(user)
        logger.info("User %s persisted successfully", user._id)

        self._send_welcome_notification(user, full_name)

        token = self._generate_token(user)
        return {'user': user, 'token': token, 'user_type': self.user_repo.get_user_type(user)}

    def _create_user_instance(self, user_type, full_name, email, password, kwargs):
        """Instantiate the correct User subclass for the requested user_type."""
        if user_type == Student:
            if 'grade' not in kwargs:

```

```

        raise ValueError("Grade is required for student registration")
    return Student(full_name, email, password, kwargs['grade'])
if user_type == Teacher:
    return Teacher(full_name, email, password)
if user_type == Parent:
    return Parent(full_name, email, password)
if user_type == Admin:
    return Admin(full_name, email, password)
raise ValueError(f"Invalid user type: {user_type.__name__}")

def _apply_optional_profile_fields(self, user, kwargs):
    """Copy optional profile fields (phone, address) onto a newly created user."""
    if 'phone' in kwargs:
        user._phone = kwargs['phone']
    if 'address' in kwargs:
        user._address = kwargs['address']

def _send_welcome_notification(self, user, full_name):
    """Best-effort welcome notification: failure here must not undo registration."""
    welcome_message = f"Welcome to EduPlatform, {full_name}! Your account has been
successfully created."
    try:
        self.notification_repo.create_notification(
            recipient_id=user._id, title="Welcome to EduPlatform",
            message=welcome_message, notification_type="system"
        )
    except Exception:
        logger.exception("Failed to send welcome notification to user %s", user._id)

```

Why it's better: The original method mixed five unrelated concerns (validation, type dispatch, persistence, notification, and logging) in ~55 statements, which is exactly what Pylint's [R0915 too-many-statements](#) had already flagged (53/50) and what Part 7's manual review independently called out. Splitting it into [_create_user_instance](#), [_apply_optional_profile_fields](#), and [_send_welcome_notification](#) gives each piece one job and one reason to change, and each is independently testable. Replacing every [print\(\)](#) with [logging](#) calls removes debug output that could leak PII (name/email/phone/address/kwargs) to an uncontrolled stream, and lets the log level be configured per environment instead of being unconditionally on. The bare [except Exception as e: print\(...\); raise](#) around user creation/persistence added no value (it just re-raised) and is gone entirely; the notification's [except Exception](#) is now the only one left, on purpose, because that failure is genuinely meant to be swallowed but it's now logged via [logger.exception](#) instead of silently discarded, so the failure is at least visible to operators.

2. Fix the broken/insecure password-reset flow

File: `eduplatform/services/auth_service.py`

Original

```
def reset_password_request(self, email: str) -> bool:
    user = self.user_repo.get_by_email(email)
    if user:
        reset_token = f"reset_{len(str(hash(str(datetime.now()))))[-10:]}"
        reset_url = f"https://eduplatform.example.com/reset-password?token={reset_token}"
        self.notification_repo.create_notification(
            recipient_id=email, title="Password Reset Request",
            message=f"Click the following link to reset your password: {reset_url}",
            notification_type="system",
            metadata={'reset_token': reset_token,
                    'expires_at': (datetime.now() + timedelta(hours=1)).isoformat()}
        )
    return True

def reset_password(self, token: str, new_password: str) -> bool:
    if not token.startswith('reset_'):
        return False
    user_email = token.split('_')[-1]      # never actually contains the email!
    user = self.user_repo.get_by_email(user_email)
    if not user:
        return False
    user._password_hash, user._salt = user._hash_password(new_password)
    self.user_repo.update(user)
    ...
```

Improved

`PASSWORD_RESET_TOKEN_TTL = timedelta(hours=1)` # module-level constant

```
def reset_password_request(self, email: str) -> bool:
    user = self.user_repo.get_by_email(email)
    if user:
        reset_token = secrets.token_urlsafe(32)
        expires_at = datetime.now() + PASSWORD_RESET_TOKEN_TTL
        self._reset_tokens[reset_token] = {'email': email, 'expires_at': expires_at}

        reset_url = f"https://eduplatform.example.com/reset-password?token={reset_token}"
```

```

        self.notification_repo.create_notification(
            recipient_id=email, title="Password Reset Request",
            message=f"Click the following link to reset your password: {reset_url}",
            notification_type="system",
            metadata={'expires_at': expires_at.isoformat()})
    )
    return True

def reset_password(self, token: str, new_password: str) -> bool:
    token_data = self._reset_tokens.get(token)
    if not token_data or datetime.now() > token_data['expires_at']:
        self._reset_tokens.pop(token, None)
        return False

    user = self.user_repo.get_by_email(token_data['email'])
    del self._reset_tokens[token]    # single-use, regardless of outcome
    if not user:
        return False

    user_email = token_data['email']
    user._password_hash, user._salt = user._hash_password(new_password)
    self.user_repo.update(user)
    ...

```

Why it's better: The original code was not just insecure but **non-functional** `reset_password` tried to recover the user's email from `token.split('_')[-1]`, but `reset_password_request` never put the email in the token in the first place, so a real reset could never succeed (and the token-generation line crashes outright with `TypeError: 'int' object is not subscriptable`, since `len(...)` is being sliced). The fix uses `secrets.token_urlsafe(32)` (cryptographically random, unguessable) as an opaque key into a server-side `{token: {email, expires_at}}` map, exactly mirroring how a real reset-token table would work. It also adds the expiry check that was described in a comment but never implemented, and makes tokens single-use, closing a replay window. I verified this end-to-end: registering a user, requesting a reset, consuming the token, and logging in with the new password all now work, and a second use of the same token is correctly rejected.

3. Eliminate duplicated export-and-manifest logic

File: `eduplatform/services/export_service.py`

Original (this exact block appeared three times, once per method, only the manifest fields differed)

```

result = {}
for data_type, data in export_data.items():      # or class_data / export_data
    if not data:
        continue
    filename = f"{base_filename}_{data_type}.{format}"
    output_path = os.path.join(output_dir, filename)
    try:
        exported_path = self.export_utils.export_data(
            data=data, output_path=output_path, format=format,
            sheet_name=data_type.replace('_', ' ').title()
        )
        result[data_type] = exported_path
    except Exception as e:
        print(f"Warning: Failed to export {data_type}: {str(e)}")
        continue

manifest = {'export': {... method-specific fields ..., 'file_paths': result}}
manifest_path = os.path.join(output_dir, f"{base_filename}_manifest.json")
with open(manifest_path, 'w') as f:
    import json
    json.dump(manifest, f, indent=2)

result['manifest'] = manifest_path
return result

```

Improved

```

# --- new shared helpers, added once, right after __init__ ---
def _export_datasets(self, datasets, output_dir, base_filename, format):
    """Export each non-empty named dataset; used by all three export_* methods."""
    result = {}
    for data_type, data in datasets.items():
        if not data:
            continue
        filename = f"{base_filename}_{data_type}.{format}"
        output_path = os.path.join(output_dir, filename)
        try:
            result[data_type] = self.export_utils.export_data(
                data=data, output_path=output_path, format=format,
                sheet_name=data_type.replace('_', ' ').title()
            )
        except Exception:
            logger.warning("Failed to export dataset '%s'", data_type, exc_info=True)
    return result

```

```

def _write_manifest(self, output_dir, base_filename, manifest_body):
    manifest_path = os.path.join(output_dir, f"{base_filename}_manifest.json")
    with open(manifest_path, 'w') as f:
        json.dump({'export': manifest_body}, f, indent=2)
    return manifest_path

# --- each export_* method now ends with just: ---
result = self._export_datasets(export_data, output_dir, base_filename, format)
result['manifest'] = self._write_manifest(output_dir, base_filename, {
    'user_id': user_id, 'user_name': user._full_name, 'timestamp': timestamp,
    'exported_data': list(result.keys()), 'file_paths': result
})
return result

```

Why it's better: This exact ~25-line block was copy-pasted three times in the same file Pylint's **duplicate-code** check never caught it (confirmed by running it in isolation: it scored the file 10/10) because each copy used a differently-named local dict (**export_data** vs. **class_data**), which defeats the checker's line-level matching. Any future change to the export/error-handling behavior (e.g., retry logic, or writing failures into the manifest) previously had to be made in three places and was easy to miss in one. Now there's exactly one place that knows how to "export a set of datasets and write a manifest," and the three public methods just supply their own data and manifest fields. This also removed the **import json** statement duplicated inside three different function bodies. File length dropped from 425 to 377 lines with no behavior change (verified by compiling and by tracing through the logic).

4. Eliminate duplicated grade-serialization logic

File: `eduplatform/services/grade_service.py`

Original (identical 14-field dict built in two different methods)

```

result = []
for grade in grades:
    teacher = self.user_repo.get(grade._teacher_id)
    result.append({
        'id': grade._id, 'subject': grade._subject, 'type': grade._type.value,
        'score': grade._score, 'max_score': grade._max_score,
        'percentage': grade.percentage, 'letter_grade': grade.letter_grade,
        'gpa_points': grade.gpa_points, 'comments': grade._comments,
        'teacher_id': grade._teacher_id,
        'teacher_name': teacher._full_name if teacher else 'Unknown',
        'assignment_id': grade._assignment_id,
    })

```

```

        'created_at': grade._created_at.isoformat(),
        'updated_at': grade._updated_at.isoformat() if grade._updated_at else None
    })

```

Improved

```

# new helper, added once, right after __init__
def _serialize_grade(self, grade: Grade) -> Dict[str, Any]:
    """Convert a Grade into the dict shape used by every grade-listing endpoint."""
    teacher = self.user_repo.get(grade._teacher_id)
    return {
        'id': grade._id, 'subject': grade._subject, 'type': grade._type.value,
        'score': grade._score, 'max_score': grade._max_score,
        'percentage': grade.percentage, 'letter_grade': grade.letter_grade,
        'gpa_points': grade.gpa_points, 'comments': grade._comments,
        'teacher_id': grade._teacher_id,
        'teacher_name': teacher._full_name if teacher else 'Unknown',
        'assignment_id': grade._assignment_id,
        'created_at': grade._created_at.isoformat(),
        'updated_at': grade._updated_at.isoformat() if grade._updated_at else None
    }

```

```

# get_student_grades now just does:
result = [self._serialize_grade(grade) for grade in grades]

```

```

# get_class_grades now just does:
student_grades = [self._serialize_grade(grade) for grade in grades]

```

Why it's better: Same root cause as #3 two call sites, one concept ("what a grade looks like to a client"), duplicated instead of shared. Before this change, adding a field to grade output (e.g. a rubric link) meant remembering to update it in two places; missing one silently made `get_student_grades` and `get_class_grades` return inconsistent shapes for the same underlying data. Now there is a single source of truth, and both methods are shorter and clearly about "get the right grades" rather than "get the right grades *and* know how to serialize a Grade."

5. Replace the hardcoded "25 students per class" magic value

File: `eduplatform/services/assignment_service.py`

Original

```

result.append({

```

```

...
'total_submissions': total_submissions,
'graded_submissions': graded_submissions,
'submission_rate': (total_submissions / 25) * 100, # Assuming 25 students per class
...
})

```

Improved

```

# inside the loop, before building the dict:
class_size = self._get_class_size(assignment._class_id)
...
result.append({
    ...
    'total_submissions': total_submissions,
    'graded_submissions': graded_submissions,
    'submission_rate': (total_submissions / class_size * 100) if class_size else None,
    ...
})

# new helper, added near _calculate_average_grade:
def _get_class_size(self, class_id: str) -> int:
    """Get the number of students actually enrolled in a class."""
    return sum(1 for student in self.user_repo.get_students() if student.grade == class_id)

```

Why it's better: The old code silently produced a wrong number for every class that wasn't exactly 25 students a 30-student class at 100% submission would report "120%", a 10-student class could never exceed 40%. This wasn't a style nit; it was a real, invisible correctness bug that no linter flags because 25 is an ordinary integer literal. The fix computes the real roster size from `UserRepository.get_students()`, matching each student's `grade` (their class label, e.g. "7-B") against the assignment's `_class_id`. I verified this against synthetic data (3 students in "7-B", 1 in "8-A") and got the correct counts (3 and 1, respectively, not a fixed 25). It also guards the empty-roster case by returning `None` instead of dividing by zero or reporting a meaningless rate.

9. Testing/verification evidence:

```
1 error in 0.42s
● saad@saad-HP-Laptop-15-dy2xxx:~/Documents/eduplatform$ python3 -m pytest tests/unit/services/test_part9_refactors.py -v
===== test session starts =====
platform linux -- Python 3.10.12, pytest-9.1.1, pluggy-1.6.0 -- /usr/bin/python3
cachedir: .pytest_cache
rootdir: /home/saad/Documents/eduplatform
plugins: cov-7.1.0
collected 10 items

tests/unit/services/test_part9_refactors.py::test_register_user_creates_account_and_returns_token PASSED
tests/unit/services/test_part9_refactors.py::test_register_user_rejects_duplicate_email PASSED
tests/unit/services/test_part9_refactors.py::test_register_student_requires_grade PASSED
tests/unit/services/test_part9_refactors.py::test_password_reset_full_flow_works PASSED
tests/unit/services/test_part9_refactors.py::test_password_reset_rejects_unknown_or_reused_token PASSED
tests/unit/services/test_part9_refactors.py::test_grade_serialization_matches_expected_shape PASSED
tests/unit/services/test_part9_refactors.py::test_get_student_grades_and_get_class_grades_agree_on_shape PASSED
tests/unit/services/test_part9_refactors.py::test_get_class_size_counts_real_roster PASSED
tests/unit/services/test_part9_refactors.py::test_submission_rate_uses_real_class_size_not_25 PASSED
tests/unit/services/test_part9_refactors.py::test_submission_rate_is_none_for_empty_class_instead_of_crashing PASSED

===== 10 passed in 0.04s =====
○ saad@saad-HP-Laptop-15-dy2xxx:~/Documents/eduplatform$
```

10. Final Pylint results and before/after comparison:

Comparison Table

Metric	Before	After	Change
Pylint score	2.33/10	1.69/10	-0.64 (worse)
Total findings	1,601	1,556	-45 (-2.8%)
Convention (C)	1,083	1,016	-67 (-6.2%)
Warnings (W)	423	417	-6 (-1.4%)
Refactor (R)	58	57	-1 (-1.7%)
Errors (E)	37	66	+29 (+78%)

Did the score improve?

No, it got worse, dropping from 2.33 to 1.69, even though the *total* number of findings went down slightly. This is the key trap in this exercise: fewer total warnings $\neq$ better score, because pylint's score formula weights Errors much more heavily than Convention/Warning/Refactor issues (errors are weighted 5x). A drop of 45 total findings was completely swamped by 29 new Errors.

Which categories improved most?

- **Convention (C)** improved the most in raw numbers (-67), mostly from:
 - Trailing whitespace: 939 → 881 (-58)
 - Invalid naming (C0103): 38 → 29 (-9)
 - Import-outside-toplevel (C0415): 10 → 6 (-4)
- **Refactoring** had one genuine win: R0913 (too-many-arguments) dropped sharply, 18 → 7, suggesting some functions were refactored to take fewer parameters.

Did new issues appear because of the modifications?

Yes, several and this is what tanked the score:

- **E0402 (relative import beyond top-level): 0 → 43.** This didn't exist at all before and is now the single biggest new problem — it means import paths were broken during editing.
- **E0401 (unable to import / import-error): 5 → 18** — a direct consequence of the broken imports above; modules can no longer even be resolved.
- **W0101 (unreachable code): 0 → 1** — a real logic bug introduced.
- **C0304 (missing final newline): 0 → 1** — new formatting slip.
- **C0116 (missing function docstring): 0 → 3** — new functions added without docstrings.
- **R0201 (method-could-be-a-function): 16 → 30** — nearly doubled, suggesting refactoring left several methods that no longer use `self`.
- Minor regressions: C0411 (import order) 5→6, W0611 (unused imports) 57→60, W0703 (broad except) 15→16, W0622 (redefined builtin) 8→9.

Does the numerical improvement accurately represent code quality?

There effectively *is no numerical improvement*, the score fairly reflects that quality regressed. But it's worth understanding **why** the score is the right signal here, not the raw count:

- If you only looked at "total findings: 1601 → 1556," you'd assume things got better. That would be **misleading**.
- The score correctly punishes what actually matters more: **you broke the import system**. E0402/E0401 aren't stylistic nitpicks — they mean pylint (and likely Python itself, depending on how the package is invoked) can no longer resolve several modules. That's a functional regression, not cosmetic.
- Meanwhile, most of the "improvement" in the Convention bucket is shallow (whitespace cleanup) real, but low-impact compared to breaking imports.

Why the score didn't improve

In short: **the edits fixed cosmetic issues (whitespace, some naming, some over-long argument lists) but introduced a structural regression in the import system** (new `E0402/E0401` errors), plus a few new logic/style issues (`W0101` unreachable code, missing docstrings, more non-`self`-using methods). Because pylint's score formula weights Errors 5x more heavily than Convention/Warning/Refactor findings, that handful of new import errors outweighed all the whitespace cleanup, driving the score down from 2.33 to 1.69 even though the total finding count dropped.

11. Discussion of automated analysis vs human review:

1. What did Pylint detect well?

Pylint was very good at catching **mechanical, rule-based problems**, things you can check just by looking at the code's shape, without understanding what it's supposed to do:

- Style issues: trailing whitespace, lines too long, bad indentation.
- Naming rules: `df`, `e`, `T` not matching the expected naming style.
- Unused stuff: unused imports, unused variables (like `workbook` in `export_utils.py`).
- Import problems: imports that fail, imports placed inside functions instead of at the top.
- Size limits: too many arguments, too many local variables, too many statements in one method (this is how it caught `register_user` being too long).
- Basic exception-handling mistakes: catching a bare `except:` with no exception type, or catching `Exception` too broadly, or re-raising without `raise ... from e`.
- Copy-pasted code — but only when it's copied **across different files**, not within the same file (more on this below).

2. What needed a human to catch?

Several of the most serious problems in the project were things Pylint could never see, because they're about **whether the code is correct or well-designed**, not about its shape:

- **A broken password-reset flow.** The reset token never actually stored the user's email, so the reset feature could never work. The code looked fine and even had docstrings, a linter has no way to know the logic doesn't connect.
- **A wrong calculation from a magic number.** `submission_rate = total_submissions / 25` assumed every class has exactly 25 students. This gives wrong numbers for any other class size, but `25` is just an ordinary number to Pylint, nothing about it looks wrong.

- **Duplicated logic within the same file.** `export_service.py` repeated the same ~25-line export-and-manifest block three times, but with different variable names each time. Pylint's duplicate-code checker compares lines fairly literally, so different names made it invisible.
- **Two conflicting systems for the same idea.** The `Student` class kept its own private `_grades` dictionary, completely separate from the "real" `Grade/GradeService` system used everywhere else. Both pieces of code were fine on their own — the problem only exists when you compare them and notice grades recorded one way never show up the other way. That kind of cross-file, "do these two things actually agree with each other" reasoning is something only a human reading both files can do.
- **Debug `print()` statements used as logging**, some of them printing personal information (name, email, phone, address). Pylint has no rule against `print()` at all, and doesn't think about privacy.

3. Did Pylint report anything not worth fixing?

Yes, a few examples:

- **R0801 duplicate-code on the imports in `user_repository.py` and `auth_service.py`.** Both files import the same five model classes (`User`, `Student`, `Teacher`, `Parent`, `Admin`). This isn't real duplication of logic, it's just two files needing the same imports because they both work with all user types. "Fixing" it would mean something artificial like re-exporting from a shared module for no real benefit. I'd treat this as a false positive.
- **`fail-under=10.0`** isn't a code issue exactly, but it's an unrealistic default setting: requiring a perfect 10/10 score just to pass would block basically every commit on a real project. Not wrong, just not a useful bar to hold the team to.
- Some of the **naming complaints** (like flagging `df` for a pandas DataFrame) are technically correct but not worth acting on, since `df` is such a standard, well-understood convention in that ecosystem that renaming it would only hurt readability.

4. Can a program score high on Pylint and still be badly designed?

Yes, and this project proves it. A file can be clean by Pylint's rules — good naming, short methods, no unused imports, while still being badly designed underneath. For example:

- `export_service.py` could, in principle, get individual methods that each look small and tidy, while still having the *same* block of logic pasted three times across the file. Pylint sees three well-formed methods; a human sees one idea that should be one method.
- The `Student` model's private grade-tracking and the real `GradeService` system could both individually pass every Pylint check — sensible names, reasonable method lengths,

docstrings present, while being a serious design flaw *together*, because they quietly disagree about where grades live.

- The broken password-reset flow read perfectly fine line-by-line (good names, a docstring, no unused variables) while being completely non-functional.

5. Should static analysis replace human review, complement it, or only be used occasionally?

Complement it not replace it, and not just occasionally either. It should run on every change, but as a first pass, not the final word.

Reasoning:

- Static analysis is fast, consistent, and never gets tired, perfect for catching the mechanical stuff (naming, unused imports, overly long methods, obviously bad exception handling) on every single commit. Doing this by hand every time would be a waste of a person's attention.
- But as shown above, static analysis has no idea whether the code is *correct*, whether two parts of the system *agree* with each other, or whether a number like *25* represents a real assumption that will break. Only a human who understands the feature can catch that.
- Using it "only occasionally" would be worse than not having it at all in a way, problems would pile up between check-ins, making them harder to trace and fix.

12. Git commit history showing the progression of the work:

```

saad@saad-HP-Laptop-15-dy2xxx:~/Documents/eduplatform$ git log --oneline
e76a0b8 (HEAD -> static-analysis-assignment, origin/static-analysis-assignment) Comparison report, analyzing difference between static analysis and human review
7b46857 Add regression tests, fix bugs while testing, all test passed
45a2754 improving/refactoring the code
ff8ce84 configuring the static analysis tool
1570f7d manual code reviewing, finding problems, suggesting solution
19cb4dc justification on findings, classifying
26cfa0f detailed investigation, finding original code, explaining problem
388ac7e Initial pylint report analysis, classifying the documents
66f1a17 Baseline imported from original project
67b398d (origin/main, origin/HEAD, main) README.md cleanup
01e6138 Update .gitignore and clean up repository
c239815 Initial commit: Add EduPlatform CLI with user management and notifications
saad@saad-HP-Laptop-15-dy2xxx:~/Documents/eduplatform$

```

Commits

static-analysis-as...	All users	All time
Commits on Sep 27, 2026		
Comparison report, analyzing difference between static analysis and human review	e76a0b8	
muhammadsaad0077 committed 34 minutes ago		
Add regression tests, fix bugs while testing, all test passed	7b46857	
muhammadsaad0077 committed 1 hour ago		
improving/refactoring the code	45a2754	
muhammadsaad0077 committed 14 hours ago		
configuring the static analysis tool	ff8ce84	
muhammadsaad0077 committed 15 hours ago		
Commits on Sep 26, 2026		
manual code reviewing, finding problems, suggesting solution	1570f7d	
muhammadsaad0077 committed yesterday		
Commits on Sep 25, 2026		
justification on findings, classifying	19cb4dc	
muhammadsaad0077 committed 2 days ago		
detailed investigation, finding original code, explaining problem	26cfa0f	
muhammadsaad0077 committed 2 days ago		
Commits on Sep 24, 2026		
Initial pylint report analysis, classifying the documents	388ac7e	
muhammadsaad0077 committed 3 days ago		
Commits on Sep 15, 2026		
Baseline imported from original project	66f1a17	
muhammadsaad0077 committed 2 weeks ago		