

# jQuery Day 2: Effects, Animations & Class Manipulation

## Slide 1: Introduction to jQuery Effects

**Explanation:** jQuery provides simple methods to create visual effects. Instead of writing complex CSS animations, we can show, hide, or fade elements with a single line of code. This makes the website feel interactive and modern.

### Common Methods:

- `.hide()` / `.show()`: Instantly removes or displays an element.
- `.toggle()`: Switches between hide and show.

### Task List (Basic):

- **Task 1:** Create a button that hides a specific `<div>` when clicked.
- **Task 2:** Create a button that toggles (shows/hides) a paragraph every time it's clicked.
- **Task 3:** Hide an `<h1>` tag with a slow speed (e.g., 2000ms).

### Code for Task 3:

JavaScript

```
$("#h1").hide(2000); // 2000ms = 2 seconds
```

---

## Slide 2: Fading & Sliding Effects

**Explanation:** Fading changes the transparency (opacity) of an element, while Sliding moves the element up or down. These are smoother than simple hide/show.

**Methods:**

- `.fadeIn()` / `.fadeOut()`: Smoothly shows or hides an element.
- `.slideDown()` / `.slideUp()`: Moves the element like a curtain.

**Task List (Visual):**

- **Task 1:** Make an image `fadeOut` when the mouse enters it.
- **Task 2:** Create a "FAQ" style box where clicking a question `slideDown` the answer.
- **Task 3:** Use `fadeIn` to show a hidden message after a button click.
- **Task 4:** Create a button that `slideToggle` a menu list.

**Code for Task 2:**

JavaScript

```
$("#question").click(function(){  
    $("#answer").slideDown();  
});
```

---

## Slide 3: Class Manipulation (Adding/Removing Styles)

**Explanation:** Instead of changing individual CSS properties, we can add or remove entire CSS classes. This is the professional way to handle themes and states (like active or disabled).

**Methods:**

- `.addClass()`: Adds one or more classes to an element.
- `.removeClass()`: Removes classes.
- `.toggleClass()`: Best for switching between two states (e.g., Dark/Light mode).

### Task List (Styling):

- **Task 1:** Add a class called `.active` (with a border) to a button when it's clicked.
- **Task 2:** Remove a class `.error` from a text box when the user starts typing.
- **Task 3:** Use `toggleClass` to change a box from a "Square" to a "Circle" on click.

### Code for Task 3:

JavaScript

```
$(".box").click(function(){  
    $(this).toggleClass("circle"); // circle class in CSS: border-radius: 50%  
});
```

---

### Slide 4: Understanding `$(this)` in Action

**Explanation:** `$(this)` refers to the specific element that triggered the event. It is essential when you have multiple similar elements (like 10 buttons) and you only want to affect the one that was clicked.

### Task List (Logic):

- **Task 1:** Create 3 boxes. When any box is clicked, only *that* box should `fadeOut`.
- **Task 2:** Create a list of 5 items. When you hover over an item, change *only its* color to red using `$(this)`.
- **Task 3:** Click a button to change its own text to "Processing..."

### Code for Task 1:

JavaScript

```
$(".box").click(function(){  
    $(this).fadeOut();  
});
```

---

## Slide 5: Chaining Actions

**Explanation:** Chaining allows us to run multiple jQuery commands, one after the other, on the same element. It makes the code cleaner and faster.

### Task List (Animation):

- **Task 1:** Click a button to make a heading `slideUp`, then `slideDown`, then change its color to green.
- **Task 2:** Hide a box, change its text, and then `fadeIn` in a single line of code.
- **Task 3:** Make an image smaller (using CSS) and then `fadeOut`.

### Code for Task 1:

JavaScript

```
$("#h1").slideUp(1000).slideDown(1000).css("color", "green");
```

---

# Final Activity for Students

## "The Interactive Feedback Form"

1. Create a simple form with a "Submit" button.
2. When the user clicks "Submit":
  - The button text should change to "Sending..." using `$(this)`.
  - A "Success Message" `<div>` (initially hidden) should `fadeIn`.
  - The input field should get a green border using `.addClass()`.
3. If they click a "Reset" button, use `removeClass()` to clear the styling.

---