Name : Muhammad Usman

Class: CS

Section: E

Roll No: 14

Lab No: 04

Submitted TO: **Sir Asad Majeed**

Lab 04

Task - 1

```
# include <iostream>
using namespace std;
int main () {
        Int num;
cout <<"Enter number";
Cin >> num;
if (num% 2 == 0)
 Cout << "Even";
else
  cout <<" odd";
return 0;
}
```

main.cpp

Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int num;
    cout << "Enter number: ";
    cin >> num;
    if (num % 2 == 0)
        cout << "Even";
    else
        cout << "Odd";
    return 0;
}
```

Output

```
Enter number: 025
Odd5
```

Task - 02

```
# include <iostream>
Using namespace std;
 int main ( ) {
    int num;
   Cout<< "Enter number";
   Cin >> num;
  if (num>0) cout <<"positive";
  else if (num<0) cout <<"Negative"
  else cout << "zero";
  return 0
   }
```

main.cpp

Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int num;
    cout << "Enter number: ";
    cin >> num;
    if (num > 0) cout << "Positive";
    else if (num < 0) cout << "Negative";
    else cout << "Zero";
    return 0;
}
```

Output

```
Enter number:
```

Task-3

```
# include <iostream>
Using namespace std;
int main () {
Int a,b,c;
    Cout <<" Enter 3 numbers: ";
    Cin >> a >> b >> c;
    if (a>=b && a>=c) cout <<a <<"is largest";
else if (b>=a && b>=c) cout <<b<<"is largest;
else cout << c <<"is largest";
return 0
}
```

main.cpp

Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int a,b,c;
    cout << "Enter 3 numbers: ";
    cin >> a >> b >> c;
    if (a>=b && a>=c) cout << a << " is largest";
    else if (b>=a && b>=c) cout << b << " is
largest";
    else cout << c << " is largest";
    return 0;
}
```

Output

```
Enter 3 numbers:
```

Home Task -1

```
#include <iostream>
Using namespace std;
int main () {
        int marks;
       Cout<<"Enter marks; ";
   Cin >> marks;
if(mark>=90) Cout<<"Grade A";
else if (marks>=80) Cout<<"Grade B";
else if (marks>=70) Cout<<"Grade C";
else if (marks>=60) Cout<<"Grade D";
else Count<<"Fail";
return   0;
  }
```

main.cpp

Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int marks;
    cout << "Enter marks: ";
    cin >> marks;
    if (marks >= 90) cout << "Grade A";
    else if (marks >= 80) cout << "Grade B";
    else if (marks >= 70) cout << "Grade C";
    else if (marks >= 60) cout << "Grade D";
    else cout << "Fail";
    return 0;
}
```

Output

```
Enter marks:
```

Home Task -02

```
# including <iostream>
Using namespace std;
int main ()  {
    Int year;
   Cout <<"Enter year: ";
   Cin >> year;
  if ((year%400==0) ||(year%4==0 && year%100!=
   Cout<<"Leap year";
 else
 Cout<< "Not Leap year";
  return   0;
   }
```

main.cpp

Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    int year;
    cout << "Enter year: ";
    cin >> year;
    if ((year%400==0) || (year%4==0 && year%100!=0))
        cout << "Leap Year";
    else
        cout << "Not Leap Year";
    return 0;
}
```

Output

```
Enter year:
```

Bonus Task

```
# include <iostream>
Using namespace std;
  int main () {
    Char op; double n1,n2;
  Cout<<"Enter operator (+,-*,/): ";
  Cin >> op;
  Cout <<"Enter two numbers: ";
  cin >> n1 >> n2
  if (op=='-') Cout<< n1+n2;
 else if (op=='-') cout<< n1-n2;
 else if (op=='*') cout << n1 * n2;
  else if (op=='/') {
  if (n2!=0) cout<< n1/n2
  else cout << "cannot divide by zero;
   }
   return  0;
     }
```

main.cpp

Run ▶

```cpp
#include <iostream>
using namespace std;
int main() {
    char op; double n1,n2;
    cout << "Enter operator (+,-,*,/): ";
    cin >> op;
    cout << "Enter two numbers: ";
    cin >> n1 >> n2;
    if (op=='+') cout << n1+n2;
    else if (op=='-') cout << n1-n2;
    else if (op=='*') cout << n1*n2;
    else if (op=='/') {
        if (n2!=0) cout << n1/n2;
        else cout << "Cannot divide by zero";
    }
    return 0;
}
```

Output

```
Enter operator (+,-,*,/):
```