

KELOMPOK 2

Nama :

Muhammad Zidan Fadillah : 312210277

Muhammad Verd Hasan Alhafiz : 312210214

Sahrul Ridwansyah : 312210063

Kelas : TI.22.A.2

Dosen Pengampu : Agung Nugroho, S.Kom., M.Kom

Tugas Project Ujian Akhir Semester

1. Pertama kita membuat database terlebih dahulu dengan menggunakan mysql dengan menggunakan dbcheklist

Table user

```

CREATE TABLE IF NOT EXISTS `db_checklist`.`users` (
  `id` INT NOT NULL AUTO_INCREMENT,
  `username` VARCHAR(100) NULL,
  `password` VARCHAR(100) NULL,
  `nama` VARCHAR(200) NULL,
  `email` VARCHAR(200) NULL,
  `status` TINYINT(1) NULL,
  `role` TINYINT(1) NULL DEFAULT 2 COMMENT '1:Admin\n2:User',
  PRIMARY KEY (`id`),
  UNIQUE INDEX `username_UNIQUE` (`username` ASC),
  UNIQUE INDEX `email_UNIQUE` (`email` ASC))
ENGINE = InnoDB

```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	<code>id</code>	<code>int(11)</code>			No	<code>None</code>		<code>Change</code> <code>Drop</code> <code>More</code>	
2	<code>username</code>	<code>varchar(100)</code>	<code>utf8mb4_general_ci</code>		Yes	<code>NULL</code>		<code>Change</code> <code>Drop</code> <code>More</code>	
3	<code>pass</code>	<code>varchar(100)</code>	<code>utf8mb4_general_ci</code>		Yes	<code>NULL</code>		<code>Change</code> <code>Drop</code> <code>More</code>	
4	<code>nama</code>	<code>varchar(200)</code>	<code>utf8mb4_general_ci</code>		Yes	<code>NULL</code>		<code>Change</code> <code>Drop</code> <code>More</code>	
5	<code>email</code>	<code>varchar(200)</code>	<code>utf8mb4_general_ci</code>		Yes	<code>NULL</code>		<code>Change</code> <code>Drop</code> <code>More</code>	
6	<code>stat</code>	<code>varchar(10)</code>	<code>utf8mb4_general_ci</code>		Yes	<code>NULL</code>		<code>Change</code> <code>Drop</code> <code>More</code>	
7	<code>rol</code>	<code>varchar(10)</code>	<code>utf8mb4_general_ci</code>		Yes	<code>NULL</code>		<code>Change</code> <code>Drop</code> <code>More</code>	

With selected: [Browse](#) [Change](#) [Drop](#) [Primary](#) [Unique](#) [Index](#) [Spatial](#) [Fulltext](#) [Add to central columns](#)

[Remove from central columns](#)

[Print](#) [Propose table structure](#) [Track table](#) [Move columns](#) [Normalize](#)

Add column(s) after `rol` [Go](#)

Console

Table toilet

```

CREATE TABLE IF NOT EXISTS `mydb`.`toilet` (
  `id` INT NOT NULL AUTO_INCREMENT,
  `lokasi` VARCHAR(45) NULL,
  `keterangan` VARCHAR(45) NULL,
  PRIMARY KEY (`id`)
)
ENGINE = InnoDB

```

The screenshot shows the phpMyAdmin interface for the 'toilet' table in the 'db_checklist' database. The table structure is as follows:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	int(11)			No	None			Change Drop More
2	lokasi	varchar(45)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	keterangan	varchar(45)	utf8mb4_general_ci		Yes	NULL			Change Drop More

Indexes:

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	id	9	A	No	

Table checklist

```

CREATE TABLE IF NOT EXISTS `mydb`.`checklist` (
  `id` INT NOT NULL AUTO_INCREMENT,
  `tanggal` DATETIME NULL,
  `toilet_id` INT NOT NULL,
  `kloset` TINYINT(1) NULL,
  `wastafel` TINYINT(1) NULL,

```

```
`lantai` TINYINT(1) NULL,  
`dinding` TINYINT(1) NULL,  
`kaca` TINYINT(1) NULL,  
`bau` TINYINT(1) NULL,  
`sabun` TINYINT(1) NULL,  
`users_id` INT NOT NULL,  
PRIMARY KEY (`id`),  
INDEX `fk_checklist_toilet_idx` (`toilet_id` ASC),  
INDEX `fk_checklist_users1_idx` (`users_id` ASC),  
CONSTRAINT `fk_checklist_toilet`  
FOREIGN KEY (`toilet_id`)  
REFERENCES `mydb`.`toilet` (`id`)  
ON DELETE NO ACTION  
ON UPDATE NO ACTION,  
CONSTRAINT `fk_checklist_users1`  
FOREIGN KEY (`users_id`)  
REFERENCES `mydb`.`users` (`id`)  
ON DELETE NO ACTION  
ON UPDATE NO ACTION)  
ENGINE = InnoDB
```

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	int(11)			No	None			Change Drop More
2	tanggal	datetime			Yes	NULL			Change Drop More
3	toilet_id	int(11)			No	None			Change Drop More
4	kloset	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	wastafel	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
6	lantai	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
7	dinding	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
8	kaca	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
9	bau	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
10	sabun	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
11	users_id	int(11)			No	None			Change Drop More

2. Kemudian kita disini membuat tampilan dan isi data dengan menggunakan vs code

Pertama kita membuat Koneksi.php terlebih dahulu

```

<?php
$host = "localhost";
$user = "root";
$pass = "";
$db = "db_checklist";
$conn = mysqli_connect($host, $user, $pass, $db);
?>

```

Kemudian kita membuat form Login.php dengan username dan password

UAS

```

25  <!DOCTYPE html>
26  <html lang="en">
27  <head>
28      <meta charset="UTF-8">
29      <title>Web Checklist Toilet</title>
30      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-"
31  </head>
32  <body style="margin-top: 30px; background-color: #FFFFFF;">
33      <div class="container" style="background-color: #0000FF; width: 70%; padding: 20px;">
34          <h1 style="color: #FFFFFF; text-align: center;">DATA CHECKLIST KEBERSIHAN TOILET</h1><br>
35          <h2 style="color: #FFFFFF; text-align: center;">LOGIN</h2><br>
36          <form method="POST">
37              <div class="mb-3 row" style="background-color: #FFFFFF;">
38                  <label for="staticEmail" class="col-sm-2 col-form-label" style="color: #FFFFFF;">Username</label>
39                  <div class="col-sm-10">
40                      <input style="color: #000000;" type="text" class="form-control" id="staticEmail" placeholder="Username" name="username">
41                  </div>
42              </div>
43              <br>
44              <div class="mb-3 row" style="background-color: #0000FF;">
45                  <label for="inputPassword" class="col-sm-2 col-form-label" style="color: #FFFFFF;">Password</label>
46                  <div class="col-sm-10">
47                      <input type="password" class="form-control" id="inputPassword" placeholder="Password" accept="" name="password">
48                  </div>
49              </div>
50              <br>
51              <div class="submit">
52                  <button type="submit" name="submit" class="btn" style="background-color: #07948E; color: #FFFFFF; border: none;">Login</button>
53              </div>
54              <br>
55              <p style="color: #FFFFFF;">Belum memiliki akun??</p>
56              <a href="tam_login.php" style="color: #FFFFFF;">Buat Akun Baru</a>

```

Ln 27, Col 7 Spaces: 4 UTF-8 LF PHP 8.2 ⚡ Codeium: Login 🌐 Ninja 0:11 26/12/2023

UAS

```

51          <td style="color: #7eeef3;"><?php $row['kloset'];></td>
52          <td style="color: #7eeef3;"><?php $row['wastafel'];></td>
53          <td style="color: #7eeef3;"><?php $row['lantai'];></td>
54          <td style="color: #7eeef3;"><?php $row['dinding'];></td>
55          <td style="color: #7eeef3;"><?php $row['kaca'];></td>
56          <td style="color: #7eeef3;"><?php $row['bau'];></td>
57          <td style="color: #7eeef3;"><?php $row['sabun'];></td>
58          <td style="color: #7eeef3;"><?php $row['users_id'];></td>
59          <td style="color: #7eeef3;"><?php $row['id'];></td>
60      </tr>
61      <?php endwhile; else: ?>
62      <tr>
63          <td style="color: #7eeef3;" colspan="7">Belum ada data</td>
64      </tr>
65      <?php endif; ?>
66  </table>
67  </div><br><br>
68  <button class="btn" type="button" style="background-color: #07948E;"><a style="color: #7eeef3;" href="tambah.php">Tambah</a></button>
69  </div>
70  <div>
71      <button class="btn" type="button" style="background-color: #07948E;"><a style="color: #FFFFFF;" href="home.php">Kembali</a></button>
72  </div>
73  </div>
74  </body>
75  </html>

```

Ln 46, Col 58 Spaces: 4 UTF-8 LF PHP 8.2 ⚡ Codeium: Login 🌐 Ninja 0:13 26/12/2023

Disini kita membuat tam.login.php untuk daftar

A screenshot of a Windows desktop environment. In the center is a Codeium code editor window titled 'UAS'. The left sidebar shows a file tree for a project named 'UAS' containing files like db_checklist.sql, hap_toilet.php, hapus.php, home.php, ind_toilet.php, index.php, koneksi.php, login_session.php, login.php, tam_toilet.php, tambah.php, and ubah.php. The main editor area displays the content of 'tam_login.php'. The status bar at the bottom shows 'Ln 55, Col 61' and other system information. Below the editor is a taskbar with various icons and a search bar.

```
25 d>
26 <meta charset="UTF-8">
27 <title>Tambah Akun</title>
28 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-y style="margin-top: 30px; background-color: #FFFFFF;">
29 <div class="container" style="background-color: #0000FF; width: 30%; ">
30   <h1 style="color: #FFFFFF; text-align: center;>Tambah Akun</h1>
31   <div class="main">
32     <form method="post" action="tam_login.php" enctype="multipart/form-data">
33       <div class="input-group input-group-sm mb-3">
34         <span class="input-group-text" id="inputGroup-sizing-sm">Username</span>
35         <input type="text" name="username" class="form-control" aria-label="Sizing example input" aria-describedby="inputGroup-sizing-sm">
36       </div>
37       <div class="input-group input-group-sm mb-3">
38         <span class="input-group-text" id="inputGroup-sizing-sm">Password</span>
39         <input type="password" name="pass" class="form-control" aria-label="Sizing example input" aria-describedby="inputGroup-sizing-sm">
40       </div>
41       <div class="input-group input-group-sm mb-3">
42         <span class="input-group-text" id="inputGroup-sizing-sm">Nama</span>
43         <input type="text" name="nama" class="form-control" aria-label="Sizing example input" aria-describedby="inputGroup-sizing-sm">
44       </div>
45       <div class="input-group input-group-sm mb-3">
46         <span class="input-group-text" id="inputGroup-sizing-sm">E-mail</span>
47         <input type="text" name="email" class="form-control" aria-label="Sizing example input" aria-describedby="inputGroup-sizing-sm">
48       </div>
49       <div class="">
50         <h6 style="color: #FFFFFF;">Status</h6>
51         <select class="form-select" aria-label="Default select example" name="stat">
52           <option value="">>option
53           <option value="Aktif">Aktif</option>
54           <option value="Nonaktif">Non Aktif</option>
55         </select>
56       </div>
```

Jangan lupa membuat Login_season .php

A screenshot of a Windows desktop environment. In the center is a Codeium code editor window titled 'UAS'. The left sidebar shows a file tree for a project named 'UAS' containing files like db_checklist.sql, hap_toilet.php, hapus.php, home.php, ind_toilet.php, index.php, koneksi.php, login_session.php, login.php, tam_login.php, tam_toilet.php, tambah.php, and ubah.php. The main editor area displays the content of 'login_session.php'. The status bar at the bottom shows 'Ln 8, Col 3 (93 selected)' and other system information. Below the editor is a taskbar with various icons and a search bar.

```
<?php
session_start();
if (!isset($_SESSION['isLoggedIn'])) {
  header('location: login.php');
}
?>
```

Disini adalah bagian terpeling dalam pembuatan web pada Index.php

File Edit Selection View Go Run ... 🔍 UAS

EXPLORER UAS

- et.php
- tambah.php
- index.php
- koneksi.php
- login_session.php
- home.php
- login.php
- ubah.php
- ... ind_toilet.php
- index.php
- koneksi.php
- login_session.php
- home.php
- login.php
- ubah.php
- ... tam_login.php
- tambah.php
- ind_toilet.php

index.php

```
<?php
include("koneksi.php");
$q = "";
if (isset($_GET['submit']) && !empty($_GET['q'])) {
    $q = $_GET['q'];
    $sql_where = "WHERE tanggal LIKE '%".$q."%' or toilet_id LIKE '%".$q."%' or kloset LIKE '%".$q."%' or wastafel LIKE '%".$q."%'";
}
$title = 'Checklist Toilet';
$sql = 'SELECT * FROM checklist';
if (isset($sql_where))
    $sql .= $sql_where;
$result = mysqli_query($conn, $sql);
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Web Checklist Toilet</title>
    <link href="style.css" rel="stylesheet" type="text/css" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="
```

</head>

<body style="margin-top: 30px; background-color: #FFFFFF;">

<div class="container" style="background-color: #E0E0E0; width: 25%; padding: 10px;">

<div class="head">

<h1 style="color: #778899; font-size: 1.5em; margin-bottom: 10px;">Checklist Toilet

<form>

Ln 46, Col 58 Spaces: 4 UTF-8 LF PHP 8.2 ⚡ Ninja 0:13 26/12/2023

File Edit Selection View Go Run ... 🔍 UAS

EXPLORER UAS

- et.php
- tambah.php
- index.php
- koneksi.php
- login_session.php
- home.php
- login.php
- ubah.php
- ... ind_toilet.php
- index.php
- koneksi.php
- login_session.php
- home.php
- login.php
- ubah.php
- ... tam_login.php
- tambah.php
- ind_toilet.php

index.php

```
<input type="text" placeholder="Masukkan Pencarian" id="q" name="q" class="input-q" value="<?php echo $q ?>"/>
<button type="submit" name="submit" class="btn btn-primary">Cari</button>
</div>
</form>
</div>
<div class="main">
    <table class="table table-striped table-hover">
        <thead>
            <tr>
                <th style="color: #778899; text-align: left; padding: 8px;">Tanggal</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Kode Toilet</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Kloset</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Wastafel</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Lantai</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Dinding</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Kaca</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Bau</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Sabun</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Petugas</th>
                <th style="color: #778899; text-align: left; padding: 8px;">ID Barang</th>
                <th style="color: #778899; text-align: left; padding: 8px;">Aksi</th>
            </tr>
        </thead>
        <tbody>
            <?php if($result): ?>
            <?php while($row = mysqli_fetch_array($result)): ?>
            <tr>
                <td style="color: #778899; padding: 8px; vertical-align: top; text-align: center;"><?=$row['tanggal']?><?=$row['toilet_id']?><?=$row['kloset']?><?=$row['wastafel']?><?=$row['lantai']?><?=$row['dinding']?><?=$row['kaca']?><?=$row['bau']?><?=$row['petugas']?><?=$row['id_barang']?><?=$row['aksi']?>

Ln 46, Col 58 Spaces: 4 UTF-8 LF PHP 8.2 ⚡ Ninja 0:13 26/12/2023


```

The screenshot shows a code editor interface with a dark theme. The left sidebar has a tree view of files under a 'UAS' folder, including 'et.php', 'tambah.php', 'index.php', 'koneksi.php', 'login_session.php', 'home.php', 'hap_toilet.php', 'hapus.php', 'ind_toilet.php', 'index.php', and 'koneksi.php'. The main pane displays the 'login_session.php' file:

```
<?php  
session_start();  
  
if (!isset($_SESSION['isLoggedIn']))  
header('location: login.php');  
?>
```

The status bar at the bottom shows 'Ln 8, Col 3 (93 selected) Spaces: 4 UTF-8 LF PHP 8.2'.


Kemudian kita membuat menu Home.php

The screenshot shows a code editor interface with a light theme. The left sidebar has a tree view of files under a 'UAS' folder, including 'et.php', 'tambah.php', 'index.php', 'koneksi.php', 'login_session.php', 'home.php', 'login.php', 'ubah.php', and 'tam_login.php'. The main pane displays the 'home.php' file:

```
<?php  
session_start();  
$title = 'Home';  
include_once 'koneksi.php';  
?>  
  
<!DOCTYPE html>  
<html lang="en">  
<head>  
    <meta charset="UTF-8">  
    <title>Web Checklist Toilet</title>  
    <link href="style.css" rel="stylesheet"  
    <link href="https://cdn.jsdelivr.net_nest_Indicates the desired height of glyphs from the font. For scalable fonts, the font-size is a scale factor applied to the EM unit of the font. (Note that certain glyphs may bleed outside their EM box.) For non-scalable fonts, the font-size is converted into absolute units and matched against the declared font-size of the font, using the same absolute coordinate space for both of the matched values.  
        <head>  
            <body style="margin-top: 30px; background-color: #f0f0f0;">  
                <h1 style="color: #000000; text-align: center; font-size: 2em; margin-bottom: 10px;">Web Checklist Toilet</h1>  
                <div class="container" style="width: 80%; margin: auto; border: 1px solid #ccc; padding: 10px; border-radius: 5px; background-color: #fff; position: relative;">  
                    <ul class="list-group" style="list-style-type: none; padding-left: 0; margin: 0; position: absolute; top: -10px; left: 50%; transform: translateX(-50%);>  
                        <li class="list-group-item" style="font-size: 1em; color: #000000; font-weight: bold; margin-bottom: 5px;"><a href="#">Home</a></li>  
                        <li class="list-group-item" style="font-size: 1em; color: #000000; font-weight: bold; margin-bottom: 5px;"><a href="#">Logout</a></li>  
                    </ul>  
                    <div class="d-grid gap-2 container" style="width: 50%; margin: auto; border: 1px solid #ccc; padding: 10px; border-radius: 5px; background-color: #fff; position: relative;">  
                        <button class="btn" type="button" style="background-color: #007bff; color: white; border: 1px solid #007bff; padding: 5px; border-radius: 3px; width: 100%; font-size: 1em; font-weight: bold; margin-bottom: 10px;">Login</button>  
                        <button class="btn" type="button" style="background-color: #6c757d; color: white; border: 1px solid #6c757d; padding: 5px; border-radius: 3px; width: 100%; font-size: 1em; font-weight: bold; margin-bottom: 10px;">Logout</button>  
                    </div>  
                </div>  
            </body>  
        </html>
```


The status bar at the bottom shows 'Ln 26, Col 75 (7 selected) Spaces: 4 UTF-8 LF PHP 8.2'.

Disini kita ada membuat menu tambah.php untuk menambah sesuatu yang di inginkan



The screenshot shows the Codeium IDE interface with the 'tambah.php' file open. The code is a form for adding data to a database. It includes fields for Tanggal, Kode Toilet, Kode Petugas, and Kloset. The Kloset field is a dropdown menu with options: Wastafel, Bersih, Kotor, and Rusak.

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Tambah Data</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-GLhlTQ5nKy6eIv8DIdntO3MPZd18C6hu9pPbmktDQ3mPp07z1mejcS4aHnI4ae" crossorigin="anonymous">
</head>
<body style="margin-top: 30px; background-color: #FFFFFF;">
    <div class="container" style="background-color: #0000FF; width: 50%; padding: 30px;">
        <h1 style="color: #FFFFFF; text-align: center;">Tambah Data</h1>
        <div class="main">
            <form method="post" action="tambah.php" enctype="multipart/form-data">
                <div class="input-group">
                    <span class="input-group-text">Tanggal</span>
                    <input class="form-control" type="date" name="tanggal" data-date-format="DD/MMM/YYYY" placeholder="dd/mm/yyyy" />
                </div><br>
                <div class="input-group">
                    <span class="input-group-text">Kode Toilet</span>
                    <input class="form-control" type="text" name="toilet_id" />
                </div><br>
                <div class="input-group">
                    <span class="input-group-text">Kode Petugas</span>
                    <input class="form-control" type="text" name="users_id" />
                </div>
                <div class="input">
                    <label style="color: #FFFFFF;">Kloset</label>
                    <select class="form-select" aria-label="Default select example" name="kloset">
                        <option value="Wastafel">Wastafel</option>
                        <option value="Bersih">Bersih</option>
                        <option value="Kotor">Kotor</option>
                        <option value="Rusak">Rusak</option>
                    </select>
                </div>
                <div class="input">
                    <label style="color: #FFFFFF;">Lantai</label>
                    <select class="form-select" aria-label="Default select example" name="lantai">
                        <option value="Wastafel">Wastafel</option>
                        <option value="Bersih">Bersih</option>
                        <option value="Kotor">Kotor</option>
                        <option value="Rusak">Rusak</option>
                    </select>
                </div>
                <div class="input">
                    <label style="color: #FFFFFF;">Dinding</label>
                    <select class="form-select" aria-label="Default select example" name="dinding">
                        <option value="Wastafel">Wastafel</option>
                        <option value="Bersih">Bersih</option>
                        <option value="Kotor">Kotor</option>
                        <option value="Rusak">Rusak</option>
                    </select>
                </div>
                <div class="input">
                    <label style="color: #FFFFFF;">Kaca</label>
                    <select class="form-select" aria-label="Default select example" name="kaca">
                        <option value="Wastafel">Wastafel</option>
                        <option value="Bersih">Bersih</option>
                        <option value="Kotor">Kotor</option>
                        <option value="Rusak">Rusak</option>
                    </select>
                </div>
            </form>
        </div>
    </div>
</body>
```



The second screenshot shows the same IDE interface with more code added to the 'tambah.php' file. The new code defines dropdown menus for Wastafel, Lantai, Dinding, and Kaca, each with four options: Bersih, Kotor, Rusak, and Wastafel.

```
<select>
</div>
<div class="input">
    <label style="color: #FFFFFF;">Wastafel</label>
    <select class="form-select" aria-label="Default select example" name="wastafel">
        <option value="Wastafel">Wastafel</option>
        <option value="Bersih">Bersih</option>
        <option value="Kotor">Kotor</option>
        <option value="Rusak">Rusak</option>
    </select>
</div>
<div class="input">
    <label style="color: #FFFFFF;">Lantai</label>
    <select class="form-select" aria-label="Default select example" name="lantai">
        <option value="Wastafel">Wastafel</option>
        <option value="Bersih">Bersih</option>
        <option value="Kotor">Kotor</option>
        <option value="Rusak">Rusak</option>
    </select>
</div>
<div class="input">
    <label style="color: #FFFFFF;">Dinding</label>
    <select class="form-select" aria-label="Default select example" name="dinding">
        <option value="Wastafel">Wastafel</option>
        <option value="Bersih">Bersih</option>
        <option value="Kotor">Kotor</option>
        <option value="Rusak">Rusak</option>
    </select>
</div>
<div class="input">
    <label style="color: #FFFFFF;">Kaca</label>
    <select class="form-select" aria-label="Default select example" name="kaca">
        <option value="Wastafel">Wastafel</option>
        <option value="Bersih">Bersih</option>
        <option value="Kotor">Kotor</option>
        <option value="Rusak">Rusak</option>
    </select>
</div>
```

```
<option value="Rusak">Rusak</option>
    </select>
</div>
<div class="input">
    <label style="color: #FFFFFF;">Kaca</label>
    <select class="form-select" aria-label="Default select example" name="kaca">
        <option value=""></option>
        <option value="Bersih">Bersih</option>
        <option value="Kotor">Kotor</option>
        <option value="Rusak">Rusak</option>
    </select>
</div>
<div class="input">
    <label style="color: #FFFFFF;">Bau</label>
    <select class="form-select" aria-label="Default select example" name="bau">
        <option value=""></option>
        <option value="Ya">Ya</option>
        <option value="Tidak">Tidak</option>
    </select>
</div>
<div class="input">
    <label style="color: #FFFFFF;">Sabun</label>
    <select class="form-select" aria-label="Default select example" name="sabun">
        <option value=""></option>
        <option value="Ada">Ada</option>
        <option value="Habis">Habis</option>
        <option value="Hilang">Hilang</option>
    </select>
</div>
<br>
<input class="btn" style="background-color: #007948; color: #FFFFFF;" type="submit" name="submit" value="S
```

Selanjutnya kita membuat Ubah.php untuk mengubah yang kita inginkan

```
ng(E_ALL);
'koneksi.php';
OST['submit']);
OST['id'];
= $_POST['tanggal'];
d = $_POST['toilet_id'];
$_POST['kloset'];
= $_POST['wastafel'];
$_POST['lantai'];
= $_POST['dinding'];
$_POST['kaca'];
POST['bau'];
$_POST['sabun'];
= $_POST['users_id'];

DATE checklist_label = '$tanggal', toilet_id = '$toilet_id', kloset = '$kloset',
= '$wastafel', lantai = '$lantai', dinding = '$dinding', kaca = '$kaca',
au', sabun = '$sabun', users_id = '$users_id' ";
WHERE id = '($id)';
mysql_query($conn, $sql);

ocation: index.php';

ET['id'];
ELECT * FROM checklist WHERE id = '($id)'";
mysql_query($conn, $sql);
ult) die('Error: Data tidak tersedia');
ysql_fetch_array($result);
--
```

File Edit Selection View Go Run ... 🔍 UAS

EXPLORER et.php tambah.php index.php koneksi.php login_session.php home.php login.php ubah.php tam_login.php

```

ubah.php > ...
33
34     20 references | Codeium: Refactor | Explain | Generate Function Comment | X
35     is_select($var, $val) {
36         var == $val) return 'selected="selected"';
37     n false;
38
39
40     l>
41     n">
42
43     rset="UTF-8">
44     ah Data<title>
45     f="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-Ghlt
46
47
48     margin-top: 30px; background-color: #fffff;">
49     s="container" style="background-color: #0000ff; width: 50%; padding: 30px;">
50     tyle="color: #FFFFFF; text-align: center;">Ubah Data</h1>
51     class="main"
52     form method="post" action="ubah.php" enctype="multipart/form-data">
53         <div class="input-group">
54             <span class="input-group-text">Tanggal</span>
55             <input class="form-control" type="date" name="tanggal" data-date-format="DD/MMM/YYYY" placeholder="dd/mm/yyyy" value=">
56         </div><br>
57         <div class="input-group">
58             <span class="input-group-text">Kode Toilet</span>
59             <input class="form-control" type="text" name="toilet_id" value="<?php echo $data['toilet_id'];?>">
60         </div><br>
61         <div class="input-group">
62             <span class="input-group-text">Kode Petugas</span>
63             <input class="form-control" type="text" name="users_id" value="<?php echo $data['users_id'];?>">

```

Ln 122 Col 114 Spaces: 4 UTF-8 LF PHP 8.2 ⚡ Codeium: Login 🌐 Ninja 0:27 26/12/2023

File Edit Selection View Go Run ... 🔍 UAS


EXPLORER et.php tambah.php index.php koneksi.php login_session.php home.php login.php ubah.php tam_login.php

```

ubah.php > ...
61     <div class="input-group">
62         <span class="input-group-text">Kode Petugas:</span>
63         <input class="form-control" type="text" name="users_id" value="<?php echo $data['users_id'];?>">
64     </div>
65     <div class="input-group">
66         <label style="color: #FFFFFF;">Kloset</label>
67         <select class="form-select" aria-label="Default select example" name="kloset">
68             <option >?php echo is_select ('Bersih', $data['kloset']);?> value="Bersih">Bersih</option>
69             <option >?php echo is_select ('Kotor', $data['kloset']);?> value="Kotor">Kotor</option>
70             <option >?php echo is_select ('Rusak', $data['kloset']);?> value="Rusak">Rusak</option>
71         </select>
72     </div>
73     <div class="input-group">
74         <label style="color: #FFFFFF;">Wastafel</label>
75         <select class="form-select" aria-label="Default select example" name="wastafel">
76             <option >?php echo is_select ('Bersih', $data['wastafel']);?> value="Bersih">Bersih</option>
77             <option >?php echo is_select ('Kotor', $data['wastafel']);?> value="Kotor">Kotor</option>
78             <option >?php echo is_select ('Rusak', $data['wastafel']);?> value="Rusak">Rusak</option>
79         </select>
80     </div>
81     <div class="input-group">
82         <label style="color: #FFFFFF;">Lantai</label>
83         <select class="form-select" aria-label="Default select example" name="lantai">
84             <option >?php echo is_select ('Bersih', $data['lantai']);?> value="Bersih">Bersih</option>
85             <option >?php echo is_select ('Kotor', $data['lantai']);?> value="Kotor">Kotor</option>
86             <option >?php echo is_select ('Rusak', $data['lantai']);?> value="Rusak">Rusak</option>
87         </select>
88     </div>
89     <div class="input-group">
90         <label style="color: #FFFFFF;">Dinding</label>
91         <select class="form-select" aria-label="Default select example" name="dinding">
92             <option >?php echo is_select ('Bersih', $data['dinding']);?> value="Bersih">Bersih</option>

```


Ln 122 Col 114 Spaces: 4 UTF-8 LF PHP 8.2 ⚡ Codeium: Login 🌐 Ninja 0:27 26/12/2023



```
<option ><php echo is_select ('Bersih', $data['dinding']);?> value="Bersih">Bersih</option>
<option ><php echo is_select ('Kotor', $data['dinding']);?> value="Kotor">Kotor</option>
<option ><php echo is_select ('Rusak', $data['dinding']);?> value="Rusak">Rusak</option>
```


```
<option ><php echo is_select ('Ya', $data['bau']);?> value="Ya">Ya</option>
<option ><php echo is_select ('Tidak', $data['bau']);?> value="Tidak">Tidak</option>
```

```
<option ><php echo is_select ('Ada', $data['sabun']);?> value="Ada">Ada</option>
<option ><php echo is_select ('Habis', $data['sabun']);?> value="Habis">Habis</option>
<option ><php echo is_select ('Hilang', $data['sabun']);?> value="Hilang">Hilang</option>
```




```
<input type="hidden" name="id" value=<?php echo $data['id'];?>>">
<input class="tombol" type="submit" name="submit" value="Simpan" style="background-color: #07940e; color: #FFFFFF;">
```

Kita membuat menu Hapus.php untuk menghapus data yang diinginkan




```
<?php
include_once 'koneksi.php';
$id = $_GET['id'];
$sql = "DELETE FROM checklist WHERE id = '$id'";
$result = mysqli_query($conn, $sql);
header('location: index.php');
?>
```

Disini ada Ind_toilet bagian pada toilet mengatur isi pada toilet




```
<?php
include("koneksi.php");
$q = "";
if (isset($_GET['submit']) && !empty($_GET['q'])) {
    $q = $_GET['q'];
    $sql_where = "WHERE keterangan LIKE '%".$q."%' or lokasi LIKE '%".$q."%'";
}
$title = 'Toilet';
$sql = 'SELECT * FROM toilet ';
if (isset($sql_where)) {
    $sql .= $sql_where;
}
$result = mysqli_query($conn, $sql);
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Checklist Toilet</title>
    <link href="style.css" rel="stylesheet" type="text/css" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="
</head>
<body style="margin-top: 30px; background-color: #fffff;">
    <div class="container" style="background-color: #0000FF; width: 50%; padding: 30px;">
        <br><br>
        <div class="head">
            <h1 style="color: #FFFFFF;">Data Toilet</h1>
            <form>
                <div class="form-group" action="" method="get" >
                    <label for="q" style="color: #FFFFFF;">Cari Data Toilet</label>
                </div>
            </form>
        </div>
    </div>
</body>
```



```
<div class="main">
    <table class="table table-striped table-hover">
        <thead>
            <tr>
                <th style="color: #FFFFFF;">Kode Toilet</th>
                <th style="color: #FFFFFF;">Lokasi Toilet</th>
                <th style="color: #FFFFFF;">Keterangan</th>
                <th style="color: #FFFFFF;">Aksi</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <td style="color: #FFFFFF;"><?= $row['id'];></td>
                <td style="color: #FFFFFF;"><?= $row['lokasi'];></td>
                <td style="color: #FFFFFF;"><?= $row['keterangan'];></td>
                <td style="color: #FFFFFF;">
                    <button class="btn" type="button" style="background-color: #e4492e; width: 70%; "><a style="color: #FFFFF
                </td>
            </tr>
        </tbody>
    </table>
    <td style="color: #FFFFFF;" colspan="3">Belum ada data</td>

```



```
<td style="color: #FFFFFF;" colspan="3">Belum ada data</td>
</tr>
</tbody>
</table>
</div><br><br>
<div>
    <button class="btn" type="button" style="background-color: #07940e;"><a style="color: #FFFFFF" href="tam_toilet.php">TAM TOILET</a></button>
    <br>
    <button class="btn" type="button" style="background-color: #07940e;"><a style="color: #FFFFFF" href="home.php">KEMBALI</a></button>
</div>
```

Disini kita menambah data pada Tam_toilet

```
<?php
error_reporting(E_ALL);
include_once 'koneksi.php';

if (isset($_POST['submit'])) {
    $toilet_id = $_POST['toilet_id'];
    $lokasi = $_POST['lokasi'];
    $keterangan = $_POST['keterangan'];

    $sql = "INSERT INTO toilet (id, lokasi, keterangan)";
    $sql .= " VALUE ('{$toilet_id}', '{$lokasi}', '{$keterangan}')";
    $result = mysqli_query($conn, $sql);
    header('location: ind_toilet.php');
}
```

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>UAS Pem. Web 1</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="...>
</head>
<body style="margin-top: 30px; background-color: #0A2647;">
    <div class="container" style="background-color: #0000FF; width: 50%; padding: 30px;">
        <h1 style="color: #FFFFFF; text-align: center;">Tambah Data Toilet</h1>
        <div class="main">
            <form method="post" action="tam_toilet.php" enctype="multipart/form-data">
```

```
<h1 style="color: #FFFFFF; text-align: center;">Tambah Data Toilet</h1>
<div class="main">
    <form method="post" action="tam_toilet.php" enctype="multipart/form-data">
        <div class="input-group">
            <span class="input-group-text">Kode Toilet</span>
            <input class="form-control" type="text" name="toilet_id">
        </div>
        <div class="input">
            <label style="color: #FFFFFF;">Lokasi</label>
            <select class="form-select" aria-label="Default select example" name="lokasi">
                <option value=""></option>
                <option value="Office">Office</option>
                <option value="Factory 1">Factory 1</option>
                <option value="Factory 2">Factory 2</option>
                <option value="Security">Security</option>
            </select>
        </div>
        <div class="input">
            <label style="color: #FFFFFF;">Keterangan</label>
            <select class="form-select" aria-label="Default select example" name="keterangan">
                <option value=""></option>
                <option value="Sudah">Sudah</option>
                <option value="Belum">Belum</option>
            </select>
        </div>
        <input class="btn" style="background-color: #07948B; color: #FFFFFF;" type="submit" name="submit" value="Submit">
    </form>
</div>
</body>
</html>
```

Yang terakhir ada Hap_toilet untuk menghapus toilet


```
<?php
include_once 'koneksi.php';
$id = $_GET['id'];
$sql = "DELETE FROM toilet WHERE id = '$id'";
$result = mysqli_query($conn, $sql);
header('location: ind_toilet.php');
?>
```

3. Hasil dari codingan di atas


Tampilan daftar



Tampilan Login



Tampilan Menu



Tampilan Checklist Toilet

The screenshot shows a web application titled "Checklist Toilet". At the top, there is a search bar with placeholder text "Cari Data Toilet" and a button labeled "Cari". Below the search bar is a table with the following columns: Tanggal, Kode Toilet, Kloset, Wastafel, Lantai, Dinding, Kaca, Bau, Sabun, Petugas, ID Barang, and Aksi. The table contains 10 rows of data. Each row includes two buttons at the end: "Ubah Data" (blue) and "Hapus Data" (orange). The data in the table is as follows:

Tanggal	Kode Toilet	Kloset	Wastafel	Lantai	Dinding	Kaca	Bau	Sabun	Petugas	ID Barang	Aksi
0000-00-00 00:00:00	319	Rusak	Bersih	Kotor	Bersih	Kotor	Ya	Hilang	312110110	0	<button>Ubah Data</button> <button>Hapus Data</button>
0000-00-00 00:00:00	320	Bersih	Bersih	Bersih	Bersih	Bersih	Tidak	Ada	312110110	1	<button>Ubah Data</button> <button>Hapus Data</button>
0000-00-00 00:00:00	321	Bersih	Bersih	Bersih	Bersih	Bersih	Ya	Ada	312110110	2	<button>Ubah Data</button> <button>Hapus Data</button>
0000-00-00 00:00:00	322	Kotor	Bersih	Bersih	Bersih	Kotor	Ya	Ada	312110110	3	<button>Ubah Data</button> <button>Hapus Data</button>
0000-00-00 00:00:00	323	Bersih	Bersih	Bersih	Bersih	Bersih	Ya	Ada	312110110	4	<button>Ubah Data</button> <button>Hapus Data</button>
0000-00-00 00:00:00	324	Bersih	Bersih	Rusak	Bersih	Bersih	Ya	Ada	312110110	5	<button>Ubah Data</button> <button>Hapus Data</button>
0000-00-00 00:00:00	325	Bersih	Bersih	Bersih	Bersih	Bersih	Tidak	Habis	312110110	6	<button>Ubah Data</button> <button>Hapus Data</button>
0000-00-00 00:00:00	326	Bersih	Rusak	Kotor	Kotor	Bersih	Ya	Ada	312110110	7	<button>Ubah Data</button> <button>Hapus Data</button>
2023-11-11 00:00:00	327	Kotor	Kotor	Kotor	Kotor	Rusak	Ya	Hilang	312110110	8	<button>Ubah Data</button> <button>Hapus Data</button>

At the bottom of the page, there are two buttons: "Tambah Data Checklist" (green) and "Kembali" (green).

Tampilan Tambah Data

The screenshot shows a web application titled "Tambah Data". The form consists of several input fields with dropdown menus and a "Simpan" button. The fields are labeled: Tanggal, Kode Toilet, Kode Petugas, Kloset, Wastafel, Lantai, Dinding, Kaca, Bau, and Sabun.

At the bottom of the form is a green "Simpan" button.

Tampilan Ubah Data

Ubah Data

Tanggal dd/mm/yyyy

Kode Toilet 319

Kode Petugas 312110110

Kloset

Rusak

Wastafel

Bersih

Lantai

Kotor

Dinding

Bersih

Kaca

Kotor

Bau

Ya

Sabun

Hilang

Simpan

Tampilan Data Toilet

Cari Data Toilet Masukkan Pencarian Cari

Kode Toilet	Lokasi Toilet	Keterangan	Aksi
320	Security	Sudah	<button>Hapus Data</button>
321	Office	Sudah	<button>Hapus Data</button>
322	Factory 2	Sudah	<button>Hapus Data</button>
323	Office	Sudah	<button>Hapus Data</button>
324	Factory 1	Belum	<button>Hapus Data</button>
325	Factory 2	Belum	<button>Hapus Data</button>
326	Office	Belum	<button>Hapus Data</button>
327	Office	Belum	<button>Hapus Data</button>

Tambah Data Toilet

Kembali

Tampilan Tambah Data Toilet

The screenshot shows a Windows desktop environment. At the top, there is a taskbar with several open windows: 'Editing UAS-PEMROGRAMAN-' (active), 'Sistem Informasi Akademik', '13 Project UAS.pdf - Google Dr...', and 'UAS Pem. Web 1'. Below the taskbar is a search bar with placeholder text 'Type here to search' and a weather widget showing '32°C' and the date '26/12/2023'. The main content area displays a web page titled 'Tambah Data Toilet'. The page has a dark blue header and a white form section. The form contains three input fields labeled 'Kode Toilet', 'Lokasi', and 'Keterangan', each with a dropdown arrow at the end. Below the form is a green 'Simpan' button.