

Function Questions

Sample TestCase:

Input:

```
Salary = 102893
year = 6
```

Output:

108037.65

In []:

Q2. Write a function to check whether an alphabet is a vowel or consonant.**

Sample TestCase:

Input:

k

Output:

consonant

In []:

Q3. Write a function to print that slice of string.

Sample TestCase:

Input:

```
x = Hello Pentagon
n1 = 1
n2 = 4
```

Output:

ello

In []:

Q4. ISBN-10 identifiers are ten digits long. The first nine characters are digits 0-9. The last digit can be 0-9 or X, to indicate a value of 10. An ISBN-10 number is valid if the sum of the digits multiplied by their position modulo 11 equals zero.

For example:

ISBN: 1 1 1 2 2 2 3 3 3 9 position: 1 2 3 4 5 6 7 8 9 10 This is a valid ISBN, because:

```
(1*1 + 1*2 + 1*3 + 2*4 + 2*5 + 2*6 + 3*7 + 3*8 + 3*9 + 9*10) \% 11 = 0
```

Examples

```
1112223339 --> true
111222333 --> false
```

In []:

Q5 Write a function to find maximum minimum values from array.

	Input:	
	Input:	\neg
	num = {2,3,4,'A',5,6,'B',76,'Py',7,4,45j}	
	Output	
	Output:	\neg
	minimum: 2 maximum: 76	
_		
]:		
Q6. V Exan Input		
	num = {3,4,5,6,7,6,54,'Hello',45j,4.3,'Hello','3',7}	
Outn		
Outp		
	{3,6,7,'Hello'}	
]:		
Q7. v Exam	/rite a function to find sum of Array. ple:	
	input:	
	$x = \{2,3,4,5,6,7,8,5,4\}$	
	(=,=, 1,=,=, 1,	
	output:	
		\neg
	44	
	44	
]:	44	
	Vrite a function to reverse strating 5 index from string without using slicing.	
Q8. V Samı	Vrite a function to reverse strating 5 index from string without using slicing.	
Q8. V	Vrite a function to reverse strating 5 index from string without using slicing. Die TestCase:	
Q8. V Samı	Vrite a function to reverse strating 5 index from string without using slicing.	
Q8. V Samı	Vrite a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space	
Q8. V Samp Input	Vrite a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space	
Q8. V Samp Input	Vrite a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space ut:	
Q8. V Samp Input	Vrite a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space ut:	
Q8. V Samp Input	Vrite a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space ut:	
Q8. V Samp Input Outp	Write a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space ut: gatnePon Space Write a function which calculates the average of the numbers in a given array. Die TestCase:	
Q8. V Samp Input Outp	Virite a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space ut: gatnePon Space Virite a function which calculates the average of the numbers in a given array.	
Q8. V Samp Input Outp	Write a function to reverse strating 5 index from string without using slicing. Die TestCase: Pentagon Space ut: gatnePon Space Write a function which calculates the average of the numbers in a given array. Die TestCase:	
Q8. V Samp Input Outp	Vrite a function to reverse strating 5 index from string without using slicing. Die TestCase: : Pentagon Space ut: gatnePon Space Vrite a function which calculates the average of the numbers in a given array. Die TestCase: : {3.4,5,6,6,7,7,8,45,34}	

Example:

Q1	10. Write a function to print the min alphabetical character from the string.
Sa	imple TestCase:
Inp	put:
	HELLO PENTAGON SPACE
Ou	utput:
	A

Thank You!

If you have any queries please feel free to contact on "Vikash@pentagonspace.in".

In []: