

# MEPROS




SOLUTIONS FOR SHADING SYSTEMS

[www.mepros.com.tr](http://www.mepros.com.tr)

# MPS-W001

## Patented Design




3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

4 Samsung led chip is used in the product.

Voltage: 24V DC  
Current: 65mA  
Power: 1.5W  
Light Intensity: 130 LM  
Efficiency: %95  
Cable: 24 AWG



# MPS-P004



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

14 Samsung led chip is used in the product.

SAMSUNG

Voltage: 24V DC

Current: 150mA


Power: 3.6W

Light Intensity: 520 LM


Efficiency: %85

Cable: 22 AWG

02



# MPS-P005



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

3 Samsung led chip is used in the product.



Voltage: 24V DC

Current: 150mA

Power: 3.6W

Light Intensity: 222 LM

Efficiency: %95

Cable: 22 AWG



# MPS-P006



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

14 Samsung led chip is used in the product.

SAMSUNG

Voltage: 24V DC



Current: 150mA

Power: 3.6W


Light Intensity: 520 LM

Efficiency: %85

Cable: 22 AWG



# MPS-P003



14 Samsung led chip is used in the product.

**SAMSUNG**

Voltage: 24V DC



Current: 150mA

Power: 3.6W

Light Intensity: 520 LM

Efficiency: %85

Cable: 22 AWG



# MPS-P007

## Patented Design



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

7 Samsung led chip is used in the product.

SAMSUNG

Voltage: 24V DC

Current: 80mA


Power: 1.92W

Light Intensity: 277 LM

Efficiency: %95

Cable: 22 AWG

### Colour Options



Black





Anthracite  
Grey



Cream



White



# MPS-P008



## Patented Design



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

7 Samsung led chip is used in the product.



Voltage: 24V DC

Current: 80mA


Power: 1.92W

Light Intensity: 277 LM


Efficiency: %95

Cable: 22 AWG

SCREWLESS MOUNT ( Vidasız montaj yapılmaktadır. )



## Colour Options



Black



Anthracite  
Grey



Cream



White



# MPS-P009



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

14 Samsung led chip is used in the product. 

Voltage: 24V DC




Current: 150mA

Power: 3.6W

Light Intensity: 520 LM

Efficiency: %90

Cable: 20 AWG



# MPS-P010

## Patented Design



7 Samsung led chip is used in the product.

**SAMSUNG**

Voltage: 24V DC

Current: 80mA


Power: 1.92W

Light Intensity: 277 LM


Efficiency: %95

Cable: 22 AWG


Screwless Mount ( Vidasız montaj yapılmaktadır. )



### Colour Options



Black



Anthracite  
Grey



Cream



White

# MPS-B011

## Patented Design



3000K  
Warm White

4000/4100K  
Cool White


6500K  
Daylight

Led chip per meter 60.  
Led Type: Strip  
Current Rate Permeter: 1A  
Voltage: 12V DC  
Power: 12W  
Efficiency: %90  
Protection Class: IP68



# MPS-P011

## Special Edition



14 Samsung led chip is used in the product.



Voltage: 24V DC


Current: 150mA

Power: 3.6W

Light Intensity: 520LM

Efficiency: %90

Cable: 20 AWG





# MPS-P012

## Special Edition



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

14 Samsung led chip is used in the product. 

Voltage: 24V DC


Current: 150mA

Power: 3.6W

Light Intensity: 520LM

Efficiency: %90

Cable: 22 AWG



# MPS-P013

## Special Edition



3000K  
Warm White

4000/4100K  
Cool White

6500K  
Daylight

7 Samsung led chip is used in the product.



Voltage: 24V DC

Current: 85 mA

Power: 2.04 W

Light Intensity: 277 LM

Efficiency: %95

Cable: 20 AWG

# MEPROS DIMMER

Operating Voltage: 12-24 V


Rating Current: 24 A / CH

Total Channel: 4 ( Red-Green-Blue-White )

Communication Type: Rf


Communication Frequency: 433 Mhz

Encryption Type: 128 Bit



## MPS-T012

Operating Voltage: 220 V AC  
Output Voltage: 24V DC  
Rating Current: 2-3.1-4.16-5-8.33-10-14.5-15-21 A



## MPS-T013

Operating Voltage: 220 V AC  
Output Voltage: 12V DC  
Rating Current: 4-5-6.25-8.33-12.5-16.5-25-29-30 A





## MPS-T014

Operating Voltage: 110/220 V AC  
Output Voltage: 24V DC  
Rating Current: 3.125-12.5 A DC (Optional)  
Protection Class: IP67



16

## MPS-T015

Operating Voltage: 110/220 V AC  
Output Voltage: 12V DC  
Rating Current: 6.25-25 A DC (Optional)  
Protection Class: IP67



# MEPROS

## CONTACT

**Burak KARAYANIK**

**GSM : +90 532 674 03 65** (WHATSAPP)

**burak.karayanik@mepros.com.tr**

