

CivilAid

Complete build spec for Claude Code

App features | Brand and logo | Light and dark themes | Animated splash | APK build

How to use this document. Put this PDF in your project folder and start Claude Code in plan mode. Tell it: *"Read CivilAid-spec.pdf. Follow Section 1 as the master prompt and use Sections 2 to 5 as the exact design and animation spec. Start with Phase 1."* Claude Code can read PDFs directly. If it struggles, copy Section 1 into the chat and keep the rest as reference.

1. Master prompt

This is the main instruction for Claude Code. Fill in the [brackets] before you start.

I want to build CivilAid: a mobile learning app (Android APK) for students in my university batch (Civil Engineering, NUST, BECE 2K25). I'm a solo developer who builds with AI assistance, so keep the stack simple, explain setup steps clearly, and build in phases. Ask me before any major architecture decision I haven't specified. Follow the brand, theme and splash animation specs in Sections 2-5 of this PDF exactly.

Overview

A paid LMS. Students pay Rs 1000 per semester to unlock all content. Content is organized as Subject -> Lecture -> Module. Each module has an AI-generated animated video slide, concise notes, and a quiz.

Tech stack

- Expo (React Native) + Expo Router + TypeScript
- Supabase: auth, Postgres, file storage
- react-native-reanimated + react-native-svg (splash animation, UI motion)
- EAS Build for the Android APK
- Admin panel lives in the same codebase as role-gated screens and must also work on Expo Web so I can manage content from a laptop

Student features

1. Auth: email + password. Sign-up collects full name, CMS ID, section.
2. Paywall:
 - Lecture 1 of every subject is free
 - Everything else locked until the account is "active"
 - Payment screen: my JazzCash/Easypaisa number [NUMBER], amount Rs 1000, upload payment screenshot + transaction ID
 - Status: Pending / Approved / Rejected
 - Access expires at semester end (admin-set date)
3. Home: greeting, streak, "continue where you left off", subject cards with progress rings
4. Subject screen: lectures with completion state and lock icons
5. Lecture screen: modules in order
6. Module screen (3 steps/tabs):
 - Video: streamed player, no download
 - Notes: Markdown with LaTeX math and images
 - Quiz: one MCQ at a time, instant feedback + explanation, final score, retake allowed, best score saved
7. Progress: per-subject % complete, quiz averages, daily streak
8. Profile: account status, expiry date, theme toggle (System / Light / Dark), logout

Anti-sharing

- Block screenshots/screen recording on content screens (expo-screen-capture)
- One active session per account; new login logs out the old device
- No PDF/video downloads; videos via short-lived signed URLs

Admin (role = admin)

- Dashboard: total users, active users, pending payments, revenue
- Payment approvals: view screenshot + transaction ID, approve/reject
- Users: search, activate/deactivate, force logout
- Content: create/edit/reorder subjects, lectures, modules; upload videos; Markdown notes editor with live preview
- Bulk import: JSON file with a module's notes + quiz (define the schema and give me a sample file, I'll generate these with AI)
- Set semester expiry date

UI

Clean modern ed-tech style, similar in feel to the Maqsad app but with CivilAid's own branding (Section 2-3). Rounded cards with soft shadows, circular progress rings, streak flame counter, bottom tabs (Home, Subjects, Progress, Profile), lock icons + subtle blur on locked content with an "Unlock for Rs 1000" button, satisfying quiz feedback. Full light and dark mode from the tokens in Section 3. Must feel fast on low-to-mid range Android phones.

Splash + icon

Implement the animated splash exactly as Section 5 describes, and the adaptive launcher icon from Section 4.

Database

Supabase schema with Row Level Security: students read only content they're allowed to see and only their own progress/payments; admins have full access. Include SQL migration files.

Build phases

1. Project setup, theme tokens, fonts, Supabase schema + RLS, auth
2. Splash animation + app icon
3. Student content flow (subjects -> lectures -> modules)
4. Paywall + payment upload + admin approval
5. Progress, streaks, home dashboard
6. Admin content management + JSON bulk import
7. Anti-sharing protections
8. EAS Build config + step-by-step APK instructions

Start with Phase 1. After each phase, tell me exactly how to test it.

2. Logo

The mark is the letter A built as a structural truss sitting on a beam: a triangle frame, a crossbar, a V-shaped web and an extended base beam. It is a line mark with no background shape. The wordmark is **Civil** in navy plus **Aid** in brand blue.

Primary (light background)



Dark background



Reversed (on brand blue)



The PDF previews use Helvetica as a stand-in. The real wordmark font is Sora ExtraBold (see Section 3).

Logo SVG source

Save this as `assets/brand/civilaid-mark.svg`. Use `currentColor` so the same file works in every theme.

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 120 120"
    fill="none" stroke="currentColor">
  <!-- triangle frame -->
  <path d="M60 18 L18 96 L102 96 Z" stroke-width="9"
    stroke-linejoin="round"/>
  <!-- crossbar -->
  <path d="M34 66 L86 66" stroke-width="8" stroke-linecap="round"/>
  <!-- web (V) -->
  <path d="M34 66 L60 96 L86 66" stroke-width="6"
    stroke-linejoin="round" stroke-linecap="round"/>
  <!-- base beam -->
  <path d="M6 96 L114 96" stroke-width="9" stroke-linecap="round"/>
</svg>
```

Path lengths (needed for the draw-in animation)





Path	d	Length (px, 120 viewBox)
Triangle frame	M60 18 L18 96 L102 96 Z	261.2
Crossbar	M34 66 L86 66	52.0
Web (V)	M34 66 L60 96 L86 66	79.4
Base beam	M6 96 L114 96	108.0

Lockup layout

Horizontal lockup: mark at 140 px, 18 to 28 px gap, then the wordmark at 84 px Sora 800 with -2.5 px letter spacing, and the optional tagline "Learn. Practice. Build." at 18 px Sora 600, uppercase, 4 px letter spacing, 6 px below. Minimum mark size: 24 px. Keep clear space of at least half the mark's height around the lockup.

3. Theme: colors and type

Every screen must read colors from these tokens. Never hard-code a hex value in a component. Default theme follows the phone's system setting, with a manual override in Profile.

Token	Light		Dark	
background		#FFFFFF		#0A1330
surface (cards)		#FFFFFF		#121D42
surfaceAlt		#EEF3FF		#18244F
primary (brand blue)		#1E5EFF		#4C82FF
primaryPressed		#0B4FD8		#3B74FF
onPrimary		#FFFFFF		#FFFFFF
textPrimary		#0B2A6F		#FFFFFF
textSecondary		#3A4E7A		#A9B8DA
border		#D6E0F7		#24315E
success		#12A150		#2BC46D
error		#D93636		#FF6B6B
warning (streak)		#F08A00		#FFA733

```
// theme/tokens.ts
export const light = {
  background: '#FFFFFF', surface: '#FFFFFF', surfaceAlt: '#EEF3FF',
  primary: '#1E5EFF', primaryPressed: '#0B4FD8', onPrimary: '#FFFFFF',
  textPrimary: '#0B2A6F', textSecondary: '#3A4E7A', border: '#D6E0F7',
  success: '#12A150', error: '#D93636', warning: '#F08A00',
};
export const dark = {
  background: '#0A1330', surface: '#121D42', surfaceAlt: '#18244F',
  primary: '#4C82FF', primaryPressed: '#3B74FF', onPrimary: '#FFFFFF',
  textPrimary: '#FFFFFF', textSecondary: '#A9B8DA', border: '#24315E',
  success: '#2BC46D', error: '#FF6B6B', warning: '#FFA733',
};
```

Typography

Role	Font	Size / weight
Wordmark	Sora	84 / 800, -2.5 letter spacing
Screen title	Sora	24 / 700
Section heading	Sora	18 / 600
Body	Sora	15 / 400, line height 22
Caption / meta	Sora	12 / 500
Button	Sora	16 / 600

Load Sora with @expo-google-fonts/sora (weights 400, 500, 600, 700, 800). Corner radius 16 for cards, 12 for buttons and inputs. Touch targets at least 44 px.

4. App icon (Android adaptive icon)

Android masks launcher icons into a circle, squircle or rounded square depending on the phone, so the icon is built from two layers rather than one flat image.



Foreground white on blue (default)



Monochrome / themed icon



Dark variant (optional)

Layer	Spec
Background	Solid #1E5EFF, 1024 x 1024 PNG
Foreground	White mark, transparent PNG 1024 x 1024. Keep the mark inside the centre 66% (safe zone) so no phone crops it.
Monochrome	Same mark in a single color, used by Android 13+ themed icons
Splash icon	Transparent mark for expo-splash-screen while JS loads (then the animated splash takes over)

```
// app.json (excerpt)
"android": {
  "adaptiveIcon": {
    "foregroundImage": "./assets/brand/icon-foreground.png",
    "monochromeImage": "./assets/brand/icon-monochrome.png",
    "backgroundColor": "#1E5EFF"
  }
},
"plugins": [
  ["expo-splash-screen", {
    "image": "./assets/brand/splash-mark.png",
    "imageWidth": 140,
    "backgroundColor": "#FFFFFF",
    "dark": {
      "image": "./assets/brand/splash-mark-dark.png",
      "backgroundColor": "#0A1330"
    }
  }]
]
```

Ask Claude Code to generate the PNGs from the SVG in Section 2 with a small Node script (for example using sharp), so all sizes stay consistent.

5. Animated splash screen

A 6-second sequence that builds the logo like a truss, shoots the letters out of the mark, pulls them back in, then the mark moves to the centre and floods the screen in brand blue. In the app it plays **once** on launch, not in a loop.

Phase	% of loop	Time (6 s)	What happens	Easing
1	0-18%	0-1.08s	Triangle frame draws in (strokeDashoffset 261.2 to 0)	ease-in-out
2	14-23%	0.84s-1.38s	Crossbar draws in (52 to 0)	ease-in-out
3	20-29%	1.20s-1.74s	Web V draws in (79.4 to 0)	ease-in-out
4	26-34%	1.56s-2.04s	Base beam draws in (108 to 0)	ease-in-out
5	34-40%	2.04s-2.40s	Settle bounce: mark scale 1 to 1.08 to 1	ease-out
6	40-49%	2.40s-2.94s	Letters C-i-v-i-l-A-i-d fly OUT of the mark one by one, 0.048 s apart: start at the mark's centre, scale 0.25, opacity 0; end in place at scale 1	cubic-bezier(.2,.9,.25,1.15)
7	50-56%	3.00s-3.36s	Tagline fades up 8 px	ease-out
8	60-67%	3.60s-4.02s	Tagline fades; letters get sucked back INTO the mark in the same order	same as 6
9	73-79%	4.38s-4.74s	Mark glides to the exact centre of the screen	cubic-bezier(.5,0,.3,1)
10	79-86%	4.74s-5.16s	Blue circle floods out from the centre to cover the whole screen; mark grows to 1.7x and turns white	cubic-bezier(.6,0,.3,1)
11	86-91%	5.16s-5.46s	Hold full blue; mark pulses 1.7 to 1.55 to 1.7	ease
12 (canvas)	91-98%	5.46s-5.88s	Flood + mark spin -90 deg and collapse into the centre point (used for the looping preview)	cubic-bezier(.6,0,.3,1)

App behaviour

Play phases 1 to 11 once. While it plays, load the session and initial data in the background. At the end of phase 11 (screen fully blue), cross-fade the blue into the next screen: Login if signed out, Home if signed in. Phase 12 (collapse and loop) is only for the design preview. Tapping the screen skips straight to phase 10. If the phone has Reduce Motion on, show the static logo for 600 ms and fade to the next screen.

Theme colors in the splash

Element	Light	Dark
Background	#FFFFFF	#0A1330
Mark + "Aid"	#1E5EFF	#4C82FF
"Civil"	#0B2A6F	#FFFFFF
Tagline	#3A4E7A	#A9B8DA
Flood circle	#1E5EFF	#4C82FF
Mark during flood	#FFFFFF	#FFFFFF

Layout geometry (reference frame 880 x 400)

Scale proportionally to the phone screen and centre vertically. In portrait you can also stack the wordmark under the mark; keep the same sequence.

Item	Position / value
Mark	140 x 140, left edge 198, centred vertically (centre x = 268)
Wordmark block	Starts at x = 356 (18 px gap), clipped with overflow hidden on its left edge so letters appear to come from inside the mark
Letter start offsets (translateX)	C -88, i -145, v -168, i -217, l -240, A -263, i -322, d -345 (px, relative to final position)
Move to centre	translateX +172 px (268 to 440)
Flood circle	40 px diameter at screen centre, scales 0 to 26 (big enough to cover the screen; compute from screen diagonal on device)

Implementation notes for Claude Code

Build it as components/AnimatedSplash.tsx with react-native-reanimated and react-native-svg. Use one shared progress value (0 to 1 over 6000 ms via withTiming) and derive every element with interpolate() against the percentages above, so the whole sequence stays in sync. Use Animated.createAnimatedComponent(Path) and animate strokeDashoffset using the path lengths from Section 2 (do not rely on the pathLength prop, Android support is unreliable). Render each letter as its own Animated.Text with Sora 800. Keep expo-splash-screen visible until fonts load, then hide it and start the animation.

Reference CSS keyframes (from the design prototype)

This is the exact web version of the animation. Port the timing to Reanimated; do not use CSS in the app.

```
/* duration 6s, infinite in the prototype; play once in the app */
@keyframes ca-tri { 0%{dashoffset:100} 18%{dashoffset:0}
                  78%{stroke:brand} 85%,100%{stroke:#fff} }
@keyframes ca-bar { 0%,14%{dashoffset:100} 23%{dashoffset:0} ... }
@keyframes ca-web { 0%,20%{dashoffset:100} 29%{dashoffset:0} ... }
@keyframes ca-beam { 0%,26%{dashoffset:100} 34%{dashoffset:0} ... }
/* (dashoffset in % of path length; same white fade at 78-85%) */

@keyframes ca-mark {
  0%,34% { transform: translateX(0) scale(1) }
  37%   { transform: translateX(0) scale(1.08) }
  40%,73% { transform: translateX(0) scale(1) }
  79%    { transform: translateX(172px) scale(1) }
  86%    { transform: translateX(172px) scale(1.7) }
  88.5%  { transform: translateX(172px) scale(1.55) }
  91%    { transform: translateX(172px) scale(1.7) }
  98%,100% { transform: translateX(172px) scale(0) rotate(-90deg) }
}
@keyframes ca-flood {
  0%,79% { transform: scale(0) } 86%,91% { transform: scale(26) }
  98%,100% { transform: scale(0) }
}
/* each letter: animation-delay = index * 0.048s */
@keyframes ca-char {
  0%,40% { opacity:0; transform: translateX(var(--x)) scale(.25) }
  42%    { opacity:1 }
  49%,60% { opacity:1; transform: translateX(0) scale(1) }
  65%     { opacity:1 }
  67%,100% { opacity:0; transform: translateX(var(--x)) scale(.25) }
}
@keyframes ca-tag {
  0%,50% { opacity:0; transform: translateY(8px) }
  56%,58% { opacity:1; transform: translateY(0) }
  62%,100%{ opacity:0 }
}
```

6. Hand-off checklist

Item	Where
Master prompt	Section 1
Logo SVG + path lengths	Section 2
Theme tokens (light/dark) + fonts	Section 3
Adaptive icon + splash config	Section 4
Animated splash timeline + geometry	Section 5

Before you run Claude Code, fill in:

Your JazzCash/Easypaisa number, which subjects to launch with, and the semester expiry date. Everything else in this document is ready to build from.

Tips

Run it in plan mode first and check the plan before it writes code. Do one phase at a time and test on a real Android phone after each one. Supabase's free tier will handle your batch easily, but video storage adds up fast: past about 1 GB of videos, ask Claude Code to move video hosting to Bunny Stream.