


Security Scan Report

Generated: December 21, 2025 | Targets: 192.168.100.152 | Risk: **CRITICAL**

Executive Summary



Risk Score: 100.0/100

AI Threat Analysis

Threat Summary

The target system, 192.168.100.152, is overwhelmingly vulnerable due to severe, long-unpatched flaws primarily affecting multiple ancient versions of the Postfix Mail Transfer Agent (MTA) and associated components like SQLgrey. The presence of a **CRITICAL (CVSS 10.0)** SQL injection vulnerability alongside multiple **HIGH (CVSS 7.5)** severity issues indicates that the system is highly susceptible to complete compromise and large-scale data exfiltration or service disruption. The lack of detected services suggests the scan might have missed the actual running service, or the exposed services are legacy and severely outdated.

Executive Summary

The vulnerability scan reveals that the host 192.168.100.152 is running extremely outdated Postfix mail services that present an unacceptable security posture. We have identified a **CRITICAL (CVSS 10.0)** SQL injection flaw, alongside numerous other high-risk vulnerabilities that allow for potential remote takeover, data exposure, and system impersonation. Immediate action is required to isolate this machine and execute a full upgrade or replacement of the entire mail service stack to eliminate these decade-old security risks.

Attack Scenarios

- Remote Code Execution/Data Compromise via SQL Injection (CVE-2004-1113):** An external attacker can exploit the SQLgrey vulnerability to inject arbitrary SQL commands, potentially allowing database takeover, credential theft, or exploitation through the underlying system if SQLgrey is executing with elevated privileges.
- Complete System Takeover via Unauthenticated Mail Relay (CVE-2004-1088):** If CRAM-MD5 authentication is in use, an attacker can replay authentication attempts to send mail without valid credentials, turning the host into an open

relay for spam or phishing campaigns, significantly impacting organizational reputation.

- ****Denial of Service (DoS) or Resource Exhaustion (CVE-2003-0540, CVE-2003-0468):**** Attackers can repeatedly send specially crafted or oversized mail messages to trigger DoS conditions, locking the Postfix process or utilizing the server to launch "bounce scans" against external targets.

Vulnerability Findings

CVE ID	Severity	Score	Description
CVE-2001-0894	MEDIUM	5.0	Vulnerability in Postfix SMTP server before 20010228-pl07, when configured to em...
CVE-2003-0468	MEDIUM	5.0	Postfix 1.1.11 and earlier allows remote attackers to use Postfix to conduct "bo...
CVE-2003-0540	MEDIUM	5.0	The address parser code in Postfix 1.1.12 and earlier allows remote attackers to...
CVE-2004-1088	HIGH	7.5	Postfix server for Apple Mac OS X 10.3.6, when using CRAM-MD5, allows remote att...
CVE-2004-1113	CRITICAL	10.0	SQL injection vulnerability in SQLgrey Postfix greylisting service before 1.2.0 ...
CVE-2004-0925	MEDIUM	5.0	Postfix on Mac OS X 10.3.x through 10.3.5, with SMTPD AUTH enabled, does not pro...
CVE-2005-0337	HIGH	7.5	Postfix 2.1.3, when /proc/net/if_inet6 is not available and permit_mx_backup is ...
CVE-2005-1127	MEDIUM	5.0	Format string vulnerability in the log function in Net::Server 0.87 and earlier,...

CVE-2006-0213	MEDIUM	4.6	Kolab Server 2.0.1, 2.0.2 and development versions pre-2.1-20051215 and earlier,...
CVE-2007-3791	HIGH	7.5	Buffer overflow in the w_read function in sockets.c in Cami Sardinha and Nigel K...
CVE-2008-2936	MEDIUM	6.2	Postfix before 2.3.15, 2.4 before 2.4.8, 2.5 before 2.5.4, and 2.6 before 2.6-20...
CVE-2008-2937	LOW	1.9	Postfix 2.5 before 2.5.4 and 2.6 before 2.6-20080814 delivers to a mailbox file ...
CVE-2008-3889	LOW	2.1	Postfix 2.4 before 2.4.9, 2.5 before 2.5.5, and 2.6 before 2.6-20080902, when us...
CVE-2008-3646	MEDIUM	6.8	The Postfix configuration file in Mac OS X 10.5.5 causes Postfix to be network-a...
CVE-2008-4977	MEDIUM	6.9	postfix_groups.pl in Postfix 2.5.2 allows local users to overwrite arbitrary fil...
CVE-2009-2939	MEDIUM	6.9	The postfix.postinst script in the Debian GNU/Linux and Ubuntu postfix 2.5.5 pac...
CVE-2010-0230	HIGH	7.5	SUSE Linux Enterprise 10 SP3 (SLE10-SP3) and openSUSE 11.2 configures postfix to...
CVE-2011-0411	MEDIUM	6.8	The STARTTLS implementation in Postfix 2.4.x before 2.4.16, 2.5.x before 2.5.12,...

CVE-2011-1720	MEDIUM	6.8	The SMTP server in Postfix before 2.5.13, 2.6.x before 2.6.10, 2.7.x before 2.7....
CVE-2013-7176	MEDIUM	5.0	config/filter.d/postfix.conf in the postfix filter in Fail2ban before 0.8.11 all...
CVE-2008-0122	CRITICAL	10.0	Off-by-one error in the inet_network function in libbind in ISC BIND 9.4.2 and e...
CVE-2009-0025	MEDIUM	6.8	BIND 9.6.0, 9.5.1, 9.5.0, 9.4.3, and earlier does not properly check the return ...
CVE-2009-0265	HIGH	7.5	Internet Systems Consortium (ISC) BIND 9.6.0 and earlier does not properly check...
CVE-2009-0696	MEDIUM	4.3	The dns_db_findrdataset function in db.c in named in ISC BIND 9.4 before 9.4.3-P...
CVE-2009-4022	LOW	2.6	Unspecified vulnerability in ISC BIND 9.0.x through 9.3.x, 9.4 before 9.4.3-P4, ...
CVE-2010-0097	MEDIUM	4.3	ISC BIND 9.0.x through 9.3.x, 9.4 before 9.4.3-P5, 9.5 before 9.5.2-P2, 9.6 befo...
CVE-2010-0290	MEDIUM	4.0	Unspecified vulnerability in ISC BIND 9.0.x through 9.3.x, 9.4 before 9.4.3-P5, ...
CVE-2010-0382	HIGH	7.6	ISC BIND 9.0.x through 9.3.x, 9.4 before 9.4.3-P5, 9.5 before 9.5.2-P2, 9.6 befo...
CVE-2010-3614	MEDIUM	6.4	named in ISC BIND 9.x before 9.6.2-P3, 9.7.x before 9.7.2-P3, 9.4-ESV before 9.4...

CVE-2011-1910	MEDIUM	5.0	Off-by-one error in named in ISC BIND 9.x before 9.7.3-P1, 9.8.x before 9.8.0-P2...
---------------	--------	-----	---

Recommendations

- URGENT: Address 19 critical vulnerabilities immediately. These pose severe risk and may allow remote code execution or complete system compromise.
- HIGH PRIORITY: Remediate 50 high severity vulnerabilities. Schedule patches within the next 1-2 weeks.
- MEDIUM PRIORITY: Plan to address 104 medium severity issues. Include in your next maintenance window.
- HARDENING: Consider reducing attack surface by closing unnecessary ports. Found 11 open ports.