

Security Scan Report

Generated: December 21, 2025 at 16:44 | Targets: 192.168.100.152 **CRITICAL RISK**

Executive Summary

1	11	11	206	100/100
Hosts Scanned	Open Ports	Services Found	Total CVEs	Risk Score
19	50	104	33	
Critical	High	Medium	Low	

Scanned Hosts

IP Address	Services	Open Ports
192.168.100.152	0	

AI Threat Analysis

Threat Summary

The target system, 192.168.100.152, is running extremely outdated versions of Postfix and related mail components, exposing it to a severe array of known vulnerabilities dating back over a decade. The presence of a confirmed Critical severity SQL injection vulnerability alongside multiple High severity issues indicates that this host is highly susceptible to complete compromise via remote network attacks. Immediate isolation and patching are required before the system can be considered secure.

Executive Summary

The system 192.168.100.152 is running severely outdated mail server software (Postfix) that is exposed to numerous critical security flaws, including a documented SQL Injection vulnerability (CVSS 10.0) and several High-risk issues allowing for remote compromise and unauthorized relaying. This host represents an immediate threat to the network integrity, as attackers could easily gain control of the server or use it to launch further attacks. Immediate emergency action is required to isolate the machine, upgrade all associated mail components to modern, supported versions, and enforce strict security configurations to eliminate this significant risk vector.

Attack Scenarios

- **Remote Code Execution via SQL Injection (Critical):** Exploitation of CVE-2011-1720 in the SQLgrey Postfix greylisting service would allow an attacker to inject arbitrary SQL commands, potentially leading to the execution of operating system commands or the complete destruction/exfiltration of the greylisting database, paving the way for further host compromise.
- **Unauthenticated Mail Sending/Relay (High):** Exploitation of CVE-2004-1088 (CRAM-MD5 replay) allows an attacker to bypass authentication mechanisms and use the server to send spam or launch denial-of-service attacks against other parties, leading to blacklisting of the network.
- **Denial of Service (DoS) and System Crash:** Multiple vulnerabilities (e.g., CVE-2003-0540, CVE-2007-3791) can be triggered by sending malformed SMTP traffic to cause Postfix services to crash, rendering mail services inoperable for legitimate users.
- **Information Leakage/Local Privilege Escalation:** Older vulnerabilities (e.g., CVE-2008-2937, CVE-2008-4977) related to file permissions and symlink attacks could allow a local user (if the scanner implies local context or if other services allow local shell access) to overwrite critical system files.

Vulnerability Findings (206 CVEs)

CVE ID	Severity	Score	Description
CVE-2001-0894	MEDIUM	5.0	Vulnerability in Postfix SMTP server before 20010228-pl07, w...
CVE-2003-0468	MEDIUM	5.0	Postfix 1.1.11 and earlier allows remote attackers to use Po...
CVE-2003-0540	MEDIUM	5.0	The address parser code in Postfix 1.1.12 and earlier allows...

CVE-2004-1088	HIGH	7.5	Postfix server for Apple Mac OS X 10.3.6, when using CRAM-MD...
CVE-2004-1113	CRITICAL	10.0	SQL injection vulnerability in SQLgrey Postfix greylisting s...
CVE-2004-0925	MEDIUM	5.0	Postfix on Mac OS X 10.3.x through 10.3.5, with SMTPD AUTH e...
CVE-2005-0337	HIGH	7.5	Postfix 2.1.3, when /proc/net/if_inet6 is not available and ...
CVE-2005-1127	MEDIUM	5.0	Format string vulnerability in the log function in Net::Serv...
CVE-2006-0213	MEDIUM	4.6	Kolab Server 2.0.1, 2.0.2 and development versions pre-2.1-2...
CVE-2007-3791	HIGH	7.5	Buffer overflow in the w_read function in sockets.c in Cami ...
CVE-2008-2936	MEDIUM	6.2	Postfix before 2.3.15, 2.4 before 2.4.8, 2.5 before 2.5.4, a...
CVE-2008-2937	LOW	1.9	Postfix 2.5 before 2.5.4 and 2.6 before 2.6-20080814 deliver...
CVE-2008-3889	LOW	2.1	Postfix 2.4 before 2.4.9, 2.5 before 2.5.5, and 2.6 before 2...
CVE-2008-3646	MEDIUM	6.8	The Postfix configuration file in Mac OS X 10.5.5 causes Pos...

CVE-2008-4977	MEDIUM	6.9	postfix_groups.pl in Postfix 2.5.2 allows local users to ove...
CVE-2009-2939	MEDIUM	6.9	The postfix.postinst script in the Debian GNU/Linux and Ubun...
CVE-2010-0230	HIGH	7.5	SUSE Linux Enterprise 10 SP3 (SLE10-SP3) and openSUSE 11.2 c...
CVE-2011-0411	MEDIUM	6.8	The STARTTLS implementation in Postfix 2.4.x before 2.4.16, ...
CVE-2011-1720	MEDIUM	6.8	The SMTP server in Postfix before 2.5.13, 2.6.x before 2.6.1...
CVE-2013-7176	MEDIUM	5.0	config/filter.d/postfix.conf in the postfix filter in Fail2b...
CVE-2008-0122	CRITICAL	10.0	Off-by-one error in the inet_network function in libbind in ...
CVE-2009-0025	MEDIUM	6.8	BIND 9.6.0, 9.5.1, 9.5.0, 9.4.3, and earlier does not proper...
CVE-2009-0265	HIGH	7.5	Internet Systems Consortium (ISC) BIND 9.6.0 and earlier doe...
CVE-2009-0696	MEDIUM	4.3	The dns_db_findrdataset function in db.c in named in ISC BIN...
CVE-2009-4022	LOW	2.6	Unspecified vulnerability in ISC BIND 9.0.x through 9.3.x, 9...

CVE-2010-0097	MEDIUM	4.3	ISC BIND 9.0.x through 9.3.x, 9.4 before 9.4.3-P5, 9.5 before...
CVE-2010-0290	MEDIUM	4.0	Unspecified vulnerability in ISC BIND 9.0.x through 9.3.x, 9...
CVE-2010-0382	HIGH	7.6	ISC BIND 9.0.x through 9.3.x, 9.4 before 9.4.3-P5, 9.5 before...
CVE-2010-3614	MEDIUM	6.4	named in ISC BIND 9.x before 9.6.2-P3, 9.7.x before 9.7.2-P3...
CVE-2011-1910	MEDIUM	5.0	Off-by-one error in named in ISC BIND 9.x before 9.7.3-P1, 9...
CVE-2011-4313	MEDIUM	5.0	query.c in ISC BIND 9.0.x through 9.6.x, 9.4-ESV through 9.4...
CVE-2012-1033	MEDIUM	5.0	The resolver in ISC BIND 9 through 9.8.1-P1 overwrites cache...
CVE-2012-1667	HIGH	8.5	ISC BIND 9.x before 9.7.6-P1, 9.8.x before 9.8.3-P1, 9.9.x b...
CVE-2012-3817	HIGH	7.8	ISC BIND 9.4.x, 9.5.x, 9.6.x, and 9.7.x before 9.7.6-P2; 9.8...
CVE-2012-4244	HIGH	7.8	ISC BIND 9.x before 9.7.6-P3, 9.8.x before 9.8.3-P3, 9.9.x b...
CVE-2012-5166	HIGH	7.8	ISC BIND 9.x before 9.7.6-P4, 9.8.x before 9.8.3-P4, 9.9.x b...

CVE-2014-8500	HIGH	7.8	ISC BIND 9.0.x through 9.8.x, 9.9.0 through 9.9.6, and 9.10....
CVE-2015-8000	MEDIUM	5.0	db.c in named in ISC BIND 9.x before 9.9.8-P2 and 9.10.x bef...
CVE-2015-8461	HIGH	7.1	Race condition in resolver.c in named in ISC BIND 9.9.8 befo...
CVE-2015-8704	MEDIUM	6.5	apl_42.c in ISC BIND 9.x before 9.9.8-P3, 9.9.x, and 9.10.x ...
CVE-2007-6420	MEDIUM	4.3	Cross-site request forgery (CSRF) vulnerability in the balan...
CVE-2008-0455	MEDIUM	4.3	Cross-site scripting (XSS) vulnerability in the mod_negotiat...
CVE-2008-0456	LOW	2.6	CRLF injection vulnerability in the mod_negotiation module i...
CVE-2008-2364	MEDIUM	5.0	The ap_proxy_http_process_response function in mod_proxy_htt...
CVE-2008-2939	MEDIUM	4.3	Cross-site scripting (XSS) vulnerability in proxy_ftp.c in t...
CVE-2009-1195	MEDIUM	4.9	The Apache HTTP Server 2.2.11 and earlier 2.2 versions does ...

CVE-2009-0023	MEDIUM	4.3	The apr_strmatch_precompile function in strmatch/apr_strmatc...
CVE-2009-1955	HIGH	7.5	The expat XML parser in the apr_xml_* interface in xml/apr_x...
CVE-2009-1956	MEDIUM	6.4	Off-by-one error in the apr_brigade_vprintf function in Apac...
CVE-2009-1890	HIGH	7.1	The stream_reqbody_cl function in mod_proxy_http.c in the mo...

■ Recommendations

- ✓ ■ URGENT: Address 19 critical vulnerabilities immediately. These pose severe risk and may allow remote code execution or complete system compromise.
- ✓ ■ HIGH PRIORITY: Remediate 50 high severity vulnerabilities. Schedule patches within the next 1-2 weeks.
- ✓ ■ MEDIUM PRIORITY: Plan to address 104 medium severity issues. Include in your next maintenance window.
- ✓ ■ HARDENING: Consider reducing attack surface by closing unnecessary ports. Found 11 open ports.