Kabul Polytechnic University
Computer Science Faculty
Information System Department

Database II

Lecture 2: Enhanced Entity Relationship (ERD) Modeling

03 September – 2024

Lectures & other related materials are available here: https://github.com/mujtabaSultani01/Database-II

Contents

- EER stands for Enhanced ER or Extended ER
- EER Model Concepts
  - Includes all modeling concepts of basic ER
  - Additional concepts:
    - subclasses/superclasses
    - specialization/generalization
    - categories (UNION types)
    - attribute and relationship inheritance

Subclasses and Superclasses (1)

- An entity type may have additional meaningful subgroupings of its entities.
  - Example: EMPLOYEE may be further grouped into:
    - SECRETARY, ENGINEER, TECHNICIAN, …
      - Based on the EMPLOYEE's Job
    - MANAGER
      - EMPLOYEEs who are managers
    - SALARIED_EMPLOYEE, HOURLY_EMPLOYEE
      - Based on the EMPLOYEE's method of pay
- EER diagrams or extend ER diagrams to represent these additional subgroupings, called *subclasses* or *subtypes*.

Subclasses and Superclasses

Figure 4.1
EER diagram notation to represent subclasses and specialization.



Subclasses and Superclasses(2)

- Each of these subgroupings is a subset of EMPLOYEE entities.
- Each is called a subclass of EMPLOYEE .
- EMPLOYEE is the superclass for each of these subclasses.
- These are called superclass/subclass relationships:
  - EMPLOYEE/SECRETARY
  - EMPLOYEE/TECHNICIAN
  - EMPLOYEE/MANAGER
  - …

Subclasses and Superclasses(3)

- These are also called IS-A relationships
  - SECRETARY IS-A EMPLOYEE, TECHNICIAN IS-A EMPLOYEE, ….
- Note: An entity that is member of a subclass represents the same real-world entity as some member of the superclass:
  - The subclass member is the same entity in a *distinct specific role*
  - An entity cannot exist in the database merely by being a member of a subclass; it must also be a member of the superclass
  - A member of the superclass can be optionally included as a member of any number of its subclasses

Subclasses and Superclasses(4)

- Examples:
  - A salaried employee who is also an engineer belongs to the two subclasses:
    - ENGINEER, and
    - SALARIED_EMPLOYEE
  - A salaried employee who is also an engineering manager belongs to the three subclasses:
    - MANAGER,
    - ENGINEER, and
    - SALARIED_EMPLOYEE
- It is not necessary that every entity in a superclass be a member of some subclass

Representing Specialization in EER Diagrams

Figure 4.4
EER diagram notation for an attribute-defined specialization on Job_type.



Attribute Inheritance in Superclass / Subclass Relationships

- An entity that is member of a subclass *inherits*
  - All attributes of the entity as a member of the superclass
  - All relationships of the entity as a member of the superclass
- Example:
  - In the previous slide, SECRETARY (as well as TECHNICIAN and ENGINEER) inherit the attributes Name, SSN, …, from EMPLOYEE
  - Every SECRETARY entity will have values for the inherited attributes

Specialization (1)

- Specialization is the process of defining a set of subclasses of a superclass
- The set of subclasses is based upon some distinguishing characteristics of the entities in the superclass
  - Example: {SECRETARY, ENGINEER, TECHNICIAN} is a specialization of EMPLOYEE based upon *job type*.
    - May have several specializations of the same superclass

Specialization (2)

- Example: Another specialization of EMPLOYEE based on *method of pay* is {SALARIED_EMPLOYEE, HOURLY_EMPLOYEE}.
  - Superclass/subclass relationships and specialization can be diagrammatically represented in EER diagrams
  - Attributes of a subclass are called *specific* or *local* attributes.
    - For example, the attribute TypingSpeed of SECRETARY
  - The subclass can also participate in specific relationship types.
    - For example, a relationship BELONGS_TO of HOURLY_EMPLOYEE

Specialization (3)

Figure 4.1
EER diagram notation to represent subclasses and specialization.



Three specializations of EMPLOYEE:
{SECRETARY, TECHNICIAN, ENGINEER}
{MANAGER}
{HOURLY_EMPLOYEE, SALARIED_EMPLOYEE}

Generalization (1)

- Generalization is the reverse of the specialization process
- Several classes with common features are generalized into a superclass;
  - original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE;
  - both CAR, TRUCK become subclasses of the superclass VEHICLE.
  - We can view {CAR, TRUCK} as a specialization of VEHICLE
  - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK

Generalization (2)



Figure 4.3
Generalization. (a) Two entity types, CAR and TRUCK.
(b) Generalizing CAR and TRUCK into the superclass VEHICLE.

Types of Specialization

- Generalization is the reverse of the specialization process
- Several classes with common features are generalized into a superclass;
  - original classes become its subclasses
- Example: CAR, TRUCK generalized into VEHICLE;
  - both CAR, TRUCK become subclasses of the superclass VEHICLE.
  - We can view {CAR, TRUCK} as a specialization of VEHICLE
  - Alternatively, we can view VEHICLE as a generalization of CAR and TRUCK

Constraints on Specialization and Generalization (1)

- If we can determine exactly those entities that will become members of each subclass by a condition, the subclasses are called predicate-defined (or condition-defined) subclasses
  - Condition is a constraint that determines subclass members
  - Display a predicate-defined subclass by writing the predicate condition next to the line attaching the subclass to its superclass.

Constraints on Specialization and Generalization (2)

- If all subclasses in a specialization have membership condition on same attribute of the superclass, specialization is called an attribute-defined specialization
  - Attribute is called the defining attribute of the specialization
  - Example: JobType is the defining attribute of the specialization {SECRETARY, TECHNICIAN, ENGINEER} of EMPLOYEE

- If no condition determines membership, the subclass is called user-defined
  - Membership in a subclass is determined by the database users by applying an operation to add an entity to the subclass
  - Membership in the subclass is specified individually for each entity in the superclass by the user

Displaying an attribute-defined specialization in EER diagrams

Figure 4.4
EER diagram notation for an attribute-defined specialization on Job_type.



Constraints on Specialization and Generalization (3)

- Two basic constraints can apply to a specialization/generalization:
  - Disjointness Constraint:
  - Completeness Constraint:

Constraints on Specialization and Generalization (4)

- Disjointness Constraint:
  - Specifies that the subclasses of the specialization must be *disjoint*:
    - an entity can be a member of at most one of the subclasses of the specialization
  - Specified by ***d*** in EER diagram
  - If not disjoint, specialization is *overlapping*:
    - that is the same entity may be a member of more than one subclass of the specialization
  - Specified by ***o*** in EER diagram

Constraints on Specialization and Generalization (5)

- Completeness Constraint:
  - *Total* specifies that every entity in the superclass must be a member of some subclass in the specialization/generalization
  - Shown in EER diagrams by a ***double line***
  - *Partial* allows an entity not to belong to any of the subclasses
  - Shown in EER diagrams by a single line

Constraints on Specialization and Generalization (6)

- Hence, we have four types of specialization/generalization:
  - Disjoint, total
  - Disjoint, partial
  - Overlapping, total
  - Overlapping, partial
- Note: Generalization usually is total because the superclass is derived from the subclasses.

Example of disjoint partial Specialization

Figure 4.4
EER diagram notation for an attribute-defined specialization on Job_type.



Example of overlapping total Specialization



Figure 4.5
EER diagram notation for an overlapping (nondisjoint) specialization.

Specialization/Generalization Hierarchies, Lattices & Shared Subclasses (1)

- A subclass may itself have further subclasses specified on it
  - forms a hierarchy or a lattice
- ***Hierarchy*** has a constraint that every subclass has only one superclass (called ***single inheritance***); this is basically a ***tree structure***
- In a ***lattice***, a subclass can be subclass of more than one superclass (called ***multiple inheritance***)

Shared Subclass “Engineering_Manager”



Figure 4.6
A specialization lattice with shared subclass ENGINEERING_MANAGER.

Specialization/Generalization Hierarchies, Lattices & Shared Subclasses (2)

- In a lattice or hierarchy, a subclass inherits attributes not only of its direct superclass, but also of all its predecessor superclasses
- A subclass with more than one superclass is called a shared subclass (multiple inheritance)
- Can have:
  - *specialization* hierarchies or lattices, or
  - *generalization* hierarchies or lattices,
  - depending on how they were *derived*
- We just use *specialization* (to stand for the end result of either specialization or generalization)

Specialization / Generalization Lattice Example (UNIVERSITY)



Figure 4.7
A specialization lattice with multiple inheritance for a UNIVERSITY database.

Summary

- Introduced the EER model concepts
  - Class/subclass relationships
  - Specialization and generalization
  - Inheritance

Summary

Components of Database Environment

- **Database Administrators (DBA):** are responsible for physical database design and for managing technical issues in the database environment.
- **System Developers:** They are systems analysts and programmers who design new application programs.
- **End-Users:** End users are persons who add, delete and modify data in the database and request information from it.

References

- Database Systems: A practical approach to design, implementation, and management.

Questions …?