

PENETRATION TESTING REPORT

FOOTPRINTING & NETWORK SCANNING PHASES

W2-PM-FINAL | CYBERSECURITY | NETWORKWALKS

Pentester Name (Cybersecurity Professional)	Mwanamuke Mwiya
Program/Batch	B083-Networkwalks
Date	18 September 2026 (testing performed on 15 and 18 September 2026)
Modules completed	W2-PM1 (Multiple Kali Tools) W2-PM5 (Zenmap Scanning)
Client/Target	1. Networkwalks – networkwalks.com (written authorization ref. NW-LOA-B082-017) 2. My own local lab network (10.0.0.0/24)
Permission secured from client?	Yes
Phases covered	Phase 1: Reconnaissance & Footprinting Phase 2: Scanning & Network Discovery Phase 3-5: In Progress

1. Liability Disclaimer

I have performed these activities only on the systems & devices where I had secured written permission or the devices/systems that I own myself. All these materials are for education and research purpose only. Do not use anything from here to break the law. The instructor, the authors and Networkwalks are not responsible for what you do with this knowledge. Every action you take is your own responsibility. Misuse can lead to criminal charges, heavy fines, loss of your job and a permanent record. In most countries unauthorised access is a crime even when nothing is damaged.

2. Introduction

For Week 2, I worked on two practical activities. In W2-PM1, I used several Kali Linux tools to gather public information about networkwalks.com. In W2-PM5, I used Zenmap to scan my own lab network and identify active devices. These two exercises helped me understand the difference between gathering information about a target and discovering devices that are active on a network.

I carried out the footprinting tasks in Kali Linux on 15 and 18 September 2026. The Zenmap work was done on a Windows 10 virtual machine on 18 September 2026. I recorded the commands I used, the results I received and screenshots of the work so that each step could be supported by evidence.

3. Tools Used

The table below lists each tool used in this report and its purpose.

Tool	Purpose
Kali Linux & Windows 10	Operating systems (VirtualBox virtual machines) used for the reconnaissance and scanning activities
WHOIS	Find domain registration details (owner, dates, name servers).
whatweb	Fingerprint web technologies (server, CMS, plugins, IP).
nslookup	Resolve the domain name to its IP address using DNS.
curl -I	Read the HTTP response headers of the website.
wafw00f	Detect whether a Web Application Firewall protects the site.
dnsrecon	Enumerate all DNS records (NS, MX, SPF, TXT, SRV).
Zenmap (Nmap GUI)	Scan the local subnet to find live hosts, IPs and MAC addresses.
Windows CMD	Local IP and MAC address identification (ipconfig /all)
ping	Test connectivity to the live hosts discovered on the local network.

4. Activities Performed

4.1 Footprinting & Reconnaissance

For the reconnaissance activity, I used six Kali Linux tools: WHOIS, WhatWeb, Nslookup, Curl, Wafw00f and DNSRecon. I used each tool for a different purpose so that I could build a clearer picture of the target. WHOIS, WhatWeb, Nslookup and Wafw00f were run on 15 September 2026, while Curl and DNSRecon were run on 18 September 2026. Where possible, I also saved the command output to text files using tee.

First, I used **WHOIS** to obtain publicly available domain registration information. The domain is registered through **GoDaddy.com, LLC**, was created on **6 November 2019** and is set to expire on **6 November 2027**. Its name servers are **NS6135.HOSTGATOR.COM** and **NS6136.HOSTGATOR.COM**, which shows that the domain uses HostGator name servers. The record also shows that DNSSEC is unsigned.

I then used **WhatWeb** to identify technologies used by the website. The results identified **WordPress 7.1** and **WP Download Manager 3.3.58**, running on an Apache web server together with jQuery 3.7.1 and Google Tag Manager. WhatWeb also showed that HTTP requests are redirected (301) to HTTPS, and it exposed the server IP address **192.232.216.135** and the contact email address `info@networkwalks.com`.

Using **Nslookup** (with the DNS resolver 1.1.1.1), I resolved the domain name to its IP address. The result identified **192.232.216.135**.

I used **Curl** with the `-I` option to inspect the HTTP response headers. The server answered with **HTTP/2 200** and identified itself as Apache. The headers also exposed the WordPress REST API endpoint `/wp-json/`, the caching information (`x-nginx-cache: WordPress`) and a cookie (`__wpdm_client`) that is set with the Secure and HttpOnly flags.

Next, I used **Wafw00f** to determine whether a Web Application Firewall was protecting the website. After 2 requests, the result identified **ModSecurity (SpiderLabs)**.

Finally, I used **DNSRecon** to enumerate DNS records. The results listed the SOA and name server records (`ns6135.hostgator.com – 50.87.144.87` and `ns6136.hostgator.com – 192.232.216.131`), both running **BIND 9.16.23-RH**; the mail server record (`mail.networkwalks.com – 192.232.216.135`); the A record (`192.232.216.135`); a Google site-verification TXT record; an SPF record (`v=spf1 +a +mx +ip4:50.87.144.87 +include:websitewelcome.com ~all`); and seven `_autodiscover._tcp` SRV records pointing to `cpanelmaildiscovery.cpanel.net` on port 443. DNSRecon also reported that it received no answer to its DNSSEC query.

4.2 Network Scanning with Zenmap

For the second activity, I used Zenmap on my own lab network. I first needed to confirm my IP address and subnet, then scan the subnet to see which hosts were active. After that, I checked the available IP and MAC address information and used Zenmap to view the network topology.

I first used the Windows `ipconfig /all` command on my Windows 10 lab machine (Windows10-Lab) to identify my local IP address and LAN subnet. It showed the IPv4 address **10.0.0.4**, subnet mask **255.255.255.0** and default gateway **10.0.0.1**, so my LAN subnet is **10.0.0.0/24**. I then entered the subnet into Zenmap, selected the **Ping Scan** profile (command: `nmap -sn 10.0.0.0/24`) and ran the scan on 18 September 2026 at 22:21.

The scan covered 256 IP addresses and found **four live hosts** in 3.31 seconds:

- 10.0.0.1 – MAC 52:54:00:12:35:00 (QEMU virtual NIC) – default gateway
- 10.0.0.2 – MAC 08:00:27:5D:C2:80 (Oracle VirtualBox virtual NIC)
- 10.0.0.9 – MAC 08:00:27:E9:FE:B1 (Oracle VirtualBox virtual NIC)
- 10.0.0.4 – MAC 08-00-27-70-FB-AC – my own Windows 10 machine (from `ipconfig /all`)

Nmap does not display a MAC address for the machine it is running on, so the MAC address of my own machine (10.0.0.4) is not shown in the scan output. I found it with `ipconfig /all` (Physical Address 08-00-27-70-FB-AC). The 08:00:27 prefix identifies VirtualBox virtual network adapters, which confirms that this is a virtual lab environment.

To confirm that the discovered hosts respond on the network, I also tested connectivity with `ping -n 4` to 10.0.0.1, 10.0.0.2 and 10.0.0.9 on 15 September 2026. All three hosts replied to every packet (0% packet loss).

After completing the scan, I opened the **Topology** tab in Zenmap, enabled the legend and saved the network topology in PDF format (W2-PM5-Zenmap-Topology.pdf). The topology shows localhost at the centre with the four discovered hosts (10.0.0.1, 10.0.0.2, 10.0.0.4 and 10.0.0.9) around it. The full graphic is included in Section 8.

5. Risk Analysis / Impact

After reviewing the results from both activities, I noted a number of security observations that could be important in a real environment. These are listed below as potential risks rather than confirmed vulnerabilities.

#	Risk / Finding	Evidence / Observation	Potential Impact	Risk Level
1	Web technology information exposed	WhatWeb identified WordPress 7.1, WP Download Manager 3.3.58 and Apache	Attackers may use exposed technology/version information to identify software requiring further security review	● Medium
2	Server IP address identifiable	Nslookup resolved the domain to 192.232.216.135 (also the mail server IP)	Provides information about the network location of the web service	● Low
3	HTTP technical information exposed	Curl returned HTTP response headers and exposed /wp-json/ and caching details	May assist technology fingerprinting and further enumeration	● Low
4	WAF technology identifiable	Wafw00f identified ModSecurity (SpiderLabs)	Reveals information about the web application's security architecture	● Low
5	DNS infrastructure information exposed	DNSRecon identified NS, MX, SPF/TXT and SRV records and BIND 9.16.23-RH on both name servers	DNS information can help build a broader infrastructure profile	● Medium
6	Multiple live hosts visible on local network	Zenmap identified four live hosts (10.0.0.1, 10.0.0.2, 10.0.0.4, 10.0.0.9) on 10.0.0.0/24	Unknown or unauthorized devices may potentially be present on a network	● Medium
7	Contact email address exposed	WhatWeb exposed info@networkwalks.com	Public email addresses can be harvested and used for spam or phishing attempts	● Low
8	DNSSEC not enabled	WHOIS showed DNSSEC as unsigned and DNSRecon received no answer to its DNSSEC query	Without DNSSEC, DNS responses cannot be cryptographically validated, which can make DNS spoofing easier	● Low

Risk level key: ● Critical ● Medium ● Low

The risks above are observations from the footprinting and scanning exercises, not confirmed vulnerabilities.

The practical exercises primarily involved information gathering and host discovery. No exploitation or vulnerability validation was performed as part of these two modules.

Therefore, the presence of information such as a software version, IP address or DNS record does not by itself mean that the system is vulnerable. Further authorized security testing would be required to confirm any actual vulnerability.

6. Recommendations

Based on what I observed during the exercises, the following steps would help reduce unnecessary exposure and improve general security:

1. **Review publicly exposed technology information**
Regularly check what information about the website, CMS and plugins can be seen publicly, and remove unnecessary exposure where possible.
2. **Keep software updated**
Keep the CMS, plugins and other web components updated, and check security advisories for the versions that are in use.
3. **Review HTTP headers**
Review HTTP response headers and avoid exposing technical details that are not needed.
4. **Review DNS records regularly**
Review DNS records from time to time to make sure they are still required. Where possible, avoid exposing unnecessary server version details such as the BIND version.
5. **Consider enabling DNSSEC**
Consider enabling DNSSEC so that DNS responses can be validated and are better protected against tampering.
6. **Properly configure and monitor the WAF**
Keep ModSecurity enabled, properly configured and monitored. Its effectiveness should be checked through authorized testing rather than assumed from detection alone.
7. **Perform regular internal network discovery**
Carry out authorized internal network scans from time to time so that active devices are known and documented.
8. **Investigate unknown devices**
If an unfamiliar device appears during an internal scan, confirm what it is and whether it is supposed to be connected.
9. **Maintain network documentation**
Keep basic network diagrams and device information up to date so that changes are easier to notice.
10. **Perform security testing with authorization**
Only perform reconnaissance and scanning where clear authorization has been given or on systems that you own.

7. Conclusion

During Week 2 of the Cybersecurity & Ethical Hacking internship, I completed practical work on reconnaissance, footprinting and network scanning.

The footprinting activity gave me hands-on practice with six Kali Linux tools. WHOIS helped me check domain registration information, WhatWeb showed the technologies used by the website, Nslookup resolved the domain name, Curl displayed HTTP headers, Wafw00f checked for a WAF, and DNSRecon gave me more detail about DNS records.

For the network scanning activity, I confirmed that my Windows lab machine was using 10.0.0.4 on the 10.0.0.0/24 subnet. I then used Zenmap to find four active hosts, reviewed their IP and MAC address information, and created a simple topology of the lab network.

One thing I took from these exercises is how much useful information can be collected before any exploitation takes place. Public records, DNS responses, web headers and basic network scans can already reveal a lot about an environment.

I also saw the importance of keeping clear evidence. It is easier to explain a finding when the command, result and screenshot are recorded at the time the work is done.

Most importantly, this work reinforced that reconnaissance and scanning must stay within the approved scope. The activities in this report were completed as part of the assigned educational lab and on systems I was authorized to test.

8. Evidences Collected

8.1 Footprinting and reconnaissance (W2-PM1)

Figure 1 – Task 1: whois networkwalks.com (run 15 September 2026)

```
(kali@vbox)-[~/Week2/PM1]
$ whois networkwalks.com | tee PM1-T1-WHOIS.txt
Domain Name: NETWORKWALKS.COM
Registry Domain ID: 2452319255_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.godaddy.com
Registrar URL: http://www.godaddy.com
Updated Date: 2025-11-12T10:08:43Z
Creation Date: 2019-11-06T22:51:46Z
Registry Expiry Date: 2027-11-06T22:51:46Z
Registrar: GoDaddy.com, LLC
Registrar IANA ID: 146
Registrar Abuse Contact Email: abuse@godaddy.com
Registrar Abuse Contact Phone: 480-624-2505
Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
Domain Status: clientRenewProhibited https://icann.org/epp#clientRenewProhibited
Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited
Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited
Name Server: NS6135.HOSTGATOR.COM
Name Server: NS6136.HOSTGATOR.COM
DNSSEC: unsigned
URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>>> Last update of whois database: 2026-09-15T08:18:09Z <<<

For more information on Whois status codes, please visit https://icann.org/epp

NOTICE: The expiration date displayed in this record is the date the
registrar's sponsorship of the domain name registration in the registry is
currently set to expire. This date does not necessarily reflect the expiration
date of the domain name registrant's agreement with the sponsoring
registrar. Users may consult the sponsoring registrar's Whois database to
view the registrar's reported date of expiration for this registration.

TERMS OF USE: You are not authorized to access or query our Whois
database through the use of electronic processes that are high-volume and
automated except as reasonably necessary to register domain names or
modify existing registrations; the Data in VeriSign Global Registry
Services' ("VeriSign") Whois database is provided by VeriSign for
information purposes only, and to assist persons in obtaining information
```

Figure 2 – Task 2: whatweb networkwalks.com (run 15 September 2026)

```
(kali㉿ vbox)-[~/Week2/PM1]
$ whatweb networkwalks.com | tee PM1-T2-WhatWeb.txt
http://networkwalks.com [301 Moved Permanently] Apache, Cookies[__wpdm_client], Country[UNITED STATES][US], HTTPServer[Apache], HttpOnly[__wpdm_client], IP[192.232.216.135], RedirectLocation[https://networkwalks.com/], UncommonHeaders[permissions-policy,x-redirect-by,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache]
https://networkwalks.com [200 OK] Apache, Bootstrap[7.1], Cookies[__wpdm_client], Country[UNITED STATES][US], Email[info@networkwalks.com], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], HttpOnly[__wpdm_client], IP[192.232.216.135], JQuery[3.7.1], MetaGenerator[WordPress 7.1,WordPress Download Manager 3.3.58], Open-Graph-Protocol[website], Script[4684NR-IPIB&pidnVar2=50511&prtVar2=7&scvVar2=12,application/json,application/ld+json,module,speculationrules,text/javascript], Title[Networkwalks Academy], UncommonHeaders[permissions-policy,link,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache], WordPress[7.1]
https://networkwalks.com/ [200 OK] Apache, Bootstrap[7.1], Country[UNITED STATES][US], Email[info@networkwalks.com], Frame, Google-Tag-Manager, HTML5, HTTPServer[Apache], IP[192.232.216.135], JQuery[3.7.1], MetaGenerator[WordPress 7.1,WordPress Download Manager 3.3.58], Open-Graph-Protocol[website], Script[4684NR-IPIB&pidnVar2=50511&prtVar2=7&scvVar2=12,application/json,application/ld+json,module,speculationrules,text/javascript], Title[Networkwalks Academy], UncommonHeaders[permissions-policy,link,upgrade,referrer-policy,x-endurance-cache-level,x-nginx-cache], WordPress[7.1]
```

Figure 3 – Task 3: nslookup networkwalks.com (run 15 September 2026)

```
(kali㉿ vbox)-[~/Week2/PM1]
$ nslookup networkwalks.com | tee PM1-T3-Nslookup.txt
Server:          1.1.1.1
Address:         1.1.1.1#53

Non-authoritative answer:
Name:   networkwalks.com
Address: 192.232.216.135

(kali㉿ vbox)-[~/Week2/PM1]
$
```

Figure 4 – Task 4: curl -I https://networkwalks.com (run 18 September 2026)

```
(kali@kali)-[~]
└─$ curl -I https://networkwalks.com | tee PM1-T4-Curl.txt
% Total    % Received % Xferd  Average Speed   Time    Time     Current
           % Done    0     0              0             0      0     0
0         0    0     0          0             0      0     0
HTTP/2 200
permissions-policy: private-state-token-redemption=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com"), private-state-token-issuance=(self "https://www.google.com" "https://www.gstatic.com" "https://recaptcha.net" "https://challenges.cloudflare.com" "https://hcaptcha.com")
link: <https://networkwalks.com/wp-json/>; rel="https://api.w.org/", <https://networkwalks.com/wp-json/wp/2.0/pages/53>; rel="alternate"; title="JSON"; type="application/json", <https://networkwalks.com/>; rel=shortlink
set-cookie: __wpdm_client=bac35ae5a1bae6253b4b439207968def; path=/; domain=networkwalks.com; secure; HttpOnly
referrer-policy: no-referrer-when-downgrade
x-endurance-cache-level: 0
x-nginx-cache: WordPress
content-type: text/html; charset=UTF-8
date: Fri, 18 Sep 2026 20:47:45 GMT
server: Apache
```

Figure 5 – Task 5: wafw00f networkwalks.com (run 15 September 2026)

```
(kali@vbox)-[~/Week2/PM1]
$ wafw00f networkwalks.com | tee PM1-T5-Wafw00f.txt

      ( Woof! )
    /-----\
   /         \
  /           \
 /             \
/               \
\               /
 \             /
  \           /
   \         /
    \       /
     \     /
      \___/

~ WAFW00F : v2.4.2 ~
The Web Application Firewall Fingerprinting Toolkit

[*] Checking https://networkwalks.com
[+] The site https://networkwalks.com is behind ModSecurity (SpiderLabs) WAF.
[~] Number of requests: 2

(kali@vbox)-[~/Week2/PM1]
$
```

Figure 6 – Task 6: dnsrecon -d networkwalks.com (run 18 September 2026)

```
(kali@kali)-[~]
$ dnsrecon -d networkwalks.com | tee PM1-T6-DNSRecon.txt
2026-09-18T16:48:51.968717-0400 INFO Starting enumeration for domain: networkwalks.com
2026-09-18T16:48:51.968982-0400 INFO std: Performing General Enumeration against: networkwalks.com...
2026-09-18T16:48:52.645571-0400 ERROR No answer for DNSSEC query for networkwalks.com
2026-09-18T16:48:53.047809-0400 INFO SOA ns6135.hostgator.com 50.87.144.87
2026-09-18T16:48:53.554084-0400 INFO NS ns6135.hostgator.com 50.87.144.87
2026-09-18T16:48:54.230462-0400 INFO Bind Version for 50.87.144.87 "9.16.23-RH"
2026-09-18T16:48:54.230616-0400 INFO NS ns6136.hostgator.com 192.232.216.131
2026-09-18T16:48:54.917136-0400 INFO Bind Version for 192.232.216.131 "9.16.23-RH"
2026-09-18T16:48:55.961291-0400 INFO MX mail.networkwalks.com 192.232.216.135
2026-09-18T16:48:56.074708-0400 INFO A networkwalks.com 192.232.216.135
2026-09-18T16:48:57.134795-0400 INFO TXT networkwalks.com google-site-verification=rr04eRmqHoWY3XemnizDNVK4q75X-Ij-mjgEeg-UsYI
2026-09-18T16:48:57.135049-0400 INFO TXT networkwalks.com v=spf1 +a +mx +ip4:50.87.144.87 +include:websitewelcome.com ~all
2026-09-18T16:48:58.138042-0400 INFO Enumerating SRV Records
2026-09-18T16:49:03.868257-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.9 443
2026-09-18T16:49:03.868488-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.14 443
2026-09-18T16:49:03.868563-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.15 443
2026-09-18T16:49:03.868616-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.9 443
2026-09-18T16:49:03.868663-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.14 443
2026-09-18T16:49:03.868774-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.15 443
2026-09-18T16:49:03.868835-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.203.11 443
2026-09-18T16:49:03.868884-0400 INFO SRV _autodiscover._tcp.networkwalks.com cpanelmaildiscovery.cpanel.net 184.94.204.11 443
2026-09-18T16:49:03.871424-0400 INFO 8 RecordS Found
2026-09-18T16:49:03.871733-0400 INFO Completed enumeration for domain: networkwalks.com

(kali@kali)-[~]
$
```

8.2 Network scanning with Zenmap (W2-PM5)

Figure 7 – Task 2 and Task 6: ipconfig /all on Windows10-Lab (IPv4 10.0.0.4, mask 255.255.255.0, gateway 10.0.0.1, MAC 08-00-27-70-FB-AC)

```
Microsoft Windows [Version 10.0.19045.2006]
(c) Microsoft Corporation. All rights reserved.

C:\Users\vboxuser>ipconfig /all

Windows IP Configuration

   Host Name . . . . . : Windows10-Lab
   Primary Dns Suffix . . . . . :
   Node Type . . . . . : Hybrid
   IP Routing Enabled. . . . . : No
   WINS Proxy Enabled. . . . . : No

Ethernet adapter Ethernet:

   Connection-specific DNS Suffix  . :
   Description . . . . . : Intel(R) PRO/1000 MT Desktop Adapter
   Physical Address. . . . . : 08-00-27-70-FB-AC
   DHCP Enabled. . . . . : No
   Autoconfiguration Enabled . . . . : Yes
   Link-local IPv6 Address . . . . . : fe80::5c5c:d42e:f10b:9d0c%6(Preferred)
   IPv4 Address. . . . . : 10.0.0.4(Preferred)
   Subnet Mask . . . . . : 255.255.255.0
   Default Gateway . . . . . : 10.0.0.1
   DHCPv6 IAID . . . . . : 101187623
   DHCPv6 Client DUID. . . . . : 00-01-00-01-32-35-94-59-08-00-27-70-FB-AC
   DNS Servers . . . . . : 8.8.8.8
   NetBIOS over Tcpip. . . . . : Enabled

C:\Users\vboxuser>
```

Figure 8 – Tasks 3 to 6: Zenmap ping scan of 10.0.0.0/24 (nmap -sn), 18 September 2026




Figure 9 – Connectivity check: ping -n 4 to 10.0.0.1, 10.0.0.2 and 10.0.0.9 (15 September 2026)

```
Administrator: Command Prompt

C:\Windows\system32>ping -n 4 10.0.0.1

Pinging 10.0.0.1 with 32 bytes of data:
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255
Reply from 10.0.0.1: bytes=32 time<1ms TTL=255

Ping statistics for 10.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Windows\system32>ping -n 4 10.0.0.2

Pinging 10.0.0.2 with 32 bytes of data:
Reply from 10.0.0.2: bytes=32 time<1ms TTL=64
Reply from 10.0.0.2: bytes=32 time<1ms TTL=64
Reply from 10.0.0.2: bytes=32 time<1ms TTL=64
Reply from 10.0.0.2: bytes=32 time<1ms TTL=64

Ping statistics for 10.0.0.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms


C:\Windows\system32>ping -n 4 10.0.0.9

Pinging 10.0.0.9 with 32 bytes of data:
Reply from 10.0.0.9: bytes=32 time<1ms TTL=64
Reply from 10.0.0.9: bytes=32 time<1ms TTL=64
Reply from 10.0.0.9: bytes=32 time<1ms TTL=64
Reply from 10.0.0.9: bytes=32 time<1ms TTL=64

Ping statistics for 10.0.0.9:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\Windows\system32>_
```

Figure 10 – Task 7: Zenmap network topology (also saved as W2-PM5-Zenmap-Topology.pdf)



-End-



Author

Mwanamuke Mwiya

Cybersecurity Intern B083



Project Information

Program Name: Cybersecurity program at Networkwalks | **Week:** 02 | **Repository:** GitHub