
Based on what you have learnt in the class, do the following steps:

- a. Create a new folder
- b. Put the following files in the folder
- Code.txt
- Log.txt
- Output.txt
- c. Stage the Code.txt and Output.txt files
- d. Commit them e. And finally push them to GitHub
- 2. Please share the commands the above point

Lanunch instance



Add floder name:-

mkdir assignment 1

ls

cd assignment1


```
| Sec2-user8ip-172-31-86-75 ~|$ is
| y folder |
| fec2-user8ip-172-31-86-75 ~|$ mkdir assignment 1 |
| fec2-user8ip-172-31-86-75 ~|$ mkdir assignment 1 |
| fec2-user8ip-172-31-86-75 ~|$ s
| assignment my folder |
| fec2-user8ip-172-31-86-75 ~|$ remove my folder |
| bash: remove: command not found |
| fec2-user8ip-172-31-86-75 ~|$ cd assignment |
| bash: cd assignments in No such file or directory |
| fec2-user8ip-172-31-86-75 ~|$ souch code.txt | log.txt |
| fec2-user8ip-172-31-86-75 ~|$ souch code.txt | log.txt |
| fec2-user8ip-172-31-86-75 ~|$ is |
| fec2-us
```

touch code.txt log.txt output.txt

ls

git init


git add code.txt output.txt



git status

git commit -m "commiting code.txt and output.txt"


history



Git remote add origin https://github.com/mukesh1998hyd/assignment1.git

Git branch

Git push origin master




Token passcode

ghp_u9kS0u9clvoHIlCN1GGyJpswHi7k6U4HC1ob

next you can see floder file add it github repositor

Ls



git branch develop
git branch feature1
git branch feature2
git branch
git checkout develop
touch develop.txt
ls
git stash -u
ls
git checkout feature1

```
buntu@ip-172-31-11-33:~/assignment2$ git commit -m "commiting new.txt"
feature1 22le88f] commiting new.txt
Committer: Ubuntu <ubuntu@ip-172-31-11-33.us-east-2.compute.internal>
our name and email address were configured automatically based
n your username and hostname. Please check that they are accurate.
ou can suppress this message by setting them explicitly. Run the
ollowing command and follow the instructions in your editor to edit
our configuration file:
    git config --global --edit
fter doing this, you may fix the identity used for this commit with:
    git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 new.txt
buntu@ip-172-31-11-33:~/assignment2$ git checkout develop
witched to branch 'develop'
buntu@ip-172-31-11-33:~/assignment2$
i-Of253a9b85f762016 (git-session)

touch new.txt
```

git add new.txt

git commit _m "commiting new.txt"

git checkout develop

git stash pop

ls

git add develop.txt

git commit -m "commiting develop.txt"

history

mkdir assignment3

```
create mode 100644 f2.txt
ubuntu@ip-172-31-11-33:~/assignment3$ git remote add origin https://github.com/Sameer-8080/assi
ubuntu@ip-172-31-11-33:~/assignment3$ git push origin all
error: src refspec all does not match any
ubuntu@ip-172-31-11-33:~/assignment3$ git push origin --all
Username for 'https://github.com': Sameer-8080
Password for 'https://Sameer-8080@github.com':
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Compressing objects: 100% (7/7), done.
Writing objects: 100% (9/9), 728 bytes | 728.00 KiB/s, done.
Total 9 (delta 3), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (3/3), done.
To https://github.com/Sameer-8080/assignm2.git
 * [new branch]
                        develop -> develop
 * [new branch]
                         f1 -> f1
                        f2 -> f2
 * [new branch]
 * [new branch]
                         master -> master
ubuntu@ip-172-31-11-33:~/assignment3$ [
```

cd assignment3

touch main.txt

git init

git add main.txt

its commit -m "commiting main.txt"

git commit -m "commiting main.txt"

git branch develop

```
git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)

create mode 100644 main.txt

abuntu@ip-172-31-11-33:~/assignment3$ git branch develop

abuntu@ip-172-31-11-33:~/assignment3$ git branch f1

abuntu@ip-172-31-11-33:~/assignment3$ git branch f2

abuntu@ip-172-31-11-33:~/assignment3$ git branch

develop

f1

f2

master


abuntu@ip-172-31-11-33:~/assignment3$
```

git branch f1

git branch f2

git branch

git checkout develop



touch develop.txt

git add develop.txt

git commit -m "comminting develop.txt"

git commit -m "commiting develop.txt"

git checkout f2

touch f1.txt

git add f2.txt

```
84 history

ubuntu@ip-172-31-11-33:~/assignment3$ git branch
develop
f1

* f2
master

ubuntu@ip-172-31-11-33:~/assignment3$ git checkout master

Switched to branch 'master'

ubuntu@ip-172-31-11-33:~/assignment3$ git branch -D f2

Deleted branch f2 (was 7fe8911).

ubuntu@ip-172-31-11-33:~/assignment3$ git branch
develop
f1

* master

ubuntu@ip-172-31-11-33:~/assignment3$ git push origin --delete f2

i-Of253a9h85f762016 (git-session)
```

git commit -m "commiting f2.txt"

git remote add origin https://github.com//mukesh pandit1998/assignment3.git git push origin all

git push origin -all

ls

mkdir assignment4

cd assignment4

ls

git init

```
Your name and email address were configured automatically based on your username and hostname. Please check that they are accurate. You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 1 insertion(+)

ibuntu@ip-172-31-11-33:~/assignment4$ git branch

master

private

public1

public2

ibuntu@ip-172-31-11-33:~/assignment4$
```

i-0f253a9h85f762016 (git-session)

Clear

Touch master.txt

Git add master.txt

git commint -m "commiting master.txt"

git branch

```
buntu@ip-172-31-11-33:~/assignment4\(\delta\) git branch
master
publtcl
buntu@ip-172-31-11-33:~/assignment4\(\delta\) git branch public2
buntu@ip-172-31-11-33:~/assignment4\(\delta\) git branch private
buntu@ip-172-31-11-33:~/assignment4\(\delta\) git branch
master
private
public2
publtcl
buntu@ip-172-31-11-33:~/assignment4\(\delta\) git checkout publtcl
witched to branch 'publtc1'
buntu@ip-172-31-11-33:~/assignment4\(\delta\) git branch -M publicl
buntu@ip-172-31-11-33:~/assignment4\(\delta\) git branch
master
private
public1
public2
buntu@ip-172-31-11-33:~/assignment4\(\delta\) touch public
buntu@ip-172-31-11-33:~/assignment4\(\delta\) touch public
```

Git branch public1

Git branch

Git branch public2

Git branch private

Git branch

Git checkout public1

Git branch -m public1

```
git commit --amend --reset-author
 1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public1.txt
ubuntu@ip-172-31-11-33:~/assignment4$ git checkout master
Switched to branch 'master'
ubuntu@ip-172-31-11-33:~/assignment4$ git merge public1
Updating eb83154..3defc29
Fast-forward
public1.txt | 0
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 public1.txt
ubuntu@ip-172-31-11-33:~/assignment4$ git merge public2
Already up to date.
ubuntu@ip-172-31-11-33:~/assignment4$ git checkout private
Switched to branch 'private'
ubuntu@ip-172-31-11-33:~/assignment4$ ls
master.txt
ubuntu@ip-172-31-11-33:~/assignment4$ n
```

Git branch

Touch public1.txt

Git add public1.txt

git commit -m "commiting public1.txt"

git checkout master

git merge public1

git mergin public2

git checkout private

ls



Nano master.txt
Git status
Git add master.txt
Git commit -m "commiting edited master.txt
Git branch
Git checkout public
Is
cat master.txt
git merge private
cat master.txt

```
ubuntu@ip-172-31-11-33:~/assignment5$ touch feature.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git add feature.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git commit -m "commiting feature.txt"
[feature 7bfb8d5] commiting feature.txt
Committer: Ubuntu <ubuntu@ip-172-31-11-33.us-east-2.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 feature.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git checkout develop
```

Git checkout master

git checkout public2

git merge private

Git merge private

ls

mkdir assignment5

```
ubuntu@ip-172-31-11-33:~/assignment5$ touch develop.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git add develop.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git commit -m "committing develop.txt"
[develop 47f5b8d] committing develop.txt
Committer: Ubuntu <ubuntu@ip-172-31-11-33.us-east-2.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 develop.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git che
```

cd assignment5

ls

touch develop.txt

git add develop.txt

```
ubuntu@ip-172-31-11-33:~/assignment5$ touch feature.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git add feature.txt
ubuntu@ip-172-31-11-33:~/assignment5$ git commit -m "commiting feature
[feature 7bfb8d5] committing feature.txt
Committer: Ubuntu <ubuntu@ip-172-31-11-33.us-east-2.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:
   git config --global --edit
After doing this, you may fix the identity used for this commit with:
    git commit --amend --reset-author
 1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 feature.txt
ubuntu@ip-172-31-11-33:~/assignment5$ [
```

git commit -m "commiting devlop.txt

git branch feature

git branch feature.txt

git commit -m "coming feture.txt"

git checkout master

git merge devlop

develop.txt

feature.txt

git branch

```
buntu@ip-172-31-11-33:~/assignment5$ touch urgent.txt
buntu@ip-172-31-11-33:~/assignment5$ git add urgent.txt
buntu@ip-172-31-11-33:~/assignment5$ git commit -m "commiting urgent.txt"
hotfix e2e9be8] commiting urgent.txt

Committer: Ubuntu <ubuntu@ip-172-31-11-33.us-east-2.compute.internal>
'our name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
'ou can suppress this message by setting them explicitly. Run the
iollowing command and follow the instructions in your editor to edit
'our configuration file:

git config --global --edit

after doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 0 insertions(+), 0 deletions(-)
```

touch urgent.txt

git add urgent.txt

git commit -m "commiting urgent.txt"

git checkout master

git merge hotfix

history

```
cat master.txt
125 git merge private
126 cat master.txt
127 git checkout public2
128 git merge private
129 git checkout master
130 git merge private
131 history
132 cd
133 mkdir assignment5
134
      cd assignment5
136 git init
137 touch master.txt
138 git add master.txt
139 git commit -m "comiting master.txt"
140 git branch
141 git branch develop
142 git checkout develop
143 touch develop.txt
i-0f257a0h95f762016 (ait-session)
```