

# EXPERIMENT 4

## DML Commands with Constraints – UPDATE, DELETE

### Aim:

To perform Data Manipulation Language (DML) Commands such as UPDATE, DELETE in the table.

### Description:

Data Manipulation Language (DML) statements are used for managing data within schema objects. DML Commands: Update, Delete

- UPDATE - updates existing data within a table
- DELETE - deletes all records from a table, the space for the records remain

### QUESTIONS

1. Update the patient name whose Patient\_ID is P001.
2. Delete the doctor whose Department is General.
3. Modify the Department of the doctor whose name is Ravi to Emergency.
4. Remove all patients who are having age over 30.

### OUTPUTS:

1)

```
113 • UPDATE Patient
114 SET Patient_Name = 'Arun Kumar'
115 WHERE Patient_ID = 'P001';
116
117 • SELECT * FROM Patient;
118
```

| Result Grid     Filter Rows: <input type="text"/>   Edit:      Export/Import: |              |      |        |          |            |
|-------------------------------------------------------------------------------|--------------|------|--------|----------|------------|
| Patient_ID                                                                    | Patient_Name | Age  | Gender | Disease  | Phone_No   |
| P001                                                                          | Arun Kumar   | 25   | M      | Fever    | 9876543210 |
| P002                                                                          | Priya        | 22   | F      | Diabetes | 9876543211 |
| P003                                                                          | Rahul        | 30   | M      | Asthma   | 9876543212 |
| P004                                                                          | Sneha        | 28   | F      | Migraine | 9876543213 |
| P005                                                                          | Karthik      | 35   | M      | Typhoid  | 9876543214 |
| NULL                                                                          | NULL         | NULL | NULL   | NULL     | NULL       |



4)

```
130 • DELETE FROM Appointment
131 WHERE App_ID = 'A005'
132 AND Patient_ID = 'P005';
133 • DELETE FROM Patient
134 WHERE Patient_ID = 'P005'
135 AND Age > 30;
136 • SELECT * FROM Patient;
137
```

| Result Grid |            |              |      |        |          |                |
|-------------|------------|--------------|------|--------|----------|----------------|
|             |            | Filter Rows: |      |        | Edit:    | Export/Import: |
|             | Patient_ID | Patient_Name | Age  | Gender | Disease  | Phone_No       |
| ▶           | P001       | Arun Kumar   | 25   | M      | Fever    | 9876543210     |
|             | P002       | Priya        | 22   | F      | Diabetes | 9876543211     |
|             | P003       | Rahul        | 30   | M      | Asthma   | 9876543212     |
|             | P004       | Sneha        | 28   | F      | Migraine | 9876543213     |
| *           | NULL       | NULL         | NULL | NULL   | NULL     | NULL           |

## RESULT:

Data Manipulation Language (DML) Commands such as UPDATE, DELETE are performed in the five tables.