

AiroEmed — Patient Platform Business Logic

Field	Details
Document	Patient Platform Business Logic
Objective	Explain what has been implemented — patient flows and rules, video consultation, doctor/pharmacy assignment, and what Admin / Doctor / Pharmacy portals can configure or operate — so the client tech/product team can validate scope and behavior.
Audience	Original client tech and product team; delivery / integration stakeholders
Prepared by	AndOr Communications Pvt Ltd
Classification	Confidential — for client project stakeholders
Scope	Patient web + mobile (iOS / Android); staff portals (admin / doctor / pharmacy) summarized by capability
Out of scope	Full staff UI walkthroughs, API request/response contracts, deployment runbooks
Version	1.0
Last updated	27 August 2026
Related documents	INTEGRATION.md (INTEGRATION.md) (patient API) · ARCHITECTURE.md (ARCHITECTURE.md) (technical structure) · API.md (API.md) (full route catalog)
PDF	BUSINESS_LOGIC.pdf

Environment	URL / note
Production API	https://api.airoemed.com
Patient website	https://airoemed.com
Admin portal	https://admin.airoemed.com


This document explains **business behavior**, not API syntax. For endpoints, see INTEGRATION.md (INTEGRATION.md).

0. Executive summary

AiroEmed is a **telehealth commerce** platform: patients browse medicines (OTC and prescription-required), complete clinical intake, pay via Razorpay, receive a doctor consultation when needed, and get medicines fulfilled by partner pharmacies with shipment tracking and returns.

Actors the patient interacts with:

Actor	Role
Patient	Browse, cart, checkout, pay, consult, track orders
Doctor	Reviews RX cases, chat/video, approves or rejects medicines, may add paid top-ups
Pharmacy	Packs and ships (invisible to patient except tracking)
Admin / support	Operates catalog, assignments, and exceptions (no patient UI)



In scope here: patient web/mobile journeys end-to-end, plus what Admin / Doctor / Pharmacy portals can configure or operate (capability summary — not a staff training manual).

Also covered: doctor/pharmacy assignment (§7a–7b) and portal capabilities (§10–10b).

1. Domain concepts

Term	Meaning
Category	Medicine vertical (e.g. hair, weight, sexual wellness) — drives doctor routing and questionnaire templates
Concern	Clinical topic within a category (e.g. hair loss, acne)
Medicine	Sellable SKU; may be OTC or prescription-required
Audience	Product line targeting: HIMS , HERS , or BOTH
Subcategory	Product-form grouping on “All Treatments” screens (tablets, foam, etc.) — not the same as category
Purchase plan	Supply option on PDP (e.g. 1-month / 3-month); price is snapshotted into the cart
Purchase / order	Customer-facing order = a purchase record; public display id 0D123456 style
Checkout session	Groups one or more purchases created from a single cart payment attempt
Consultation	Doctor case created automatically after RX payment
Prescription	Required before pharmacy dispatches RX lines; OTC orders get an auto-prescription at payment
Pharmacy order	Internal fulfillment record at a partner pharmacy (staff see a separate internal id)
Top-up	Extra medicines added by a doctor after the original order — patient pays separately

Order id convention: Patients see **0D + 6-character public code** (e.g. **0D482917**) on account orders, invoices, and notification links. This is the canonical customer-facing order reference. Consultations and prescriptions use separate public codes (**CN...** , **PR...**) where shown.

2. Discovery & catalog

Patients can browse **without logging in**:

- Homepage, categories, concerns, medicine detail pages (PDP), doctors, treatment pages, top products, help center, legal pages
- **All Treatments:** medicines grouped by **product-form subcategory** within a category; optional audience filter (**HIMS** / **HERS**)
- **Availability:** **IN_STOCK** / **LOW_STOCK** / **OUT_OF_STOCK** from live pharmacy inventory (not used from cache for checkout decisions)
- Optional **clinical quiz** on PDP or concern pages → recommended medicines (guest or logged-in)
- PDP shows purchase plans, FAQs, featured doctors, and reviews (patients can submit reviews when logged in)

Not in patient apps today: sitewide catalog search (backend endpoint exists but is not wired in web/mobile UI).

For API paths, see INTEGRATION.md §5 (INTEGRATION.md).

3. Account & onboarding

Login & registration paths

Path	Summary
Mobile OTP	Primary — send OTP → verify → tokens; creates account if new (<code>isNewUser</code>)
Email OTP login	Passwordless login for existing accounts
Email/password register	Requires prior signup email OTP verification token
Complete signup / profile	New OTP users must set name, gender, DOB before checkout

New mobile-OTP users may start with a **placeholder email** until a real email is verified in account settings.

Profile completion gate

Required for checkout mutations: **first name, last name, gender, date of birth**.

- Placeholder names like "New User" do **not** count as complete.
- Ethnicity** is optional (if provided: `caucasian`, `african_american`, `hispanic_latino`, `asian`, `middle_eastern`, `other`).

Action	Requires complete profile?
Browse catalog	No
View profile, addresses, orders, consultations	No
Add/update cart, submit questionnaire, create purchase, pay	Yes
Request / cancel account deletion	No

Addresses

- Patients maintain a list of delivery addresses.
- Checkout requires an address: either explicitly selected or the user's **default** address.
- Without an address, purchase creation fails with a clear "add delivery address" rule.

Account deletion

Request deletion → PENDING_DELETION (14 calendar days) → Purge / anonymize → DELETED

During grace period	After purge
User can log in only to cancel deletion	Profile anonymized (Deleted User , synthetic email)
Checkout and most account APIs blocked	Addresses, health profile, notifications, questionnaire answers removed
Refresh tokens revoked immediately	Retained for audit/legal FKs: purchases, consultations, prescriptions, pharmacy orders

For auth API details, see INTEGRATION.md §2 (INTEGRATION.md).

4. Cart model

Multi-cart behavior

- Patients can have **multiple active carts**.
- Canonical rule: **one active cart per catalog category** (keyed as `category:{id}`).
- Adding from a PDP or concern path is merged into the category cart when possible; PDP-scoped carts can hold a single medicine until merged.
- Category carts may hold **multiple medicines from the same category only**.

Line items & flags

Rule	Behavior
Price snapshot	Unit price and purchase plan (supply months) stored at add time
Photos	Patients can attach images to cart (e.g. scalp photos) for doctor review
<code>requiresConsultation</code>	True if any line is prescription-required
Questionnaire state	Cart exposes linked checkout questionnaire session and progress
Payment context	Cart can surface last payment failure / open unpaid purchase for retry UX

Cart lifecycle

Cart status	Meaning
Active	Editable; customer shopping
Submitted	Associated with checkout in progress
Locked	Paid / checked out — no further edits
Expired	Abandoned / timed out

During payment initiation, line items move toward **checkout initiated**, then **checked out** on success. On payment failure they return to **active** so the customer can retry.

Abandoning a cart removes the active bag for that path.

5. Questionnaires

Type	When	Purpose	Auth
Clinical / catalog quiz	Pre-cart on PDP or concern	Recommend medicines	Guest or logged-in
System health profile	Logged-in	Prefill checkout answers	Logged-in
Checkout questionnaire	Before payment (RX carts)	Clinical intake — must reach Submitted to pay	Logged-in
Intro questionnaire	Concern onboarding (backend-ready)	Light education / recommendations	Not wired in current patient UI

Checkout questionnaire rules

- **Hard gate for RX:** if the cart requires consultation, purchase creation fails until the checkout questionnaire is **Submitted**.
- **Conditional questions:** visibility/required rules depend on answers (e.g. pregnancy-related sections only when gender is female).
- **Stale flow:** if bag contents / concern modules change, the session may be rebuilt and the patient must re-complete newly required questions. At checkout the API fails with a clear “bag changed — complete the updated questionnaire” message.
- **Draft TTL:** incomplete sessions expire after a configured window (default **7 days**).
- On submit, answers can sync into the persistent **health profile** where configured.

Session progression: **In progress** → **Review** → **Submitted** → **Locked**.

6. Checkout & payment

Gates (in order)

1. Logged in + **profile complete**
2. Checkout questionnaire **submitted** (if any RX line)
3. **Delivery address** selected (or default)
4. **Consents** accepted in the patient app UI (teleconsult / terms — collected in questionnaire / UI, not a separate payment payload)
5. **Purchase(s)** created from cart under one checkout session
6. **Razorpay** order created → customer pays → signature verify (and/or webhook)

Mixed cart (OTC + RX)

- **One Razorpay charge** for the customer
- Backend creates **two purchase records** under one checkout session when both OTC and RX lines exist
- Payment UX prefers the **RX** purchase as the primary payment handle
- Fulfillment runs **OTC first**, then RX

Purchase / checkout payment statuses

Status	Meaning
Pending	Created, payment not started
Payment initiated	Razorpay order exists; awaiting payment
Paid	Success — fulfillment side effects run once
Failed / timed out	Customer can retry
Cancelled	Terminal

On payment success

Path	What happens
OTC only	Auto-prescription issued (90-day validity) → pharmacy assigned → stock reserved → pharmacy order created
RX only	Consultation created → doctor assigned → stock reserved → pharmacy order deferred until Rx issued
Mixed	Both paths run; patient may see OTC ship while RX awaits doctor

Also:

- Cart **locked**; items marked checked out
- **Receipt PDF** generated asynchronously after the **first** successful fulfill
- **order.placed** notification sent (once; idempotent across verify + webhook)


On payment failure / timeout

- Checkout / purchases marked failed or timed out
- Cart stays **active**; lines revert so customer can retry
- Fulfillment is **idempotent** — duplicate client verify or webhook cannot double-create consultation or pharmacy orders

Razorpay retry rules

Situation	Behavior
Unpaid checkout in pending / initiated / failed / timed out	Customer may reopen payment
Previous order still open at Razorpay with same amount	Reuse existing Razorpay order
Previous attempt failed / timed out	Create a new Razorpay order

Both **client verify** and **server webhook** (`payment.captured` / `order.paid`) can complete fulfillment. Failed webhook events mark the checkout failed and revert cart lines.



Not implemented

- Promo / discount codes (discount amount is always zero today)

Payment API sequence: INTEGRATION.md §7 (INTEGRATION.md).

7. Consultation (patient-visible RX path)

After RX payment, the patient sees a consultation in **My consultations**:

- **Messaging** with the assigned doctor
- **Video consultation** when the doctor schedules a call (see §7.1)
- **Status progression** (allowed transitions):


Created → In progress → Prescribed → Completed
 ↘ Cancelled (from most states)

7.1 Video consultation (patient journey)

Video is part of the **RX clinical path** after payment — not used for OTC-only orders.

Step	What happens
1. Case exists	Consultation created at RX payment; doctor auto-assigned (or later reassigned by admin/support)
2. Doctor schedules	Doctor picks date/time → platform creates a 100ms (HMS) video room and a guest join link
3. Patient notified	Call scheduled via WhatsApp / email / SMS (+ in-app) with join details
4. Join window	Patient (or guest) may join from 15 minutes before the scheduled time until ~2 hours after (or until an explicit join-token expiry)
5. Join paths	Logged-in patient mints a video auth token from the app; guest uses the public join URL/token without full account login
6. In call	First successful join moves the call from Scheduled → In progress
7. Doctor waiting	If the doctor joins while the call is still Scheduled and the patient has not joined → one-time patient ping ("doctor is waiting")
8. Call ends / expires	If nobody completes the join window while still Scheduled → call marked Expired ; patient and doctor notified. Calls can also be Cancelled
9. After the call	Clinical outcome is separate: doctor issues Rx, rejects lines, or adds top-up medicines

Call statuses: Scheduled · In progress · Expired · Cancelled



Patient-visible path: My consultations → chat → scheduled video with join CTA → join (or doctor-waiting nudge) → call completes / expires / cancelled → prescription or refund / top-up due.

Doctor actions (patient impact)

Outcome	Patient experience
Prescription issued (≥1 line approved)	Approved medicines move to pharmacy fulfillment
All lines rejected	Full refund; consultation cancelled
Partial rejection	Proportional refund for rejected lines; approved lines still ship
Doctor adds medicines	New top-up purchase on a locked cart (hidden from bag); patient must pay; notified via <code>prescription.top_up_due</code>

Prescription line outcomes: **Approved**, **Rejected**, or **Modified**. Issue requires at least one Approved line. Issued prescriptions expire after **90 days** (same as OTC auto-Rx).

Communication rules

Event	Behavior
Chat message	Notifies the other party; 10-minute cooldown per consultation to avoid spam
Call scheduled	Patient notified with join details (see §7.1)
Doctor waiting	One-time patient ping if doctor joins before the patient
Call expired	Patient (+ doctor) notified when the join window lapses unused
Clinical AI	Queued for doctor assist by category (hair / weight / sexual wellness) — doctor-facing , not shown as a full patient report

See **§7a** for how the doctor is assigned. Doctor day-to-day portal capabilities: **§10a**.

7a. Doctor assignment

When: Automatically at **RX payment success** — not when items are added to cart.

Automatic assignment:


1. Resolve cart **primary category** — first prescription-required medicine's category; if none, first line item's category.
2. From **active doctors linked to that category**, pick one **at random**.
3. Create consultation with that doctor (may be **null** if no eligible doctor exists).
4. Notify assigned doctor; queue **Clinical AI** assessment for that category family.

Doctor portal queue:

- Doctors see consultations **assigned to them**
- They also see **unassigned** consultations in categories they are linked to (pool / pickup)

Manual override (admin / customer support):

- Reassign to **any active doctor** — category link **not** required (unlike automatic assignment)
- Used for load balancing, escalations, or when auto-assignment finds no doctor
- Draft / issued prescription ownership is kept aligned with the new doctor when reassigned



Patient impact: Doctor name appears once assigned; reassignment may change who they chat or video with.

Technical detail: ARCHITECTURE.md §9.3 (ARCHITECTURE.md).

7b. Pharmacy assignment

When:

Event	Action
Payment success	Fulfillment plan created; inventory reserved at chosen pharmacy(ies)
OTC payment	Auto-prescription → pharmacy order created immediately
RX payment	Reservation only → pharmacy order created when doctor issues Rx (approved lines only)

How a pharmacy is chosen (uses delivery address + live inventory):

1. Prefer **one pharmacy** that can fulfill **all** lines with sufficient stock
2. Rank by **delivery speed and cost** (production, when Shiprocket is enabled):
 - Shiprocket **serviceability** between pharmacy pincode → customer pincode
 - Prefer pharmacies with at least one serviceable courier
 - **Lowest estimated delivery (ETD)**, then **lowest shipping rate**
 - Tie-break: higher available stock, then stable pharmacy id
3. **Fallback** (local dev, courier disabled, or Shiprocket unavailable): legacy **location tiers**
 - Tier 1: same pincode → Tier 2: same city + state → Tier 3: same state → Tier 4: elsewhere
4. If no single pharmacy can fulfill all → **split** across multiple pharmacies (same ranking rules per greedy step)
5. If no plan possible → **UNFULFILLABLE** — admin / pharmacy ops must **initiate refund manually** (not self-serve for patient)

Stock is **reserved** at assignment and released or consumed as the order progresses. Pharmacy staff are notified when a pharmacy order is created.

Patient impact: Usually invisible except delivery timing; split orders may mean multiple shipments under the same customer order context. Unfulfillable orders require ops intervention.

Technical detail: ARCHITECTURE.md §9.3 (ARCHITECTURE.md).

8. Order tracking & delivery

Client contract: render server-provided status — **do not infer** from raw database enums.

Field	Use
displayStatus	Badge label, tone, phase, timestamp — for list and detail headers
timeline	Step-by-step track UI with substeps ("rails") for dispatch and returns

Timeline steps

Step	When shown
1. Payment completed	Always after successful pay
2. Doctor review	RX orders until prescription issued / consultation complete; skipped for OTC-only
3. Medicine preparation	Prescription issued or pharmacy order exists, not yet in transit
4. Dispatch & delivery	Shipment in progress or delivered (sub-rail: picked up → in transit → out for delivery → delivered)
5. Return & refund	Active return request

How customer labels are derived

Stage	Source of truth for customer label
Before packing	Pharmacy order progress (received → verified → packing → ready to dispatch)
After packed / ready to dispatch	Shipment status takes over
Active return	Return progress overrides "Delivered"
Cancelled shipment	Does not cancel the order — staff can create a new shipment

Order identity: Public ref **OD#####** — same on account, invoices, WhatsApp deep links.

Return window: 72 hours after **shipment delivered timestamp**.

9. Returns & refunds

Patient-initiated return — eligibility

- Customer-visible status must be **Delivered**
- Within **72 hours** of `shipment.delivered_at`
- Reason required
- Up to **5 photos**
- No other active (non-rejected / non-refunded) return on the same order

Flow

Requested → Approved → Pickup scheduled → Picked up → Received at pharmacy → Refunded
 ↘ Rejected (also possible after received-at-pharmacy)

- Refund via Razorpay when original provider payment id exists
- `displayStatus` and `timeline` switch to **return phase**
- Customer-facing return sub-labels collapse to: submitted / approved / picked up / refunded

Cancel before dispatch

- Patient may cancel an order while it is still eligible (pre-dispatch rules)
- Paid orders trigger a refund attempt; pharmacy reservations are released

Other refund paths (patient sees outcome, may not initiate)

Trigger	Typical result
Doctor rejects all RX lines	Full refund; consultation cancelled
Doctor partial rejection at issue	Proportional refund; approved lines continue
Unfulfillable inventory / address	Ops marks refund pending / refunds
Pharmacy cancels order	Refund path

10. Admin portal — what can be configured

Admin URL: `https://admin.airoemed.com`

Access is role-based. Each admin has one or more roles; **SUPERADMIN** has all permissions and manages other admin users. Admins with **no role rows** (legacy) get full access.

Role overview

Role	Primary responsibility
SUPERADMIN	Full platform + admin user management
MEDICINE	Catalog and clinical intake configuration
PHARMACY	Pharmacy network and fulfillment oversight
DOCTOR	Clinician network and consultation oversight
CUSTOMER_SUPPORT	Patient 360 and case escalation
CONTENT	Marketing CMS, help/legal, notification templates
REVIEW	Review moderation

What Admin can configure / manage

Area	What can be done	Typical roles
Catalog	Categories, concerns, product subcategories, ingredients, medicines (pricing, plans, formulations, PDP fields, status)	MEDICINE
Questionnaires	Question modules, templates, concern/medicine bindings for checkout and clinical flows	MEDICINE
Doctors	Onboard doctors, invite/credentials, profile, category links, featured sort, activate/deactivate	DOCTOR
Pharmacies	Onboard pharmacies, license/address, staff credentials, status	PHARMACY
Consultations (ops)	View consultation queue; reassign doctor to any active clinician	DOCTOR, CUSTOMER_SUPPORT
Pharmacy orders (ops)	View fulfillment activity across pharmacies; courier sync helpers	PHARMACY, CUSTOMER_SUPPORT
Customer support	Search patients; view carts, orders, consultations, prescriptions; order detail	CUSTOMER_SUPPORT
Homepage & marketing CMS	Homepage sections (hero, banners, concerns, reviews, doctors, top products, stories, etc.)	CONTENT
PDP / treatment CMS	Medicine-detail marketing blocks; treatment landing pages (audience Him/Her)	CONTENT
Contact & mobile onboarding	Contact page content; mobile onboarding copy	CONTENT
Help Center & legal	Help categories/articles; footer legal pages (About, Privacy, Terms, telemedicine consent, etc.)	CONTENT
Notifications config	Per-event channel routing and copy (email / WhatsApp / SSE preview); test send for patient, doctor, pharmacy events	CONTENT
Reviews	Moderate medicine & doctor reviews; feature reviews on PDP	REVIEW
Admin users	Create admins, assign roles, resend credentials	SUPERADMIN
Catalog cache	Clear Redis catalog/CMS cache after content or catalog changes	Any admin
Home dashboard	Role-filtered operational counts	Any admin

Patient apps do **not** expose these controls — Admin shapes catalog, content, network, and support behind the patient experience.

10a. Doctor portal — what doctors can do

Doctors work in the **doctor staff portal** (not the patient app).

Capability	Details
Consultation queue	See cases assigned to them ; also unassigned cases in categories they are linked to (pool / pickup)
Case workspace	Patient profile, cart/order medicines, uploaded photos, checkout questionnaire answers, Clinical AI assist (doctor-facing)
Chat	Message the patient (patient notified; 10-minute cooldown)
Video / audio consult	Schedule a call → 100ms (HMS) room + patient join link; join the live session; doctor-waiting ping if patient has not joined
Prescribe	Per-line approve / reject / modify ; issue Rx (≥1 approved line) → pharmacy fulfillment
Reject consultation	Clinical reject with reason → patient refund path when all medicines rejected
Add medicines (top-up)	Add medicines not in the original bag → patient pays a separate top-up purchase
Profile	View professional profile in portal (primary onboarding/edits via Admin)
Notifications	In-app inbox + realtime alerts (e.g. new assignment)

How assignment works: §7a. Patient-visible video journey: §7.1.

10b. Pharmacy portal — what pharmacy staff can do

Pharmacy staff work in the **pharmacy staff portal**.

Capability	Details
Dashboard	Queue counts and fulfillment KPIs / analytics
Orders	Advance packing workflow: received → verified → packing → ready to dispatch → delivered (or cancel when allowed)
Shipments	Get courier shipping rates (when courier integration is on) or enter manual carrier/tracking; create shipment; update status; cancel; download shipping label
Invoices	Tax invoice available after delivery; download / cancel while still issued
Inventory	View stock; receive / adjust quantities (affects catalog availability)
Returns	Process customer returns: approve/reject; schedule pickup; reverse rates/labels; mark received; refund
Unfulfillable	View paid orders that could not be assigned stock/pharmacy; initiate refund
Notifications	In-app inbox + realtime alerts (e.g. new pharmacy order)

Pharmacy assignment / split / unfulfillable rules: **§7b**. Patient tracking labels: **§8**.

11. Notifications (patient-facing)

Channels: **WhatsApp, email, SMS**, plus **in-app inbox**.

Notification failures are logged but **do not roll back** the business transaction.

Event	Typical channels	Trigger
Order placed	WhatsApp, email, SMS	Payment success
Order accepted	WhatsApp, email, SMS	Pharmacy accepts
Dispatched / out for delivery	WhatsApp, email, SMS	Shipment progress
Order delivered	WhatsApp, email, SMS	Delivered
Order cancelled	WhatsApp, email, SMS	Cancel / clinical cancel
Return submitted / refunded	WhatsApp, email, SMS	Return workflow
Prescription approved	WhatsApp, email, SMS	Doctor issues Rx
Top-up due	WhatsApp, email, SMS	Doctor added payable medicines
Call scheduled / doctor waiting	WhatsApp, email, SMS	Video consult
Call expired	Email (patient); doctor also notified	Join window unused
New consultation message	WhatsApp, email	Chat (10-min cooldown)
Email verification OTP	Email	Account email verify

Staff-only alerts (not patient): pharmacy order received, consultation assigned to doctor, doctor chat alerts.

12. Media & uploads

Use	Who
Pre-cart quiz photos	Guest upload (before login)
Cart / consultation photos	Authenticated customer upload
Return evidence	Authenticated customer (up to 5 photos)

Clients should persist **object keys** or **attachment ids** — not long-lived CDN or presigned URLs. Catalog images use CDN; private user files use short-lived download URLs.

13. Assumptions vs reality

Often assumed	Actual
Guest checkout	Auth required to purchase
One cart per user	Multiple active carts (typically one per category)
Pay → immediate ship (RX)	RX waits for doctor prescription
Single purchase per checkout	Mixed OTC+RX creates two purchase records, one payment
Discount codes	Not implemented
OAuth / social login	Not implemented
Real-time order push	Polling REST + outbound notifications
Sitewide search in app	Not wired in UI
Intro questionnaire in app	Backend-ready; not in current patient UI
Ethnicity required for profile	Optional
Returns from "order completed" date	Window starts from shipment delivered timestamp
Unfulfillable auto-refunds	Manual ops refund

14. Appendix

End-to-end sequence (checklist)

Browse catalog

- Optional clinical quiz → recommendations
- Add to cart (category bag; optional photos)
- Login + complete profile (if needed)
- Checkout questionnaire → SUBMITTED (if RX)
- Select address + accept consents in UI
- Create purchase(s) from cart
- Razorpay pay → verify / webhook
- [OTC] auto-Rx (90 days) → pharmacy order → ship
- [RX] consultation assigned
 - chat with doctor
 - doctor schedules video (100ms) → patient notified
 - join window (15 min before → ~2 h after) → call / doctor-waiting / expire
 - doctor issues Rx (or rejects / top-up)
 - pharmacy order → ship
- Track order (displayStatus / timeline)
- [Optional] Return within 72h of shipment delivered_at

Status cheat sheets

Purchase (payment):

Status	Meaning
Pending	Created
Payment initiated	Awaiting Razorpay
Paid	Success — fulfillment started (once)
Failed / timed out	Customer can retry
Cancelled	Terminal

Consultation:

Status	Meaning
Created	Case opened; doctor may be assigned
In progress	Doctor reviewing
Prescribed	Rx issued
Completed	Case closed
Cancelled	Rejected or refunded

Video call:

Status	Meaning
Scheduled	Doctor set a time; join link active in window
In progress	At least one party joined
Expired	Join window lapsed unused
Cancelled	Call cancelled

Pharmacy → customer preparation labels:

Internal stage	Customer-oriented label examples
Created	Order received
Accepted	Processing order
Packed	Packing your order
Ready for dispatch	Ready to dispatch

Shipment → customer dispatch labels:

Shipment stage	Customer label
Created	Label generated
Dispatched	Picked up
In transit	In transit
Out for delivery	Out for delivery
Delivered	Delivered
Failed delivery	Failed delivery
Returned	Returned

Return:

Status	Meaning
Requested	Customer submitted
Approved	Pharmacy accepted return
Pickup scheduled / Picked up	Reverse logistics
Received at pharmacy	Inspecting
Refunded	Money returned
Rejected	Return denied

Related documentation

Doc	Purpose
INTEGRATION.md (INTEGRATION.md)	Patient app API reference
ARCHITECTURE.md (ARCHITECTURE.md)	Backend structure, auth, integrations
API.md (API.md)	Full route catalog (all portals)

Last updated to reflect patient web/mobile behavior and backend rules under `telemed-backend` .