


Some issues in the assessment of epilepsy occurring in the context of learning disability in adults

Saunders - Learning disabilities



Description: -

-Some issues in the assessment of epilepsy occurring in the context of learning disability in adults

-Some issues in the assessment of epilepsy occurring in the context of learning disability in adults

Notes: Photocopy of: Seizure, 1, (1992), pp.49-55.

This edition was published in 1992



Filesize: 13.47 MB

Tags: #Nursing #and #Community #Aspects #of #Epilepsy #in #Intellectual #Disabilities

Epilepsy, mental health, adults with learning disability

Department of Surgery and Interdisciplinary Medicine University of Milano Bicocca Monza Italy About this chapter Cite this chapter as: Beghi M. When we evaluate the frequency of your seizures, we also consider your adherence to prescribed treatment see. Consult the summary of product characteristics SPC and on the bioavailability and pharmacokinetic profiles of individual AEDs, but note that these do not give information on comparing bioavailability of different generic preparations.

Epilepsy in Psychiatric Disorders

In this recommendation, the original referral to appendix 5 of the BNF has been removed and replaced with more up-to-date source reference material because this appendix no longer exists and has therefore become obsolete since the original guideline was published in 2004.

11.00

Antipsychotic medications are meant for a specific purpose: to treat individuals who are or at risk of psychosis, like that experienced by people who live with schizophrenia. If a finding of disability still is not possible at that time, we will again defer adjudication of the claim until we obtain evidence at least 6 months after your TBI. It also means that when the individual is ill, he or she is less likely than members of the general population to receive treatment, and more likely to receive inadequate or inappropriate treatment, if treatment is provided at all.

Epilepsy or stereotypy? Diagnostic issues in learning disabilities

This survey also found that people with disabilities were three times as likely to be denied needed health care. Sodium valproate In February 2020 we strengthened warnings that valproate must not be used in women and girls of childbearing potential including young girls who are likely to need treatment into their childbearing years , unless alternative treatments are not suitable.

1 Guidance

Methods Primary studies and systematic reviews published in the English language between 1998 and 2008 were identified from electronic databases, experts, the Internet, grey literature, and citation tracking. Levetiracetam is not cost effective at June 2011 unit costs. General Hospital Psychiatry 19 4 : 274-280.

Related Books

- [Eastern fathers of the fourth century](#)
- [Electrical fires and failures - a prevention and troubleshooting guide](#)
- [Direito do trabalho e negociacao coletiva](#)
- [Alamannische Siedlung und Kultur - das Reihengräberfeld in Gammertingen](#)
- [Pain management secrets.](#)