


Synopsis of the North American microtine rodents

University of Kansas - 10 extinct giants that once roamed North America



Description: -

-

Judo -- Directories.

Karate -- Directories.

Martial artists -- Biography.

Catalysis.

Metal catalysts.

Mammals -- North America.

Rodents.synopsis of the North American microtine rodents

-

v. 5, no. 27

University of Kansas publications. Museum of Natural History.

[Publications]synopsis of the North American microtine rodents

Notes: Bibliography: p. 485-498.

This edition was published in 1953



Filesize: 20.18 MB

Tags: #The #Project #Gutenberg #eBook #of #The #Baculum #in #Microtine #Rodents #by #Sydney #Anderson.

Microtus quasiater (Rodentia: Cricetidae)

Hibbard and Rinker 1942, 1943 figured the baculum of *Synaptomys cooperi paludis* and of *Microtus ochrogaster taylori*. This vole was one-half of the average length and less than one-fifth of the average weight of an adult, and of approximately the size at which weaning takes place. All specimens were examined at least once a day.

Microtus quasiater (Rodentia: Cricetidae)

Specimen examined: One, from 1 mi. A useful technique for obtaining chromosomal preparations from spleen tissue is outlined.

Voles (Meadow Mice)

Microtus Chilotus oregoni Bachman Fig. Any alternate format must include the full Project Gutenberg-tm License as specified in paragraph 1. *Microtus quasiater* is nocturnal and makes narrow runways in areas of dense vegetation.

CiteSeerX — Gradients in density variations of small rodents

Specimens examined: Thirteen, of six subspecies; *Microtus pennsylvanicus alcorni*, 20 mi. In both countries, almost all specimens were collected in the Mexican states of Veracruz, Hidalgo, or Puebla. Circles show presence of ossification in stalk only; circles enclosing dots indicate presence of secondary ossification in median process also; large dots indicate the addition of tertiary ossification in one or both of the lateral digitate processes.

Microtine rodents lemmings and voles

Cyclic indices in Great Britain were similar to those in southern Fennoscandia, both areas being poor in snow, but were higher at the same latitudes in eastern Europe with more snow. Genera and subgenera of voles and lemmings. Layne, University of Florida, Gainesville, Florida, presented me with a baculum of *Microtus parvulus*.

10 extinct giants that once roamed North America

Microtine rodents are known to show extreme population variations cycles but non-cyclic populations have also been recognized during recent years.

Related Books

- [Disease and medicine in India - a historical overview](#)
- [Feng hua xue yue](#)
- [Producción tecnológica y cambio social en sociedades agrícolas prehispánicas \(Valle de Ambato, C](#)
- [Skeletal system](#)
- [Expressionismus-Debatte 1937-1939](#)