


Asymptotic Tests For the Constancy of Regressions in the Heteroscedastic Case.

s.n - Asymptotic properties of a rank estimate in heteroscedastic linear regression



Description: -

-Asymptotic Tests For the Constancy of Regressions in the Heteroscedastic Case.

-

Princeton University Econometric Research Program Research Memorandum-- 229Asymptotic Tests For the Constancy of Regressions in the Heteroscedastic Case.

Notes: 1

This edition was published in 1978



Filesize: 33.52 MB

Tags: #Heteroscedasticity #in #Regression #Analysis

Rank Estimation in Elliptical Models : Estimation of Structured Rank Covariance Matrices and Asymptotics for Heteroscedastic Linear Regression

The second part, which is the main part of the thesis, is devoted to rank estimation in linear regression models with symmetric heteroscedastic errors. The Institute was formed at a meeting of interested persons on September 12, 1935, in Ann Arbor, Michigan, as a consequence of the feeling that the theory of statistics would be advanced by the formation of an organization of those persons especially interested in the mathematical aspects of the subject.

Nonparametric goodness

Comparisons with competing procedures and analysis of a data set are included. Applied Regression Analysis, Linear Models, and Related Methods.

Asymptotic properties of a rank estimate in heteroscedastic linear regression

To test for constant variance one undertakes an auxiliary regression analysis: this regresses the squared residuals from the original regression model onto a set of regressors that contain the original regressors along with their squares and cross-products. The class of elliptical distributions is an extension of the normal distribution and includes distributions with both lighter and heavier tails than the normal distribution.

Asymptotic normality of estimators in heteroscedastic errors

Draper's Company Research Memoirs: Biometric Series.

Asymptotic Normality for Wavelet Estimators in Heteroscedastic Semiparametric Model with Random Errors

Members also receive priority pricing on all other IMS publications. Error has constant variance 3.

Asymptotic Normality for Wavelet Estimators in Heteroscedastic Semiparametric Model with Random Errors

Place, publisher, year, edition, pages Uppsala: Universitetsbiblioteket, 2008. All of these findings are then used to propose a lack-of-fit test of a parametric regression model, with an application to some currency exchange rate data which exhibit LM.

Related Books

- [Village Show](#)
- [Lancaster witch](#)
- [Rōdō anzen eiseihō shōsetsu](#)
- [Effect of vehicle mass on the risk of injury in a collision](#)
- [Supporting strength of sewer pipe in ditches - and methods of testing sewer pipe in laboratories to](#)