


# Asian Vigna - genus Vigna subgenus Ceratotropis genetic resources

Kluwer Academic Publishers - Asian Vigna



Description: -

Resilience (Personality trait) in children.

Parent and child.

Child rearing.

Legumes -- Germplasm resources -- Asia

Vigna -- Asia -- ClassificationAsian Vigna - genus Vigna subgenus

Ceratotropis genetic resources

-Asian Vigna - genus Vigna subgenus Ceratotropis genetic resources

Notes: Includes bibliographical references (p. [247]-257) and indexes.

This edition was published in 2002



Filesize: 25.66 MB

Tags: #The #Asian #Vigna

## Genetic Diversity of the Vigna Germplasm from Thailand and Neighboring Regions Revealed by AFLP Analysis

For Vigna, we are currently focusing on Vigna marina Burm. Alternatively, the phylogenetic tree based on atpB-rbcL divided the subgenus Ceratotropis into two groups, i.

## CAB Direct

National Institute of Agrobiological Sciences in Japanese with English summary , pp. Wild India 245506 TNAU GB 2008TN32, V. Since accession ID-50 was collected in Madhya Pradesh, India, the distribution range of this species seems to have expanded toward the inland of India.

## Indigo

Genetic diversity and landrace differentiation of mungbean, Vigna radiata L. Plant materials Seventy-one accessions of the genus Vigna, consisting of 28 species and three subgenera Ceratotropis, Plectrotropis, and Vigna conserved at the National Institute of Agrobiological Sciences, Japan, were used.

## Genetic Diversity of the Vigna Germplasm from Thailand and Neighboring Regions Revealed by AFLP Analysis

However, this important group of legumes is little known compared to the closely related Phaseolus beans and soybean. This genetic resources handbook and guide to the Asian Vigna will be a valuable reference for agriculturists, conservationists, taxonomists, other scientists, and students interested in the legumes and plant genetic resources. To continue shopping at Indigo.

## Asian Vigna

Accession ID-23, collected in southern Myanmar, showed hypogeal germination with petiolate primary leaves, glabrous pods, seeds without seed coat coverings smooth seed coat , small yellow flowers, left curved keel petal with protuberance on left keel keel pocket , indicating that this accession belonged to the section Angulares in the subgenus Ceratotropis.

## **CAB Direct**

However, this important group of legumes is little known compared to the closely related *Phaseolus* beans and so The Asian beans and grams, the species of *Vigna* subgenus *Ceratotropis* , include several legumes that are an essential component in the diets of a large proportion of Asia's population, and interest in these legumes is growing as ethnic cuisine spreads worldwide.

## Related Books

- [Galleria dell'Accademia di Ravenna](#)
- [Batman and philosophy - the dark knight of the soul](#)
- [Život zvoniaci činom - život a dielo v dokumentoch](#)
- [Soviet Union, a systematic geography](#)
- [Warish](#)