


Evaluation of elastic dental materials in obtaining impressions of operative preparations

University of Toronto, Faculty of Dentistry - How to make a good impression (crown and bridge)



Description: -

-evaluation of elastic dental materials in obtaining impressions of operative preparations

-evaluation of elastic dental materials in obtaining impressions of operative preparations

Notes: Thesis (B.Sc.D.)--University of Toronto, 1951.

This edition was published in 1951



Filesize: 61.25 MB

Tags: #Radiodensity #evaluation #of #dental #impression #materials #in #comparison #to #tooth #structures

Impression materials and techniques

It is questionable however whether the presence of abutment teeth would have affected tooth preparation given that practitioners still under prepare teeth for porcelain laminate veneers clinically even when abutment teeth are present.

Radiodensity evaluation of dental impression materials in comparison to tooth structures

FRCs can also be used for periodontal splinting and stabilization of tooth mobility Miller, 1993; Strassler et al. The labial reduction for Group A was less than that of Groups B and C, which were similar. The left and right canine teeth were digitally isolated from the complete arch to reduce the possible errors that could result from the superposition of large datasets.

Dental ceramics: a review of new materials and processing methods

In addition to conventional impression techniques, digital impressions made with IOSs have been used in clinical practice for over thirty years.

Die materials and Die system

Another study reported that in an edentulous acrylic model with scan abutment, Emerald showed middle-low performance and Virtuo Vivo showed low performance when compared to Trios and Omnicam. The color of the crown restoration was predetermined with the VITA Classical Shade Guide Vident, , and a digital photograph was taken for tooth surface morphology. Glutaraldehydes or iodophors Not compatible with chlorine compounds! Thirty typodont, upper right incisor, teeth Riverside Dental Manufacturers, London, UK were mounted singly in plaster blocks and randomly allocated to three equal groups A, B and C using random number tables.

Dental ceramics: a review of new materials and processing methods

In order to produce the restoration, the Y-TZP framework receives the application of a mixture containing the veneering ceramic powder and the modeling liquid with the use of a brush.

Evolution of Chairside CAD/CAM Dentistry

However, extra caution is necessary before using this type of restoration indiscriminately, as there are only a few clinical follow-ups that evaluated monolithic zirconia crowns.

Evolution of Chairside CAD/CAM Dentistry

Pós-Grad Rev Fac Odontol São José dos Campos. Highly accurate technique for conventional gold alloys especially intracoronary preparations.

Digitization of simulated clinical dental impressions: Virtual three

The marginal fit of the milled ceramic restoration is an essential criterion for evaluating clinical success. Setting stress in composite resin in relation to configuration of the restoration.

Related Books

- [Goethe](#)
- [Deutsche Wehrmacht - im Brennpunkt des Geschehens, 1935-1945](#)
- [Tragedy of Lebanon - Christian warlords, Israeli adventurers and American bunglers](#)
- [University education in Canada - a strategy for reform](#)
- [Deutsche grossraumwirtschaft](#)