

Preservation of buildings of special architectural or historic interest - report of a working party

Worcestershire County Council - Chapter 21.10 PROTECTION AND PRESERVATION OF LANDMARKS



Description: -

-preservation of buildings of special architectural or historic interest -
report of a working party

-preservation of buildings of special architectural or historic interest -
report of a working party

Notes: Old buildings in Worcestershire.

This edition was published in 1962



Filesize: 59.58 MB

Tags: #Chapter #21.10 #PROTECTION #AND #PRESERVATION #OF #LANDMARKS

Review and Compliance

The fire quickly spread upwards due to high winds, ground vegetation, and low humidity and the castle was engulfed in flames, suffering extensive damage. To ensure cost-effective detailed recording, completeness should be tailored to the immediate needs of a conservation team. Research may range from national repositories such as the Library of Congress to local collections or private family records.

NCPTT

Alkaline cleaners may also remove some acrylic water-repellent coatings. This would enable the authorities to call a halt to any work incompatible with this recommendation. Archeological studies may be valuable in uncovering important evidence of changes to a historic structure.

Chapter 21.10 PROTECTION AND PRESERVATION OF LANDMARKS

If the grant money is taxable, the taxpayer has basis and the rehabilitation tax credit will be allowed on expenditures made with this money. The allocation is generally made based on a square footage percentage. In Mapping Features, by Jo Anne Van Tilburg, Cristián Arévalo Pakarati, and Alice Hom in Recording, Documentation and Information Management for Historic Places - Guiding Principles; Getty Conservation Institute, 2008.

China's architectural heritage conservation movement

Other acids, particularly hydrochloric muriatic acid, which is very powerful, should not be used on historic masonry, because it can dissolve lime-based mortar, damage brick and some stones, and leave chloride deposits on the masonry.

Review and Compliance

Generally, the application of a water-repellent coating is not recommended on a historic masonry building as a means of preventing biological growth. A side benefit of ARPANet's design was that, because messages could be routed or rerouted in more than one direction, the network could continue to function even if parts of it were destroyed in the event of a military attack or other disaster.

Related Books

- [How to produce miracles](#)
- [Dresden](#)
- [Lays Of Leisure - Poems And Songs](#)
- [Karl Marx - eine Monographie.](#)
- [Creative book of kites.](#)