

Adolescent pregnancy prevention - school-community cooperation

Thomas - Adolescent Health

Description: -

-

Germany (West) -- Social policy.

Germany (West) -- Economic policy.

Deutscher Gewerkschaftsbund -- History -- Sources.

Deutscher Gewerkschaftsbund.

Lommer, Stig, 1907-1976 -- Criticism and interpretation.

Wit and humor.

Insomnia -- Humor.

International relations.

Intelligence service.

Sex education.

Schools.

Community -- Institutional relations.

Pregnancy in adolescence.

Sex instruction -- United States.


Teenage pregnancy -- United States.

Birth control -- United States. Adolescent pregnancy prevention - school-community cooperation

-Adolescent pregnancy prevention - school-community cooperation

Notes: Includes bibliographies and index.

This edition was published in 1981



Filesize: 58.59 MB

Tags: #Preventing #Teen #Pregnancy

TPPI: PREPare for Success

Anna Kågesten , MPH , Jenita Parekh , MPH , Özge Tunçalp , MD, PhD, MPH , Shani Turke , MSPH , and Robert William Blum , MD, PhD, MPH Anna Kågesten, Jenita Parekh, Shani Turke, and Robert William Blum are with the Department of Population, Family and Reproductive Health, Johns Hopkins Bloomberg School of Public Health, Baltimore, MD. For teens who were sexually active at the beginning of the study, intervention group members were 7 percentage points more likely to report having recently had sexual intercourse than similar teens in the control group.

Adolescent pregnancy prevention : school

First, the level of random assignment is classified as individual or cluster.

Understanding the impact of effective teenage pregnancy prevention programs

An evaluation used to classify the Carrera program as evidence-based found that males participating in the program were less likely to use condoms than their peers who did not participate in the program.

ERIC

Statistics about adolescent pregnancies are given and the physical, cognitive, and social development of adolescents is examined. The abstinence-only intervention offered participants eight hours of instruction on the risks of sexual activity and benefits of abstinence, while the safer sex-only intervention offered similar instruction on the risks of sexual activity, but differed from the abstinence-only instruction by encouraging the use of condoms. Data Collection and Analysis We screened titles and abstracts for peer-reviewed and gray literature using an 11-item form for which a negative response to any item resulted in exclusion; all reasons for exclusion were recorded.

Community Mobilization

These variables may change, depending on the particulars of a given group; in one partnership evaluation, instances of media coverage were included among process measures.

Comprehensive Adolescent Health Programs That Include Sexual and Reproductive Health Services: A Systematic Review

The replication of IYG in South Carolina found that students in the IYG schools were more likely to have sexual intercourse than their peers in the control schools.

Tweens and Teens

Also explored are techniques, materials and ideas to assist school counselors and related practitioners at all levels in their professional development. The discussion turns to the responsibilities of having a baby and how much time and effort it might take to earn the needed money for a baby's care at a minimum wage salary, which is usually the best salary available to students this age. Because ultimate and even intermediate outcomes often take many years to appear and are difficult to document, it may be hard for partnerships to sustain their efforts and retain support.

Related Books

- [Kōza Nihon shi](#)
- [Culture, form, and place - essays in cultural and historical geography](#)
- [Expression of supernumerary chromosomes in *Myrmeleotettix maculatus* \(Thunberg\).](#)
- [Social interaction process and products - selected essays.](#)
- [Liebe Leben Alkohol - Suchtkrankheiten im Spiegel deutscher Literatur : mit den Lebenswegen der Dich](#)