


Molluscan macrofauna of the Reklaw Formation, Marquez Member (Eocene, lower Claibornian), in Texas

Paleontological Research Institution - Fossilworks: Eocythara



Description: -

-
Science/Mathematics
Reklaw Formation (La. and Tex.)
Animals, Fossil -- Texas.
Paleontology -- Eocene.
Mollusks, Fossil -- Texas.molluscan macrofauna of the Reklaw
Formation, Marquez Member (Eocene, lower Claibornian), in Texas

-
v. 111, no. 352
Bulletins of American paleontology,molluscan macrofauna of the
Reklaw Formation, Marquez Member (Eocene, lower Claibornian),
in Texas

Notes: -

This edition was published in 1996



Filesize: 59.110 MB

Tags: #SEQUENCE #STRATIGRAPHY #OF #THE #REKLAW #FORMATION, #TEXAS #GULF #COAST: #A #MARINE
#TRANSGRESSIVE #SYSTEMS #TRACT #OF #EOCENE #AGE

Reklaw

It corresponds to Deussen's 1924 locality 255, and is recognizable as Penrose's Bombshell Bluff, which he placed 2 miles 3. The Cenozoic Systems in Texas, The Geology of Texas, Vol.

Architectonica (I Think) From Lake Nacogdoches, Texas

The majority of specimens came from two localities, Joe Taylor Branch of Two Mile Creek in Milam County, and Ridge Creek in Bastrop County.

Reklaw

Garvie }} Edited by import existing book Edited by Added goodreads ID. Four new genera, and two new subgenera are defined.

Mineralienatlas Lexikon

The University of Texas, Austin, Bulletin 3232:519-1007.

Architectonica (I Think) From Lake Nacogdoches, Texas

The Eocene and Lower Oligocene coral faunas of the United States with descriptions of a few doubtfully Cretaceous species.

Fossilworks: Eocythara

My specimen is nearly another centimeter or so greater in diameter.

The Molluscan Macrofauna of the Reklaw Formation, Marquez Member (Eocene ...

Architectonica Stellaxis reklawensis This is a new species that Garvie describes on page 109. A few hundred meters downstream, below the mouth of Little Piney Creek, the glauconitic sandstone of the lower portion of the Reklaw Formation Newby member is exposed in the right bank of the river Locality 6. .

Mineralienatlas Lexikon

Here's a few photographs of the top and sides: I found it last month in the Weches Formation Eocene in East Texas, in the greensand deposits along the shore of Lake Nacogdoches. A new fauna from the Cook Mountain Eocene near Smithville, Bastrop County, Texas. The falls themselves are evident on aerial photographs dating back at least as far as 1951.

Related Books

- [Moving beyond taboos, the Afghan community - challenges and achievements.](#)
- [Probabilistic engineering design - principles and applications](#)
- [Selected markets for rabbit meat - opportunities for supplies from developing countries.](#)
- [Maaseutumaishan muuttuminen periurbanisaation seurauksena - esimerkkinä Clermont-sur-Berwinne, Bel](#)
- [Cevennen - Verlassenes Land](#)