


# Interactive mortality atlas for Northern Ireland using standardised mortality rates.

The Author] - Age



Description: -

-interactive mortality atlas for Northern Ireland using standardised mortality rates.

-interactive mortality atlas for Northern Ireland using standardised mortality rates.

Notes: Thesis (M. Sc.(Geographic Information Systems) - University of Ulster, 2000.

This edition was published in 2000



Filesize: 65.28 MB

Tags: #Trends #and #Patterns #of #Geographic #Variation #in #Mortality #From #Substance #Use #Disorders #and #Intentional #Injuries #Among #US #Counties, #1980

## Trends and Patterns of Geographic Variation in Mortality From Substance Use Disorders and Intentional Injuries Among US Counties, 1980

The model for  $m_{j,t,a}$  contained 6 components: an intercept  $\beta_0$ ; fixed covariate effects  $\beta_1$ ; random age-time effects  $\gamma_{1,a,t}$ ; random spatial effects  $\gamma_{2,j}$ ; random space-time effects  $\gamma_{3,j,t}$  and  $\gamma_{4,j,t}$ ; and random space-age effects  $\gamma_{5,j}$  and  $\gamma_{6,j,a}$ . Lee and Fong-Ci Lin and Szur-Ta Chen and W.

## Web

Introduction Substance use disorders ie, drug use disorders and alcohol use disorders and intentional injuries ie, self-harm and interpersonal violence impose a significant health and financial burden in the United States. ICD codes related to accidental poisonings ICD-9: E850.

## Regional differences of standardised mortality rates for ischemic heart diseases in the Slovak Republic for the period 1996

Most counties also experienced a decrease between 1980 and 2014-93.

## A novel approach for geographical risk mapping of morbidity and mortality rates: the case of Val D'Agri, Italy

Counties with above average increases were located predominantly in the northern and western United States.

## Hospital Strategies Can Lower AMI Mortality Rates, But Few Use Them

These estimates may be useful to inform efforts to target prevention, diagnosis, and treatment efforts to improve health and reduce inequalities.

## Comparison of Hospital Risk

However, mortality rates from drug use disorders increased by more than 600% between 1980 and 2014, largely due to increasing numbers of deaths from both prescription and nonprescription opioid overdoses.

## Related Books

- [Outline survey of journalism](#)
- [Basic chemistry](#)
- [Enten-eller - et livs fragment](#)
- [Language and politics](#)
- [Moments liberty - the shorter diary of Virginia Woolf](#)