Kompleksnoe osvoenie mineral'no-syr'evykh resursov

Akademiia nauk SSSR, In-t problem kompleksnogo osvoeniia nedr - Kompleksnoe ispol'zovanie mineral'no



Description: -

Mines and mineral resources. Kompleksnoe osvoenie mineral'nosyr'evykh resursov

-Kompleksnoe osvoenie mineral'no-syr'evykh resursov Notes: Includes bibliographical references. This edition was published in 1989



Filesize: 30.22 MB

Tags: #Scott #Polar #Research #Institute, #Cambridge #>> #Library #catalogue

Reclamation Trend of Underground Construction

Induced seismicity, induced earthquakes, shear stiffness, fault zone, geomechanics, rock mass, monitoring DOI: 10. Simferopolskaya 24, Dnepr Dnepropetrovsk, 49005 Ukraine Received June 5, 2017 The integrated study of coal is performed using methods of optical and electron paramagnetic resonances, infrared spectroscopy and Raman spectroscopy. This research allowed us to identify areas with different fracturing intensity in the sedimentary cover, mark local objects and assess their prospects in terms of distribution and extent of fracturing.

JMS, Vol. 53, No. 4, 2017

Ground Movements and Structures, Cardiff, 1991, pp. Redistribution of nonferrous and noble metals in a percolation bed made of old tailings in the Norilsk copper—nickel ore field is studied. The test data obtained on a rolling-and-disc scheme of a friction assembly are presented.

Otmas A.A. (Senior)

Reclamation of mined-out areas is an efficient way of the environment protection in mining regions.

JMS, Vol. 53, No. 4, 2017

Approaches to analyzing intensity of degeneration of load-bearing elements of the open stoping system as a consequence of salt rock dissolving are proposed. Saint Petersburg: VNIGRI, 2009, 160 p. Geologicheskoe stroenie SSSR i zakonomernosti razmeshcheniya poleznykh iskopaemykh.

JMS, Vol. 53, No. 4, 2017

Basic Directions of the Strategy of Mastering of Anthropogenic Ore and Placer Deposits of Noble Metals, Euraslan Mining Gorny Zh. Columbite, tantalite, zircon, feldspar, X-ray photoelectron spectroscopy, microscopy, physicochemical properties, electric properties, flotation properties, microhardness, high-power electromagnetic pulses DOI: 10.

Reclamation Trend of Underground Construction

Most likely the reason is the other estimation of the initial total hydrocarbon resources, fact confirmed by the results of the stimulation. The rates of spreading products of interaction between butyl ethyl xanthates and lead nitrate over water surface are found. Keywords: geological prospecting, oil accumulation, oil-bearing prospects, Baltic syneclise.

Otmas A.A. (Senior)

One of these areas was the Kursh Gulf, whose prospects are confirmed by the opening of a number of oil fields in adjacent areas of land and sea, both in Russia and in neighboring Lithuania.

Related Books

- Kokyō to iu monogatari toshi kūkan no rekishigaku
- Origuchi Shinobu, kokō no shijin gakusha sono sakuhin to shisō
 Caetana says no womens stories from a Brazilian slave society
- <u>Unsere Bundespräsidenten von Theodor Heuss bis Roman Herzog : sieben Porträts</u>
- Biological chemistry the molecular approach to biological systems