

Höhlenpseudoscorpione der Balkanhalbinsel - eine auf dem Material der Biospeologica balcanica basierende Synopsis

Verlag Barvič & Novotný - ユーゴスラビアのモンテネグロ産のカニムシ類の新種Roncus yaginumai(カニムシ綱:コケカニムシ目)

Description: -

Exiles -- Russia (Federation) -- Siberia -- History
Polish people -- Russia (Federation) -- Siberia -- History
Java (Indonesia) -- Religion
Arachnida -- Balkan Peninsula.
Cave animals -- Balkan Peninsula.
Pseudoscorpions -- Balkan Peninsula. Höhlenpseudoscorpione der Balkanhalbinsel - eine auf dem Material der Biospeologica balcanica basierende Synopsis

Nr. 4.

Studie z oboru všeobecné krasové nauky, vědecké spelaeologie a sousedních oborů :

10.

Studie z oboru všeobecné krasové nauky, vědecké spelaeologie a sousedních oborů ;

Nr. 4

B, Biologische Serie ;

10 :

Studien aus dem Gebiete der allgemeinen Karstforschung, der wissenschaftlichen Höhlenkunde, der Eiszeitforschung und den Nachbargebieten ; Höhlenpseudoscorpione der Balkanhalbinsel - eine auf dem Material der Biospeologica balcanica basierende Synopsis
Notes: Bibliography: p. 83.

This edition was published in 1939

Tags: #Roncus #yaginumai, #a #New #Pseudoscorpion #from #Montenegro, #Yugoslavia. #Pseudoscorpiones: #Neobissidae.

Filesize: 12.55 MB

Roncus yaginumai, a New

Pseudoscorpion from Montenegro, Yugoslavia. Pseudoscorpiones: Neobissidae.

All items are offered subject to prior sale.

Die Myriopoden der Höhlen der Balkanhalbinsel. Nach dem Material der "Biospeologica balcanica". von Attems, C.: (1959)

Neobisium georgecastriota is probably closely related to N. Valsuani Gruppo Speleologico Piemontese CAI-UGET, Torino and L.

Roncus yaginumai, a New Pseudoscorpion from Montenegro, Yugoslavia. Pseudoscorpiones: Neobissidae.

Please note that a BioOne web account does not automatically grant access to full-text content. Chaetotaxy of tergites I-X 4:4:4-6:4-6:6-7:6-7:7-8:7-8:7-8; II and V rarely with 5 setae. The above redescription of N.

Subterranean Neobisium (Pseudoscorpiones: Neobisiidae) from Albania

Coxal setae: pedipalp 8 rarely 9 or 10 , I 6 rarely 5 or 7 , II 6-9, III 6, IV 10-13; anterolateral process of coxa I squat, apically obtuse. Chaetotaxy of tergites I-XI 5-7:6-7:6-8:7-10:7-10:8-10:9-11:10-11:8-11:10; tergite I of a male and a female with 6, of a male with 5, of a female with 7 setae; sternite II of a female with 7 setae. Leg I male from Sherra Å« Cikes : trochanter 1.



ユーゴスラビアのモンテネグロ産のカニムシ類の新種 *Roncus yaginumai*(カニムシ綱:コケカニムシ目)

Chaetotaxy of sternites II-X male : 18-30:38-47 15-20 of them situated along posterior margin of genital opening 20-21:15-16:14-15:15-17:14-17:15-16:11-13, setae of genital atrium and median genital sac not seen; chaetotaxy of sternites II-X female 12-21:29-31:16-18:13-16:11-15:11-14:12-14:13-14:12-13; sternites III and IV male, female each with 2-4 mostly 3 microsetae in front of each stigma; anal cone with 2 + 2 setae. Anterolateral process of coxa I squat, apically obtuse. KOCH, 1873 Pseudoscorpiones, Neobisiidae from the Former Yugoslav Republic of Macedonia FYRM.

Roncus yaginumai, a New Pseudoscorpion from Montenegro, Yugoslavia. Pseudoscorpiones: Neobissidae.

Size and ratios of pedipalpal segments are similar in males from both caves: Vjetrenica - femur length 2. Meggiorini Gruppo Puglia Grotte, Castellana, Bari, A. Terminology and reference points for measurements largely follow Chamberlin, the relative position of trichobothria along the chelal axis is calculated following Gabbutt, and the use of the terms rallum, antiaxial and paraxial follows Judson.

ユーゴスラビアのモンテネグロ産のカニムシ類の新種 *Roncus yaginumai*(カニムシ綱:コケカニムシ目)

This functionality is provided solely for your convenience and is in no way intended to replace human translation. Chaetotaxy of tergites I-XI 4:6:5-7:7:7:7-10:8-10:7-10:6-8; tergite I of a male and a female with 5, II-III of two females with 4 setae.

Related Books

- [Shāfi‘ī wa-maqāsid al-sharī‘ah](#)
- [Transfer of U.S. technology to other countries - an analysis of export control policy and some recom](#)
- [Labāapkān vādūai kānpamēn phonkathop tō singwāetlōm yū nai Sō. Pō. Pō. Lāo = - Reg](#)
- [Body and the text - Hélène Cixous--reading and teaching](#)
- [Ergot of grains and grasses](#)