

# Early treatment of infantile paralysis.

**Green (pr.) - The Treatment Of Infantile Paralysis: With A Plea For The Reorganization Of Our Hospital System on JSTOR**



Figure 6. Competition at Stoke Mandeville Sports Stadium. Source: British Polio Fellowship Archive

Description: -

- Spinal cord -- Diseases early treatment of infantile paralysis.

- early treatment of infantile paralysis.

Notes: At head of title: Commonwealth Department of Health.

Australian Institute of Anatomy

This edition was published in 1920



Filesize: 5.75 MB

Tags: #First #U.S. #Polio #Epidemic

## Poliomyelitis (infantile paralysis, polio)

From this point, polio declined rapidly from tens of thousands of new cases per year to a mere handful; a fearsome disease had been put to rest by the sustained efforts of millions of volunteers, coordinated by the NFIP.

## How Infantile Paralysis Spreads

While awareness has measurably increased, the preterm birth rate itself has continued to climb; e. Often other muscle groups take over the function of the paralyzed muscles, minimizing the overall effect of the paralysis. Our longstanding advocacy for newborn screening has led to nearly complete mandated coverage in all states for 30 serious disorders.

## Treatment of Infantile Paralysis, American Journal of Public Health

Built for professionals by professionals. Roosevelt contracted polio in 1921.

## What Are the Causes, Symptoms and Treatment of Infantile Paralysis

But even in this class the extent to which recovery from the paralysis may occur is very great.

## How Infantile Paralysis Spreads

History of Polio In the early 20th century, polio was one of the most feared diseases in industrialized countries, paralysing hundreds of thousands of children every year. BY transferring the blood of immune monkeys to normal or untreated ones, they can be rendered insusceptible or immune, and the immunity will endure for a relatively short period during which the passively transferred immunity bodies persist.

## A history of the March of Dimes

The virus persists in the throat for approximately one week after the onset of illness and is excreted in the feces for three to six weeks. This book contains many tables of statistics. Polio victims were treated with radiant heat in the early stages to deal with the pain before progressing to re-education of paralyzed muscles and hydrotherapy as the general condition allowed.

## Related Books

- [Teaching of on-line information retrieval techniques](#)
- [Hare and Badger go to town](#)
- [Danemarca - \[monografie\]](#)
- [Plot outlines of 100 famous plays](#)
- [Poëтика перевода - sbornik statej](#)