

Communications of the Geological Survey of Namibia. by C. Kennedy Galloway

Namibia Ministry of Mines and Energy - Stratigraphy of the Karoo Supergroup in southern Africa: an overview


Description: -

-
Geological Surveys - Cost effectiveness
Geology - United States - Maps
Geology - Law and legislation - United States
Middle Ages -- Poetry.
Sedimentary basins - Colorado
Law reports, digests, etc. -- Maine
Law reports, digests, etc. -- Massachusetts
Quaternary
Sustainable development.
Global environmental change.
Grey literature.
Technical reports.
Technical literature.
Architecture.
Mackintosh, Charles Rennie, -- 1868-1928.
Geology - Finland
France -- In literature
French philology in literature
James, Henry, 1843-1916 -- Knowledge -- Language and languages
James, Henry, 1843-1916 -- Knowledge -- France
Petroleum -- Prospecting
Geology - New York (State)
Ethologists -- Austria -- Interviews.
Lorenz, Konrad, 1903- -- Interviews.
Geology - Namibia
Communications of the Geological Survey of
Namibia. by C. Kennedy Galloway
-Communications of the Geological Survey of Namibia. by C.
Kennedy Galloway
Notes: 11
This edition was published in -

Tags: #Geophysics

**Compilation of the Namibian airborne
magnetic surveys: procedures,
problems and results**

Toward a Neoproterozoic composite
carbon-isotope record. The operations
included limited surface production and
underground mining at both Kombat and
Gross Otavi.



Filesize: 30.41 MB

Geophysics

The syntectonic Mulden Group deposited between the first D1 and second D2 phases of Damaran deformation on the Northern Platform comprises the erosional debris of the developing orogen. Earth and Planetary Science Letters 245, 551-570.

Characterization of fluid inclusions from mineralized pegmatites of the Damara Belt, Namibia: insight into late

. Journal of Asian Earth Sciences, 156, 41-58. In the Okwa Group, detrital zircons extracted from Neoproterozoic sedimentary rocks of the Takatswaane Formation yielded the following dates: 1887±14 Ma, 1246±4 Ma, 1054±5 Ma, 627±6 Ma and 579±12 Ma.

Andradite from Navachab Gold Mine, Karibib Constituency, Erongo Region, Namibia

Dans certains bassins du Karoo les couches du Permien ont pu faire l'objet d'une biozonation palynologique. In 1994, the Geological Survey embarked on a programme of High Resolution Airborne Geophysical surveys designed primarily to assist and promote mineral exploration. Six defined ore blocks have been delineated to date that are collectively termed Kombat Mine and are located on the northern limb of the canoe-

shaped, doubly plunging Otavi Valley Synclinorium, in the contact zone between phyllite of the Kombat Formation and underlying dolomites of the upper Tsumeb Subgroup.

Related Books

- [Hearts & faces](#)
- [Review of the chemistry and toxicity of polychlorinated biphenyls](#)
- [Bayonets at St. Cloud - the story of the 18th Brumaire.](#)
- [Curso de finanzas y derecho tributario.](#)
- [Imperial encyclopaedia, or, Dictionary of the sciences and arts - comprehending also the whole circl](#)