


Qualitative study in a hospice in Israel of the impact on the family of terminal restlessness and its management - implications for nursing practice

De Montfort University - Forget me not: palliative care for people with dementia



Description:-

-qualitative study in a hospice in Israel of the impact on the family of terminal restlessness and its management - implications for nursing practice

-qualitative study in a hospice in Israel of the impact on the family of terminal restlessness and its management - implications for nursing practice

Notes: Thesis (Ph.D) - De Montfort University, Leicester 2001.

This edition was published in 2001



Filesize: 45.24 MB

Tags: #A #qualitative #study #in #a #hospice #in #Israel #of #the #impact #on #the #family #of #terminal #restlessness #and #its #management # (2001 #edition)

Forget me not: palliative care for people with dementia

Specifically, the emotional component of suffering increased perceived physical distress.

Palliative care education and its effectiveness: a systematic review

Our endeavor of validating our findings included analysis and discussion of data by a multi-professional research team.

Palliative care education and its effectiveness: a systematic review

Contributing factors may include an insufficient evidence base to care for suffering patients at EOL and a lack of personal coping strategies. Harrop E, Morgan F, Byrne A, Nelson A. Methods Within a qualitative design, interviews with 12 grieving FC were conducted using a semi-structured interview guide.

A Relational Ethical Approach to End

Where to deliver palliative care for dementia patients It is commonly stated that patients with dementia lack access to palliative care in hospice settings; less than 1% of patients in inpatient hospices have dementia as their primary diagnosis. The nurse needs flexibility to engage in patient interactions where there is time to enter into the small talk that leads to the larger, value-laden conversations that may affect subsequent care. Data Analysis After institutional review board approval was received and informed consent obtained from participants, audiotaped, semistructured interviews were conducted using open-ended questions and a demographic data sheet.

British Library EThOS: A qualitative study in a hospice in Israel of the impact on the family of terminal restlessness and its

management : implications for nursing practice.

A novel finding in this study is the recognition of suffering as a family affair. There is always difficulty applying tools developed for research purposes for use in clinical practice for reasons of feasibility, acceptability, etc.

Ethical challenges in family caregivers of patients with advanced cancer

Thus, interviews were either conducted at the palliative care ward or a neutral room as preferred by FC. Table gives an overview of central items of the interview guide. Results Thirty-nine research studies were included in the systematic review.

Related Books

- [New schools for the children of seamen and others, in connection with St. Pauls Dock street, White c](#)
- [Grèce - depuis la conquête romaine jusqu'à nos jours](#)
- [Honor roll containing a pictorial record of the gallant and courageous men from Faribault County, Mi](#)
- [In search of ancient Italy](#)
- [Inspired by nature - the Garfield Park Conservatory and Chicagos West Side](#)