


Report on the Acoustic Televiwer Logging of Borehole Url-11.

s.n - Data Qulaification Report Flowong Interval Data for Use On the Yucca Mountain Project



Description: -

-Report on the Acoustic Televiwer Logging of Borehole Url-11.

-

Technical record (Atomic Energy of Canada Ltd) -- 215-14Report on the Acoustic Televiwer Logging of Borehole Url-11.

Notes: 1

This edition was published in 1985



Filesize: 57.51 MB

Tags: #Televiwer(id:1567638) #Product #details

Televiwer(id:1567638) Product details

This description is then accumulated to generate the displays discussed above. Technical specifications and operating conditions of the optical televiwer sonde Advanced Logic Technology. The latter can be converted into a pseudo-three-dimensional image by adding a slight bias to the vertical sweep according to the magnitude of the time-of-flight signal.

Fracture Detection by Circumferential Propagation of Acoustic Energy

Meanwhile, the traveltime image provides an information about the borehole shape and can be converted to a high precision 3D caliper log with max. The large available range in seismic-source frequencies provides experimental data on widely different scales, which are very useful in determining scale effects in fractured rock bodies. These logs were made at temperatures as high as 260 °C Keys, 1979.

Acoustic Scanner/Optical Televiwer & Sonic Log Interpretation

Single-point resistance logs are useful in the determination of.

Televiwer(id:1567638) Product details

Single-hole, directional radar can be used to identify the location and , and cross-hole tomography can be used to delineate fracture zones between boreholes. Geological Survey Techniques of Water-Resources Investigation, book 2, chap. The sonde housing 12 is supported in borehole 14 by a conventional logging cable 17.

Fracture Detection by Circumferential Propagation of Acoustic Energy

Collection of spontaneous-potential logs is limited to water- or mud-filled open holes. There are two main categories of waves in a borehole:

refracted waves and guided waves. Diagram showing comparison of reconstructed fracture data from borehole television, and a detailed core log, with a copy of an acoustic televiewer log.

Related Books

- [Leadership and management according to Florence Nightingale](#)
- [Expert system applied to pollution control.](#)
- [Observations upon a memorial sent from London to Scotland, to procure petitions against the bill for](#)
- [Margaret Thatcher - Prime Minister.](#)
- [A.R.C. Heat and Mass Transfer Sub-Committee proposed nomenclature for film cooling investigations](#)