

Ecology of blesbok with special reference to productivity.

Wildlife Society - Interspecific allometry of population density in mammals and other animals: the independence of body mass and population energy

Permission denied: image hotlinking detected.

Hi there!

We appreciate the fact that you love our work, but we see you're attempting to use images directly off our server.

Please feel free to link to the page on our site where you found this image. In this way, the authors can get credit for creating the image and you can assist us to unlock African knowledge to the world.

<https://aosis.co.za>

Description: -

-

Ecology.

Blesbok.Ecology of blesbok with special reference to productivity.

-

Wildlife monographs -- no. 30 Ecology of blesbok with special reference to productivity.

Notes: Bibliography: p. 69-70.

This edition was published in 1972



Filesize: 67.21 MB

Tags: #The #Ecology #of #the #Fish #Pond #Ecosystem: #With #Special #Reference #to #Africa

Chemical characteristics of blesbok (*Damaliscus dorcas phillipsi*) meat

One aspect of this research focuses on forest health and ecology in response to root-infecting fungi.

Hartebeest

Short profiles of the species and their studbooks are presented. Kongoni is often used to refer in particular to one of its —.

No. 30, Aug., 1972 of Wildlife Monographs on JSTOR

Its legs, which often have black markings, are unusually long. We thank Atle Mysterud and one anonymous reviewer for helpful comments on previous versions of this manuscript. Armillaria root disease inoculum remaining in young Ontario conifer plantations following root raking or Madge rotoclearing.

Ecology of Blesbok with Special Reference to Productivity on JSTOR

Various other sciences, such as physics, chemistry, geology, geography, meteorology, climatology, hydrology, paleontology. Cambridge, UK: Cambridge University Press. In one study, the highest dimorphism was found in skull weight.

Similarity in habitat adaptations of Arctic and African ungulates: evolutionary convergence or ecological divergence?

For the remaining 34 species, sufficient dietary information was reported to allow approximations of their diets.

Ecology, Epidemiology, and Production of Fungi in Managed and Native Ecosystems

In two of the past four years 1990 and 1993 , Sclerotinia stem blight of canola has been widespread and caused significant mortality in canola plantings in mid-Missouri. Episodic dynamics of tar spot of annual lespedeza within and among years.

Ecology: Useful notes on Ecology

Research during the past year strongly suggests that foraging is stochastic rather than resource directed, which is in contrast to previously published work with other cord-forming fungi. Its face is black save for the chocolate band below the eyes.

No. 30, Aug., 1972 of Wildlife Monographs on JSTOR

Models of paleoecological reconstruction using fossil bovids are based on the extrapolation of ecological information known for modern species ;. Actually speaking there is no sharp line of distinction between plant ecology and plant geography. East African Mammals: An Atlas of Evolution in Africa.

Related Books

- [Basic neuroscience for the health professions](#)
- [Rinrigaku to dōtoku kyōiku](#)
- [Histoires du Canada - Vies ramanchées](#)
- [Variety in the little garden](#)
- [Special report on mandated studies](#)