


# Relationship between physical activity and risk of developing breast cancer

National Library of Canada - The University of Hong Kong Jockey Club Institute of Cancer Care



Description: -

-Relationship between physical activity and risk of developing breast cancer

- Canadian theses = Thèses canadiennes Relationship between physical activity and risk of developing breast cancer

Notes: Thesis (M.Sc.)--University of Toronto, 1993.

This edition was published in 1993



Filesize: 35.110 MB

Tags: #Relationship #between #physical #activity, #disability, #and #physical #fitness #profile #in #sedentary #Latina #breast #cancer #survivors

The University of Hong Kong Jockey Club Institute of Cancer Care

These findings remained unchanged after adjustment for different breast cancer risk factors and remained remarkably consistent across different definitions and categorizations of physical activity level. A case-control study on breast cancer and body mass. UK Chief Med Off Guidel.

## Links between cancer and weight, nutrition and physical activity

On the 1991 questionnaire, the same physical activity questions that appeared on the baseline 1989 survey were asked again. Ennour-Idrissi K, Maunsell E, Diorio C 2015 Effect of physical activity on sex hormones in women: a systematic review and meta-analysis of randomized controlled trials. McAloney K, Graham H, Law C, Platt L.

## Does obesity modify the relationship between physical activity and breast cancer risk?

Diet is thought to be at least partly responsible for about 30% to 40% of all cancers.

## The Role of Physical Activity in Cancer Prevention, Treatment, Recovery, and Survivorship

There was also a positive, monotonic association between adolescent physical activity level and height; the association between height and recent activity level was less pronounced. Superior cardiovascular effect of aerobic interval training versus moderate continuous training in heart failure patients: a randomized study. This treatment goes by many names, such as post-menopausal hormone therapy PHT, hormone replacement therapy HRT, and menopausal hormone therapy MHT.

## Links between cancer and weight, nutrition and physical activity

To address this hypothesis, we repeated analyses within strata of oral contraceptive use. Again, we modeled these categories as a series of four

indicator variables.

### **Physical Activity and Breast Cancer Risk in a Cohort of Young Women**

Results : Women who were more active in late adolescence were not at reduced risk of breast cancer compared with less active women.

## Related Books

- [Antibiotics and antibiotic therapy - a clinical manual](#)
- [Marriage and Family Law Agreements - 1993 Supplement](#)
- [Möglichkeiten unternehmerischer Zusammenarbeit ohne wettbewerbsbeschränkende Bindung](#)
- [Wo warst dy, Adam? - und erzählungen 1947 bis 1951.](#)
- [Report of the Tort and Insurance Reform Oversight Committee - 1987 interim](#)