


Sudden cardiac death - prevalence, mechanisms, and approaches to diagnosis and management

Williams & Wilkins - Sudden Cardiac Death



Description: -

- Love in art

Stage photography

Photography, Artistic

Levinthal, David

Death, Sudden, Cardiac -- prevention & control.

Death, Sudden, Cardiac -- etiology.

Cardiac arrest. Sudden cardiac death - prevalence, mechanisms, and approaches to diagnosis and management

- Sudden cardiac death - prevalence, mechanisms, and approaches to diagnosis and management

Notes: Includes bibliographical references and index.

This edition was published in 1994



Filesize: 57.105 MB

Tags: #Sudden #Cardiac #Death #in #Young #People #with #Diabetes: #An #Opportunity #for #Prevention

Sudden cardiac death

Prevalence: Although SCD in athletes is rare, media coverage often makes it seem like it is more prevalent. N Engl J Med 2004; 350:2151—8. Your Ejection fraction can go up and down, based on your heart condition and the effectiveness of the therapies that have been prescribed.

Sudden cardiac death

Thus, the incidence rate of SCD was much higher among young people with DM versus without DM: about 8-9 times higher among those 1-35 years, and about 6 times higher among those 36-49 years.

Sudden Cardiac Death: A Modern Pathology Approach to Hypertrophic Cardiomyopathy

Furthermore, the high-risk sudden cardiac death patients we see in our clinics and hospital wards are likely to be different from the residents in the community that have sudden cardiac death, often as the very first manifestation of heart disease. Identical and significant effects were observed based on geographic location of sudden cardiac death. Patients with an increased risk of sudden cardiac death may be found to have, in addition to high-grade ventricular arrhythmias, impaired left ventricular function.

Sudden cardiac death

Triggering of sudden death from cardiac causes by vigorous exertion.

Sudden cardiac death

Permission is required for reuse of this content.

Sudden Cardiac Death

In a multivariate analysis, diabetes independently conferred a significant risk for sudden cardiac death Relative Risk 2.

Sudden Cardiac Death (SCD): Symptoms, Causes

For the high-risk population described in this article, in addition to aggressive antiischemic and heart failure therapy, ICDs are now a mainstay of life-saving treatment.

Epidemiology of Sudden Cardiac Death: Clinical and Research Implications

Apart from patients with ST-segment elevation, patients resuscitated from a shockable rhythm should be subjected to coronary angiography. Men aged 40 and older and women aged 50 and older should also have an exercise stress test and receive education about cardiac risk factors and symptoms. Interstitial and replacement fibrosis of myocardium elastic trichrome, original magnification $\times 400$.

Related Books

- [Stato delle conoscenze sulla geologia della pianura padana](#)
- [Äijänneva - Suomen ainoa suonaapuristo](#)
- [Information for innovation - managing change from an information perspective](#)
- [Im a char.](#)
- [Quebec raconte ... - avec des notes, des questions, des themes de discussion et de composition, et u](#)