


MCQs in obstetrics and gynaecology

Churchill Livingstone - Multiple Choice Questions in Obstetrics and Gynaecology



Description: -

-
 Decoration and ornament.
 Decoration and ornament -- History.
 Obstetrics -- Examination questions.
 Gynecology -- Examination questions.
 Gynecology -- Examinations, questions, etc.
 Obstetrics -- Examinations, questions, etc. MCQs in obstetrics and gynaecology
 -MCQs in obstetrics and gynaecology
 Notes: Bibliography: p. [209]-210.
 This edition was published in 1983



Filesize: 10.73 MB

Tags: #Obstetrics #Gynecology #Question #Bank #PDF #Free #Download:2021

Multiple Choice Questions in Obstetrics and Gynaecology

Obstetrics is the branch deals with childbirth and midwifery. The FALSE statement regarding the glycoprotein hormone Human Chorionic Gonadotropin HCG is a.

Best Examination Questions: Obstetrics & Gynaecology

The activity of 15-hydroxyprostaglandin dehydrogenase decreases in the myometrium and the chorion during labor and causes increase in prostaglandins associated with parturition Answer: b 95.

Multiple Choice Questions in Obstetrics and Gynaecology

Routine postpartum administration of anti-D immune globulin to at-risk pregnancies within 72 hours of delivery lowers the alloimmunization rate by 50 percent d. Common site of endometriosis is- a Ovary b Abdominal scar after tubectomy c Abdominal scar after LSCS d All Ans. As the CIN lesions become more severe, the HPV copy numbers decrease, and the capsid antigen disappears Answer: a 72.

Obstetrics & Gynecology Question Bank PDF Free Download:2021

Findings consistent with an Acute Peripartum or intrapartum event leading to Hypoxic-Ischemic Encephalopathy are the following EXCEPT a.

MCQs in Gynaecology and Obstetrics (Multiple Choice Questions Series) (July 4, 1991 edition)

Patients with occult anal sphincter tears are 8 times more likely to have fecal incontinence c. Lack of correlation between cytology, biopsy and colposcopy c. Women with POI should be screened for antiadrenal antibodies and for antithyroid antibodies d.

300+ TOP Obstetrics and Gynecology MCQs and Answers

Surgery is the mainstay of treatment for uterine LMS d. The difference that we offer is that we are constantly refining the content based on the current exam patterns and incorporating the latest exam questions. ICU admissions are not more common in pregnant women compared to

nonpregnant women of the same age d.

MCQs in Gynaecology and Obstetrics (Multiple Choice Questions Series) (July 4, 1991 edition)

All the following are TRUE EXCEPT a. Type I cancers arise from its precursor Endometrial Intraepithelial Carcinoma EIC c.

MCQs in Gynaecology and Obstetrics (Multiple Choice Questions Series) (July 4, 1991 edition)

Puerperium period is: A Soon after birth of baby B Soon after placental separation to 5 days C Soon after placental separation to 6 weeks D None of the above 8. In following which is the classic symptom of uterine fibroid- a Menorrhagia b Pain in lower abdomen c Dysmenorrhoea d Purulent vaginal discharge Ans.

Related Books

- [Svoi chelovek Zoika - rasskazy i povest'](#)
- [Tesauro diksiunaryo Ingles-Pilipino, 1946.](#)
- [Ese músico que llevo dentro](#)
- [Jacobitism unmasked - or the learned speakers; a farce. As performed at the County Hall in Coventry.](#)
- [Jurisprudencia fiscal - sumillas clasificadas, años 1973-1974](#)