

# Aporophyla nigra (HAW.) - synonymous with Noctua lunula STRØM 1768 (Lep. Agrotidae) ...

## A.S.J. Grieg - Aporophyla nigra : Black Rustic

Description: -

Noctuidae -- Classification. Aporophyla nigra (HAW.) - synonymous with Noctua lunula STRØM 1768 (Lep. Agrotidae) ...

Coleccio?n Austral -- no. 1470.

Publications from the Biological Station, Espegrond -- no. 15.

Bergen, Norway. Universitet. Biologisk Stasjon. Publications -- no.

15. Aporophyla nigra (HAW.) - synonymous with Noctua lunula STRØM 1768 (Lep. Agrotidae) ...

Notes: Includes bibliography.

This edition was published in 1955



Filesize: 57.83 MB

Tags: #European #Lepidoptera #and #their #ecology: #Aporophyla #nigra

## Aporophyla nigra : Black Rustic

Sloane Manuscripts, British Museum, London. The apical eyespot is sometimes bipupilled or double and is ringed with orange, usually of a more red colour than in the south.

## Full text of Entomologist's record and journal of

Guy Ford records this species Entomologist's Record 80: p. AND ITS FORMS 55 Scotland and iernes in any but mainly maritime localities throughout its range.

## Haworthiopsis nigra

I have, for the purpose of the map, called specimens *splendida* if they agreed with Graves' description in most respects, but I would point out that I have seen one female from Dover which was closer to what I would call *splendida* than some of the Gairloch specimens in the same collection! None of the other investigators working the eastern seaboard in the late seventeenth and early eighteenth centuries seem to have noticed phoheimer larvae at all, despite the busy entomological collecting activity engendered largely by the apothecary-scientist James Petiver, author of the first book on the English Lepidoptera, *Papilionum Britanniae* 1717. I am not at all happy with Graves' redescription of this sub-species. I think it might be the case that the Longa Island form is pure and only approaches to it are found throughout the north west of Scotland.

## Aporophyla nigra : Black Rustic

Only in this way can an insight into the points of relationship between the individual representatives be guaranteed. Average I expanse 55-6 mm. Furthermore, descriptions of the holotype and copies of the drawings published here were sent to the most important authorities in this field, for comparison with their collections and literature.

## List of Nocturia Medications (3 Compared)

I noticed that the red admiral was by far the most bibulous of the butterflies. We offer our services to Entomological Enthusiasts wishing to expand their interests : we now have an excellent range of Apparatus, Books, new and second-hand Cabinets, Display Cases and Storage Boxes available; send your name and address for a selection of Catalogues stating if you have a particular requirement. I should add that besides Lepidoptera, it is my custom when working relatively neglected areas to take en passant representatives of other insect orders, and a list of some of these is appended.

**Full text of Entomologist's record and journal of**

On 12th June we worked a m. Now I am glad to be able to record it from within a mile of the Suffolk Coast in the marshes of Blythburgh, near the heronry, where I cut the pupa that is now in Mr.

## Related Books

- [Writing dangerously - Mary McCarthy and her world](#)
- [Lam zab bla ma'i rnal 'byor gyi rnam b'sad Bka'-brgyud rin po che'i dgois rgyan = - A detailed exeg](#)
- [Avontuurlijke reis - reportages](#)
- [Horned lizards](#)
- [Foreign investments in China.](#)